

# PARTS MANUAL

2022

2500 HARVESTER SCRUB

8 ROW 22

6 ROW 30



2800 7<sup>th</sup> Avenue North  
Fargo, ND 58102

Phone: (701) 232-4199  
Fax: (701) 234-1716  
[www.amitytech.com](http://www.amitytech.com)




## TABLE OF CONTENTS

|                                               |         |
|-----------------------------------------------|---------|
| HITCH ASSEMBLY                                | 1-2     |
| LIFTER STRUT                                  | 3-10    |
| ROW FINDER                                    | 11-14   |
| GUARDS & SHIELDS                              | 15-18   |
| DOOR ASSEMBLY                                 | 19-20   |
| HARVESTER STAND (OPTIONAL)                    | 21-22   |
| APRON SHAFT                                   | 23-26   |
| PADDLE SHAFT                                  | 27-30   |
| CLEANING ROLLS                                | 31-32   |
| CLEANING ROLL MOUNTING PACKAGE                | 33-34   |
| MAIN DRIVE                                    | 35-36   |
| MAIN DRIVE: ONBOARD OPTION                    | 37-38   |
| CLEANING ROLL DRIVE                           | 39-40   |
| APRON/PADDLE SHAFT DRIVE                      | 41-42   |
| TANK                                          | 43-44   |
| ELEVATOR AND BOOM ASSEMBLY                    | 45-48   |
| BOOM EXTENSION 50MM/56MM (OPTIONAL)           | 49-50   |
| BOOM EXTENSION 56MM (OPTIONAL)                | 51-52   |
| REAR SCRUB                                    | 53-56   |
| REAR SCRUB: BELTED CHAIN                      | 57-58   |
| REAR SCRUB: G1 BELTED CHAIN HIGH PROFILE 55MM | 59-62   |
| REAR SCRUB-G2                                 | 62-70   |
| REAR SCRUB DRIVE: SINGLE MOTOR                | 71-74   |
| STANDARD REAR STRUTS 11.2 X 24                | 75-78   |
| SINGLE TIRE STRUT                             | 79-80   |
| STEERABLE REAR STRUTS                         | 81-84   |
| ROW FINDER & HITCH HYDRAULICS                 | 85-90   |
| VALVE GROUP: DUAL MOTOR SCRUB                 | 91-92   |
| TANK HYDRAULICS                               | 93-94   |
| HYDRAULIC TANK                                | 95-96   |
| LIGHT KIT                                     | 97-98   |
| KT-JD TOUCHSET 2200-2500 MODEL #302865        | 99-100  |
| PTO DRIVELINE #301558 & #301575               | 101-102 |
| GEARBOX (1.81:1) #62015                       | 103-104 |
| SELECTOR VALVE #58470                         | 105-106 |
| ROW FINDER VALVE #301150                      | 107-108 |
| SPROCKET #54824                               | 109-110 |
| BELT TIGHTENER #56422                         | 109-110 |
| SLIP CLUTCH (IN-LINE) #57926                  | 111-112 |
| SLIP CLUTCH/SPROCKET #57993                   | 111-112 |
| SLIP CLUTCH/SPROCKET #58335                   | 111-112 |
| SLIP CLUTCH/SPROCKET #69630                   | 113-114 |






|                                      |         |
|--------------------------------------|---------|
| IDLER PULLEY #56409                  | 115-116 |
| SPROCKET IDLER #56851                | 115-116 |
| REVERSE PULLEY                       | 117-118 |
| ROLLERS                              | 119-120 |
| DRIVELINE COMPONENTS                 | 121-122 |
| SCRUB DRIVELINE ASSEMBLY             | 123     |
| BELTED CHAIN LAP JOINT- STANDARD     | 124     |
| BELTED CHAIN LAP JOINT- HIGH PROFILE | 125     |
| BELT REPAIR KIT                      | 126     |
| TOOL CUTTER                          | 127     |
| DECALS                               | 129-134 |
| HYDRUALIC LABEL ASSY                 | 135-136 |




## HITCH ASSEMBLY

| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 301660   | WLDMT - HITCH PIVOT 6R/8R STD         | 1   |
| 2    | 301582   | WLDMT - DRAWPOLE EXTENDED             | 1   |
| 3    | 57930    | WLDMT-HITCH PLATE                     | 1   |
| 4    | 62101    | WLDMT-PIN                             | 1   |
| 5    | 1012059  | BOLT-HEX: .75 X 3.00 NC GR5 ZP        | 6   |
| 6    | 1012061  | WASHER-LOCK: .75 ZP                   | 6   |
| 7    | 1011620  | NUT-HEX: .75 NC                       | 6   |
| 8    | 64476    | PLATE-PULL HITCH                      | 1   |
| 9    | 62477    | BOLT-HITCH DRILLED                    | 1   |
| 10   | 62088    | NUT-SLOTTED: 1.13 NC GR5 ZP           | 1   |
| 11   | 1013473  | PIN-COTTER: .19 X 2.00 NP             | 1   |
| 12   | 301590   | PIN-HITCH PIVOT                       | 1   |
| 13   | 69911    | BOLT-HEX: .75 X 5.5 NC GR5 ZP         | 1   |
| 14   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP            | 1   |
| 15   | 1030883  | ZERK-GREASE: .3125 UNF STRAIGHT       | 2   |
| 16   | 301591   | SPRING BUSHING 3.50 X 3.00 X 2.50     | 2   |
| 17   | 1011748  | ZERK - GREASE: .25 UNF STRAIGHT       | 1   |
| 18   | 72021    | BOLT-HEX: 1.38 X 4.50 NC GR5 ZP       | 2   |
| 19   | 1030760  | WASHER-LOCK: 1.38 ZP                  | 2   |
| 20   | 1030758  | NUT-HEX: 1.38 NC ZP                   | 2   |
| 21   | 69256    | CHAIN-SAFETY 41000# (NOT SHOWN)       | 1   |
| 22   | 64614    | TUBE-SPACER 2.0 X 1.63                | 1   |
| 23   | 58925    | WASHER-HARDENED 4.000 X 1.625         | 1   |
|      | 68645    | WASHER-FLAT: SPCL 2.125 X 4.50 X .184 |     |
| 24   | 303568   | PLATE-HITCH PIN RETAINER              | 1   |
| 25   | 1012061  | WASHER-LOCK: .75 ZP                   | 1   |
| 26   | 58367    | BOLT-HEX: .75 X 1.50 NC GR5 ZP        | 1   |




| <b>LIFTER STRUT</b> |                 |                                         |            |
|---------------------|-----------------|-----------------------------------------|------------|
| <b>ITEM</b>         | <b>PART NO.</b> | <b>DESCRIPTION</b>                      | <b>QTY</b> |
| 1                   | 1011748         | ZERK - GREASE: .25 UNF                  | 2          |
| 2                   | 1013519         | NUT-JAM: .38 NC GR2 ZP                  | 2          |
| 3                   | 59398           | PIN-ROLL: .25 X 1.50 ZP                 | 2          |
| 4                   | 69907           | SHAFT-STRUT                             | 1          |
| 5                   | 50142           | WLDMT-STRUT SPINDLE ASSY                | 1          |
| 6                   | 50146           | WLDMT-STRUT BRACKET                     | 1          |
| 7                   | 63655           | HUB-MACHINED                            | 2          |
| 8                   | 50134           | WLDMT-SPACER ZP                         | 1          |
|                     | 51542           | BUMPER-RUBBER                           | 1          |
| 9                   | 50137           | WASHER SQUARE ZP                        | 2          |
|                     | 50139           | PLATE-LIFTER STRUT SPACER ZP            | 4          |
| 10                  | 1030761         | BOLT-HEX: .63 X 7.00 NC GR 8 ZP         | 1          |
| 11                  | 1011578         | NUT-HEX: .63 NC GR5 ZP                  | 13         |
| 12                  | 50715           | WLDMT-SCRAPER RH                        | 1          |
| 13                  | 1030702         | WASHER-FLAT: .75 ZP                     | 4          |
| 14                  | 50716           | WLDMT-SCRAPER LH                        | 1          |
| 15                  | 1011669         | BOLT-HEX: .50 X 6.00 NC GR5 ZP          | 1          |
| 16                  | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP              | 1          |
| 17                  | 69855           | LIFTER WHEEL-MACH (FILLER)              | 2          |
|                     | 300734          | LIFTER WHEEL HARD PAINTED               |            |
| 18                  | 50747           | PLATE-LIFTER WHEEL SPACER ZP (OPTIONAL) | AR         |
| 19                  | 63880           | WLDMT-WHEEL FILLER (OPTIONAL)           | 2          |
| 20                  | 64135           | BOLT-EYE: .75 X 8.00 ZP                 | 2          |
| 21                  | 64136           | BOLT-HEX: .75 X 8.50 NC GR5 ZP          | 2          |
| 22                  | 1017000         | NUT-TOPLOCK: .75 NC GR5 ZP              | 4          |
| 23                  | 1013023         | BOLT-HEX: .63 X 2.50 NC GR5 ZP          | 8          |
| 24                  | 1011813         | WASHER-LOCK: .63 ZP                     | 16         |
| 25                  | 65825           | BOLT-HEX: .63 X 3.25 NC GR5 ZP          | 4          |
| 26                  | 1013024         | WASHER-FLAT: .63 ZP                     | 4          |
| 27                  | 1013473         | PIN-COTTER: .19 X 2.00 NP               | 2          |
| 28                  | 1016367         | NUT-SPINDLE: 1.38 NF NP                 | 2          |
| 29                  | 63624           | HUB CAP ROUNDED ZP                      | 2          |
| 30                  | 1030765         | BUSHING-MACHINED: 1.38 NR 10 GA         | 2          |
| 31                  | 53632           | SEAL                                    | 2          |
| 32                  | 53634           | CONE-BEARING INNER                      | 2          |
| 33                  | 53636           | CUP-BEARING INNER                       | 2          |
| 34                  | 1030766         | ZERK - GREASE .13 NPT STRAIGHT          | 2          |
| 35                  | 53635           | CUP-BEARING OUTER                       | 2          |
| 36                  | 53633           | CONE-BEARING OUTER                      | 2          |
| 37                  | 64012           | PIN-COTTER: .19 X 3.00 NP               | 2          |

CONTINUE



| <b>LIFTER STRUT (CONTINUED)</b> |                 |                                             |            |        |
|---------------------------------|-----------------|---------------------------------------------|------------|--------|
| <b>ITEM</b>                     | <b>PART NO.</b> | <b>DESCRIPTION</b>                          | <b>QTY</b> |        |
| 38                              | 64674           | RACE-SPACER (.120)                          | AR         |        |
| 39                              | 300097          | PLATE-LIFTER WHEEL FILLER                   | 16         |        |
| 40                              | 59488           | BOLT-CRG: .38 X 1.00 NC GR5 ZP              | 16         |        |
| 41                              | 303731          | NUT-FLANGE TOPLOCK .38 NC YZP               | 16         |        |
| 42                              | 1026259         | NUT-JAM: .63 NC GR2 ZP                      | 5          |        |
| 43                              | 50813           | SCREW-SET: SQ HD .38 X 1.00 ZP              | 2          |        |
|                                 |                 |                                             |            |        |
|                                 |                 | <b>OPTIONAL URETHANE BUSHING</b>            |            |        |
| 44                              | 1016595         | NUT-TOPLOCK: .63 GR5 ZP                     | 12         |        |
| 45                              | 59093           | BOLT-HEX: .63 X 3.75 NC GR5 ZP              | 8          |        |
| 46                              | 1013935         | BOLT-HEX: .63 X 4.50 NC GR5 ZP              | 4          |        |
| 47                              | 51705           | BUSHING                                     | 12         |        |
|                                 | 301975          | BUSHING-URETHANE .67"                       |            |        |
| 48                              | 301324          | WASHER-CUSTOM: .668 ID X 1.875 OD X .235 TH | 12         |        |
|                                 |                 |                                             |            |        |
|                                 |                 | <b>OPTIONAL WHEEL FILLER BRACKET</b>        | 6-8ROW     | 12 ROW |
| 49                              | 64658           | WLDMT-WHEEL FILLER BRACKET                  | 2          | 3      |
| 50                              | 64659           | PLATE-RETAINER                              | 2          | 3      |
| 51                              | 63372           | BAR-BACKING                                 | 4          | 6      |
| 52                              | 58176           | BOLT-HEX: .38 X 3.50 NC GR5 ZP              | 8          | 12     |
| 53                              | 1011581         | WASHER-LOCK: .50 ZP                         | 2          | 3      |
| 54                              | 1011618         | BOLT-HEX: .50 X 5.00 NC GR5 ZP              | 2          | 3      |
| 55                              | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP                  | 8          | 12     |







## LIFTER STRUT - BOTTOM SCRAPER OPTION

| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 1011748  | ZERK - GREASE: .25 UNF          | 2   |
| 2    | 1013519  | NUT-JAM: .38 NC GR2 ZP          | 2   |
| 3    | 59398    | PIN-ROLL: .25 X 1.50 ZP         | 2   |
| 4    | 69907    | SHAFT-STRUT                     | 1   |
| 5    | 68095    | WLDMT-SP LIFTER STRUT STD       | 1   |
| 6    | 50146    | WLDMT-STRUT BRACKET             | 1   |
| 7    | 63655    | HUB-MACHINED                    | 2   |
| 8    | 50134    | WLDMT-SPACER ZP                 | 1   |
|      | 51542    | BUMPER-RUBBER                   | 1   |
| 9    | 50137    | WASHER SQUARE ZP                | 2   |
|      | 50139    | PLATE-LIFTER STRUT SPACER ZP    | 2   |
| 10   | 1030761  | BOLT-HEX: .63 X 7.00 NC GR 8 ZP | 1   |
| 11   | 1011578  | NUT-HEX: .63 NC GR5 ZP          | 13  |
| 12   | 64369    | WLDMT-SCRAPER                   | 2   |
| 13   | 64685    | BOLT-CRG: .50 X 2.25 NC GR5 ZP  | 2   |
| 14   | 1014443  | WASHER-FLAT: .50 ZP             | 2   |
| 15   | 1011581  | WASHER-LOCK: .50 ZP             | 2   |
| 16   | 1011577  | NUT-HEX: .50 NC GR5 ZP          | 2   |
| 17   | 69855    | LIFTER WHEEL-MACH (FILLER)      | 2   |
|      | 300734   | LIFTER WHEEL HARD PAINTED       |     |
| 18   | 50747    | PLATE-LIFTER WHEEL SPACER ZP    | AR  |
| 19   | 63880    | WLDMT-WHEEL FILLER (OPTIONAL)   | 2   |
| 20   | 64135    | BOLT-EYE: .75 X 8.00 ZP         | 2   |
| 21   | 64136    | BOLT-HEX: .75 X 8.50 NC GR5 ZP  | 2   |
| 22   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP      | 4   |
| 23   | 1013023  | BOLT-HEX: .63 X 2.50 NC GR5 ZP  | 8   |
| 24   | 1011813  | WASHER-LOCK: .63 ZP             | 16  |
| 25   | 65825    | BOLT-HEX: .63 X 3.25 NC GR5 ZP  | 4   |
| 26   | 1013024  | WASHER-FLAT: .63 ZP             | 4   |
| 27   | 1016367  | NUT-SPINDLE: 1.38 NF NP         | 2   |
| 28   | 63624    | HUB CAP ROUNDED ZP              | 2   |
| 29   | 1030765  | BUSHING-MACHINED: 1.38 NR 10 GA | 2   |
| 30   | 53632    | SEAL                            | 2   |
| 31   | 53634    | CONE-BEARING INNER              | 2   |
| 32   | 53636    | CUP-BEARING INNER               | 2   |
| 33   | 1030766  | ZERK - GREASE .13 NPT STRAIGHT  | 2   |
| 34   | 53635    | CUP-BEARING OUTER               | 2   |
| 35   | 53633    | CONE-BEARING OUTER              | 2   |
| 36   | 64012    | PIN-COTTER: .19 X 3.00 NP       | 2   |
| 37   | 1026259  | NUT-JAM: .63 NC ZP              | 5   |
| 38   | 64674    | RACE-SPACER (.120)              | AR  |
| 39   | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP  | 2   |

CONTINUED




| <b>LIFTER STRUT - BOTTOM SCRAPER (CONTINUED)</b> |                 |                                             |            |
|--------------------------------------------------|-----------------|---------------------------------------------|------------|
| <b>ITEM</b>                                      | <b>PART NO.</b> | <b>DESCRIPTION</b>                          | <b>QTY</b> |
| <b>OPTIONAL URETHANE BUSHING</b>                 |                 |                                             |            |
| 40                                               | 1016595         | NUT-TOPLOCK: .63 GR5 ZP                     | 12         |
| 41                                               | 59093           | BOLT-HEX: .63 X 3.75 NC GR5 ZP              | 8          |
| 42                                               | 1013935         | BOLT-HEX: .63 X 4.50 NC GR5 ZP              | 4          |
| 43                                               | 51705           | BUSHING                                     | 12         |
|                                                  | 301975          | BUSHING-URETHANE .67"                       |            |
| 44                                               | 301324          | WASHER-CUSTOM: .668 ID X 1.875 OD X .235 TH | 12         |
| <b>RIM FILLER KIT</b>                            |                 |                                             |            |
| 45                                               | 300097          | PLATE-LIFTER WHEEL FILLER                   | 16         |
| 46                                               | 59488           | BOLT-CRG: .38 X 1.00 NC GR5 ZP              | 16         |
| 47                                               | 303731          | NUT-FLANGE TOPLOCK .38 NC YZP               | 16         |



## HYDRUALIC ROW FINDER


| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 52567    | BUSHING-ZP                            | 1   |
| 2    | 62520    | ASSY-ROW FINDER MAIN FRAME W/BUSHINGS | 1   |
| 3    | 55206    | BUSHING-MACH: 1.25 NR 14GA            | 9   |
| 4    | 51139    | ASSY-WLDMT-SWIVEL W/BUSHINGS          | 1   |
| 5    | 51130    | WLDMT-FLIPPER                         | 1   |
| 6    | 301748   | BOLT-HEX: .31 X 2.50 NC GR8 ZP        | 5   |
| 7    | 301749   | NUT-TOPLOCK: .31 NC GR8 ZP            | 5   |
| 8    | 51690    | SHAFT ZP                              | 1   |
| 9    | 52566    | TENSIONER ARM                         | 1   |
| 10   | 51131    | SENSOR ARM-L.H.                       | 1   |
|      | 301055   | WLDMT-SENSOR ARM LH BENT              |     |
| 11   | 52564    | SENSOR ARM-R.H.                       | 1   |
|      | 301056   | WLDMT-SENSOR ARM RH BENT              |     |
| 12   | 1030797  | PIN-COTTER: .19 X 1.75 NP             | 2   |
| 13   | 51137    | COLLAR                                | 1   |
| 14   | 52565    | ADJUSTMENT BOLT                       | 1   |
| 15   | 1013004  | WASHER-FLAT: SAE .63 ZP               | 5   |
| 16   | 1013024  | WASHER-FLAT: .63 ZP                   | 2   |
| 17   | 51692    | SPRING: .21 X 1.44 OD X 6.00 15 COILS | 1   |
| 18   | 1026259  | NUT-JAM: .63 NC GR2 ZP                | 3   |
| 19   | 1011578  | NUT-HEX: .63 NC GR2 ZP                | 4   |
| 20   | 51691    | EYEBOLT: .63 X 3.25 ZP                | 1   |
| 21   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 1   |
| 22   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP        | 2   |
| 23   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP        | 1   |
| 24   | 51129    | PLATE-ADJUSTMENT                      | 4   |
| 25   | 1014608  | WASHER-FLT: SAE .38 ZP                | 1   |
| 26   | 1020416  | WASHER-FLAT: .25 ZP                   | 2   |
| 27   | 1011583  | WASHER-FLAT: .31 ZP                   | 2   |
| 28   | 1011586  | WASHER-LOCK: .38 ZP                   | 2   |
| 29   | 1029115  | WASHER-LOCK: .31 ZP                   | 2   |
| 30   | 1011576  | NUT-HEX: .38 NC GR2 ZP                | 2   |
| 31   | 1011575  | NUT-HEX: .31 NC GR2 ZP                | 2   |
| 32   | 52582    | SPRING CAP                            | 4   |
| 33   | 51689    | SPRING-ROW FINDER PAINTED             | 2   |
| 34   | 1019828  | BOLT-HEX: .38 X 2.75 NC GR5 ZP        | 2   |
| 35   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP            | 7   |
| 36   | 51128    | SPRING PLATE                          | 1   |
| 37   | 1030792  | NUT-JAM: .38 NF GR2 ZP                | 1   |
| 38   | 301150   | VALVE-ROWFINDER O/C                   | 1   |
| 39   | 301750   | WLDMT-STUD RF LONG ZP                 | 1   |
| 40   | 64157    | PIN-ROLL: .19 X 1.125 ZP              | 1   |

CONTINUED



## HYDRAULIC ROW FINDER (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 41   | 51136    | UNIBALL COUPLING                     | 1   |
| 42   | 1029137  | PIN-COTTER: .13 X 1.00 ZP            | 1   |
| 43   | 1011285  | BOLT-HEX: .31 X 2.00 NC              | 2   |
| 44   | 63661    | WLDMT-MOUNTING BRACKET               | 1   |
|      | 52181    | WLDMT-BRACKET                        |     |
| 45   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP       | 4   |
| 46   | 1011584  | WASHER-FLAT: SAE .50 ZP              | 4   |
| 47   | 1011581  | WASHER-LOCK: .50 ZP                  | 8   |
| 48   | 1011577  | NUT-HEX: .50 NC GR2 ZP               | 12  |
| 49   | 63662    | WLDMT-MOUNTING SUPPORT               | 2   |
|      | 62871    | WLDMT-ROW FINDER BRACKET UNIVERSAL   | 1   |
| 50   | 63664    | BOLT-HEX: .75 X 14.00 NC GR5 ZP      | 1   |
|      | 1012060  | BOLT-HEX: .75 X 2.00 NC GR5 ZP       | 2   |
| 51   | 1013537  | NUT-TOPLOCK: .75 NC GR5 ZP           | 2   |
| 52   | 53984    | U-BOLT: .500 X 7.00 X 6.00 X 7.00    | 2   |
|      | 35780    | U-BOLT: .500 X 7.50 X 8.00 X 7.50 ZP |     |
| 53   | 62882    | WLDMT-TIGHTENER 11.125" ZP           | 1   |
| 54   | 1011748  | ZERK - GREASE                        | 3   |
| 55   | 56939    | BUSHING-OILITE:1.25 X 1.625 X 1.50L  | 4   |
| 56   | 52654    | BUSHING                              | 2   |







## GUARDS AND SHIELDS

| ITEM | PART NO. | DESCRIPTION                         | QTY |
|------|----------|-------------------------------------|-----|
| 1    | 62883    | PLATE-HOSE MOUNT                    | 1   |
| 2    | 1011096  | BOLT-HEX: .50 X 1.00 NC GR5 ZP      | 4   |
| 3    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP          | 41  |
| 4    | 63354    | WLDMT-PTO SHIELD                    | 1   |
| 5    | 301210   | WLDMT-HYD HOSE HOLDER               | 1   |
| 6    | 301129   | CAPLUG-2" SQ                        | 1   |
| 7    | 52408    | SPRING PIN .50" X 3.50"             | 1   |
| 8    | 1011611  | BOLT-HEX: .50 X 3.00 NC GR5 ZP      | 1   |
| 9    | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP      | 40  |
| 10   | 1011828  | WASHER-FLAT: .38 ZP                 | 52  |
| 11   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP          | 65  |
| 12   | 58182    | WLDMT-MOUNT                         | 2   |
| 13   | 69117    | U ROD ZP                            | 28  |
| 14   | 58446    | SPACER ZP                           | 6   |
| 15   | 58448    | STRAP                               | 2   |
| 16   | 1015174  | BOLT-HEX: .38 X 2.50 NC GR5 ZP      | 6   |
| 17   | 51225    | MOUNT-TARP 8R                       | 2   |
| 18   | 58961    | APRON-RUBBER                        | 8   |
| 19   | 58184    | TUBE-OUTER APRON MOUNT 8R           | 2   |
| 20   | 57721    | TUBE-INNER APRON 6R/8R              | 1   |
| 21   | 59101    | SPRING PIN .38" X 3.00"             | 3   |
| 22   | 56257    | GUARD-REAR SCRUB LH (G1 SCRUB ONLY) | 1   |
| 23   | 56258    | GUARD-REAR SCRUB RH (G1 SCRUB ONLY) | 1   |
| 24   | 56754    | PIPE-THREADED                       | 1   |
| 25   | 56256    | LINK-GUARD                          | 2   |
| 26   | 1032275  | BOLT-HEX: .63 X 1.00 NC GR5 ZP      | 6   |
| 27   | 1011813  | WASHER-LOCK: .63 ZP                 | 2   |
| 28   | 1013024  | WASHER-FLAT: .63 ZP                 | 4   |
| 29   | 1032507  | BOLT-HEX: .50 X 4.00 NC GR5 ZP      | 4   |
| 30   | 62378    | WLDMT - DEFLECTOR                   | 7   |
| 31   | 65658    | U-BOLT: .50 X 3 X 2.06 X 3          | 14  |
| 32   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP          | 4   |
| 33   | 51331    | ANGLE                               | 2   |
| 34   | 51680    | DEFLECTOR-RUBBER                    | 2   |
| 35   | 1011974  | RIVET-POP: .19 X .53 ZP             | 24  |
| 36   | 63501    | PLATE-COVER                         | 2   |
| 37   | 1011602  | BOLT-HEX: .38 X 1.50 NC GR5 ZP      | 4   |



CONTINUED



| <b>GUARDS AND SHIELDS (CONTINUED)</b> |                 |                                |            |
|---------------------------------------|-----------------|--------------------------------|------------|
| <b>ITEM</b>                           | <b>PART NO.</b> | <b>DESCRIPTION</b>             | <b>QTY</b> |
| 38                                    | 69432           | PLATE-GUARD RH 8R              | 1          |
| 39                                    | 1011608         | BOLT-HEX: .50 X 1.75 NC GR5 ZP | 4          |
| 40                                    | 301025          | GROMMET-RUBBER 1.50" ID        | 1          |
| 41                                    | 69265           | ASSY-LH DOOR                   | 1          |
| 42                                    | 69350           | ASSY-RH DOOR                   | 1          |
| 43                                    | 1030946         | NUT-TOPLOCK: .25 NC GR5 ZP     | 2          |
| 44                                    | 50714           | CLAMP 1/2" ZP                  | 12         |
| 45                                    | 58176           | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 4          |
|                                       | 1015174         | BOLT-HEX: .38 X 2.50 NC GR5 ZP |            |
| 46                                    | 301900          | PLATE-HYD HOSE END HOLDER XL   | 1          |
| 47                                    | 33162           | U-BOLT: .375 X 3 X 2 X 3       | 2          |
| 48                                    | 223329          | HOLDER-LIGHT PLUG              | 1          |
| 49                                    | 1013423         | BOLT-HEX: .25 X 1.00 NC GR5 ZP | 2          |
| 50                                    | 69431           | PLATE-GUARD LH 8R              | 1          |
| 51                                    | 51687           | 1022245 DEFLECTOR-RUBBER       | 7          |
| 52                                    | 1011601         | BOLT-HEX: .38 X 1.25 NC GR5 ZP | 4          |




| <b>DOOR ASSEMBLY</b> |                 |                                      |            |
|----------------------|-----------------|--------------------------------------|------------|
| <b>ITEM</b>          | <b>PART NO.</b> | <b>DESCRIPTION</b>                   | <b>QTY</b> |
| 1                    | 69284           | LEVER-HRV LATCH ZP                   | 1          |
| 2                    | 69283           | LATCH-ROTARY                         | 1          |
| 3                    | 69286           | HINGE-108 HEAVY CONTINUOUS           | 1          |
| 4                    | 69266           | VLDMT-DOOR FRAME LH                  | 1          |
|                      | 69348           | VLDMT-DOOR FRAME RH (NOT SHOWN)      | 1          |
| 5                    | 69312           | PANEL-SHIELD TOP LH PC               | 1          |
|                      | 69372           | PANEL-SHIELD TOP RH PC (NOT SHOWN)   | 1          |
| 6                    | 69270           | SHEET-SHIELD DOOR LH PC              | 1          |
|                      | 69319           | SHEET-SHIELD DOOR RH PC (NOT SHOWN)  | 1          |
| 7                    | 69278           | STUD-BALL .31-18NC X .75             | 4          |
| 8                    | 69272           | PANEL-SHIELD FRONT LH PC             | 1          |
|                      | 69317           | PANEL-SHIELD FRONT RH PC (NOT SHOWN) | 1          |
| 9                    | 69273           | PANEL-SHIELD REAR LH PC              | 1          |
|                      | 69318           | PANEL-SHIELD REAR RH PC (NOT SHOWN)  | 1          |
| 10                   | 69274           | PLATE-SUPPORT REAR LH                | 1          |
|                      | 69344           | PLATE-SUPPORT REAR RH (NOT SHOWN)    | 1          |
| 11                   | 69275           | BRACKET-SPRING REAR                  | 1          |
| 12                   | 69277           | BRACKET-SPRING FRONT LH              | 1          |
|                      | 69320           | BRACKET-SPRING FRONT RH (NOT SHOWN)  | 1          |
| 13                   | 59488           | BOLT-CRG: .38 X 1.00 NC GR5 ZP       | 10         |
| 14                   | 1011828         | WASHER-FLAT .38 ZP                   | 17         |
| 15                   | 1016362         | BOLT-CRG: .38 X 1.25 NC GR5 ZP       | 7          |
| 16                   | 1011660         | BOLT-CRG: .50 X 1.50 NC GR5 ZP       | 2          |
| 17                   | 1014443         | WASHER-FLAT: .50 ZP                  | 2          |
| 18                   | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP           | 2          |
| 19                   | 1029448         | BOLT-HEX .31 X 3.00 NC GR5 ZP        | 1          |
| 20                   | 1011974         | RIVET-POP: .19 X .531 ZP             | 32         |
| 21                   | 1026591         | NUT-K-LOCK: #10-24 GR2 ZP            | 2          |
| 22                   | 65702           | BOLT-CRG: .31 X .75 NC GR5 ZP        | 2          |
| 23                   | 67078           | SCREW-P-H: 10-24 X .75 NC GR2 ZP     | 2          |
| 24                   | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP           | 17         |
| 25                   | 67077           | NUT-FLANGE SERR .31 NC ZP GR2        | 4          |
| 26                   | 69285           | HANDLE-MOLDED GRAB                   | 1          |
| 27                   | 69282           | SPRING-700N GAS                      | 2          |
| 28                   | 1030946         | NUT-TOPLOCK: .25 NC GR5 ZP           | 4          |
| 29                   | 69373           | PLATE-SPACER                         | 1          |
| 30                   | 1030700         | NUT-TOPLOCK: .31 NC GR5 ZP           | 4          |
| 31                   | 64635           | CASE-MANUAL STORAGE                  | 1          |
| 32                   | 1011595         | BOLT-HEX: .25 X .75 NC GR5 ZP        | 4          |
| 33                   | 1020416         | WASHER-FLAT: .25 ZP                  | 4          |



## HARVESTER STAND #63397


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 63382    | WLDMT-STAND SUPPORT            | 1   |
| 2    | 63377    | WLDMT-STAND MOUNT              | 1   |
| 3    | 63407    | PIN-BENT                       | 1   |
| 4    | 1018957  | BOLT-HEX: .63 X 8.00 NC GR5 ZP | 2   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 2   |





## APRON SHAFT - BELTED CHAIN


| ITEM | PART NO. | Description                                   | QTY |
|------|----------|-----------------------------------------------|-----|
| 1    | 56693    | WLDMT-ARM RH                                  | 1   |
| 2    | 56698    | WLDMT-SLIDE RH                                | 1   |
| 3    | 52405    | BEARING-PILLOW 1.75                           | 4   |
| 4    | 56692    | WLDMT-ARM LH                                  | 1   |
| 5    | 56697    | WLDMT-SLIDE LH                                | 1   |
| 6    | 56672    | SHIM-BEARING ZP                               | AR  |
| 7    | 301142   | WLDMT-TOP APRON SHAFT Ø5.50 6R30 56.5"        | 1   |
| 8    | 58326    | WLDMT-BOTTOM APRON SHAFT                      | 1   |
| 9    | 52382    | SEAL PROTECTOR 1.75                           | 2   |
| 10   | 1014443  | WASHER-FLAT: .50 ZP                           | 16  |
| 11   | 1029104  | BOLT-HEX: .50 X 3.75 NC GR5 ZP                | 4   |
| 12   | 1011611  | BOLT-HEX: .50 X 3.00 NC GR5 ZP                | 4   |
| 13   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                    | 8   |
| 14   | 1020685  | WASHER-FLAT: 1.00 ZP                          | 4   |
| 15   | 56718    | ROD-THREADED ZP                               | 2   |
| 16   | 1016944  | PIN-COTTER: .25 X 2.00 ZP                     | 4   |
| 17   | 1011620  | NUT-HEX: .75 NC GR2 ZP                        | 8   |
| 18   | 63414    | DISC-SPLIT COUNTERBORE (PAIR)                 | 8   |
| 19   | 301240   | WLDMT-UPPER FILLER 5.5" SHAFT                 | 3   |
| 20   | 301531   | WLDMT-LOWER FILLER 4" SHAFT WDE               | 3   |
| 21   | 1011603  | BOLT-HEX: .38 X 1.75 NC GR5 ZP                | 96  |
| 22   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP                    | 108 |
| 23   | 301533   | CLAMP-FILLER 4" SHAFT WDE PAINTED             | 3   |
| 24   | 64991    | BOLT-HEX: .38 X 1.25 NC GR8 ZP                | 12  |
| 25   | 59560    | BELT-56MM APRON 1/2 X 42 (48 LPR)             | 4   |
|      | 69659    | BELT-56MM APRON 5/8 X 42 (48 LPR)             |     |
| 26   | 1011828  | WASHER-FLAT: .38 ZP                           | 12  |
| 27   | 301229   | SPROCKET-SPLIT 56MM 5/8 ROD 14T CB 5.5" SHAFT | 8   |
| 28   | 301241   | CLAMP-FILLER 5.5" SHAFT                       | 3   |
| 29   | 300146   | SHIM-BEARING .120 THK                         | AR  |
| 30   | 303216   | DISC-HALF WEAR PLATE 4"                       | 12  |
| 31   | 303345   | DISC-HALF WEAR PLATE 5.5"                     | 12  |



## APRON SHAFT - HOOK CHAIN

| ITEM | PART NO. |                                                  | QTY |
|------|----------|--------------------------------------------------|-----|
| 1    | 56693    | WLDMT-ARM RH                                     | 1   |
| 2    | 56698    | WLDMT-SLIDE RH                                   | 1   |
| 3    | 52405    | BEARING-PILLOW 1.75                              | 4   |
| 4    | 56692    | WLDMT-ARM LH                                     | 1   |
| 5    | 56697    | WLDMT-SLIDE LH                                   | 1   |
| 6    | 56672    | SHIM-BEARING ZP                                  | AR  |
| 7    | 69262    | WLDMT-TOP APRON SHAFT                            | 1   |
| 8    | 58326    | WLDMT-BOTTOM APRON SHAFT                         | 1   |
| 9    | 52382    | SEAL PROTECTOR 1.75                              | 2   |
| 10   | 1014443  | WASHER-FLAT: .50 ZP                              | 16  |
| 11   | 1029104  | BOLT-HEX: .50 X 3.75 NC GR5 ZP                   | 4   |
| 12   | 1011611  | BOLT-HEX: .50 X 3.00 NC GR5 ZP                   | 4   |
| 13   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                       | 8   |
| 14   | 1020685  | WASHER-FLAT: 1.00 ZP                             | 4   |
| 15   | 56718    | ROD-THREADED ZP                                  | 2   |
| 16   | 1016944  | PIN-COTTER: .25 X 2.00 ZP                        | 4   |
| 17   | 1011620  | NUT-HEX: .75 NC GR2 ZP                           | 8   |
| 18   | 62836    | HALF DISC-SPACER ZP (1/2" CHAIN ONLY)            | 32  |
| 19   | 301221   | SPROCKET-SPLIT 2.375 14T                         | 8   |
|      | 64154    | SPROCKET-HALF 2.375 12T 4" SHAFT (ROCK) ZP       | 16  |
| 20   | 64162    | WLDMT-UPPER FILLER                               | 3   |
| 21   | 64161    | WLDMT-LOWER FILLER                               | 3   |
| 22   | 58322    | HALF-DISC                                        | 16  |
| 23   | 1013239  | BOLT-HEX: .38 X 3.00 NC GR5 ZP (1/2" CHAIN ONLY) | 48  |
|      | 1019828  | BOLT-HEX: .38 X 2.75 NC GR5 ZP                   |     |
| 24   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP                       | 108 |
| 25   | 64159    | CLAMP-FILLER PAINTED                             | 6   |
| 26   | 64991    | BOLT-HEX: .38 X 1.25 NC GR8 ZP                   | 12  |
| 27   | 53844    | CHAIN 1/2 X 42 X 2.38                            | 8   |
|      | 53846    | CHAIN 5/8 X 42 X 2.38                            |     |
| 28   | 1011828  | WASHER-FLAT: .38 ZP                              | 12  |
| 29   | 1011725  | BOLT-HEX: .38 X 2.00 NC GR5 ZP (1/2" CHAIN ONLY) | 48  |
|      | 1011603  | BOLT-HEX: .38 X 1.75 NC GR5 ZP                   |     |
| 30   | 69245*   | CLAMP-APRON                                      | 12  |
| 31   | 69246*   | BOLT-HEX: .63 X 4.75NC GR8 ZP                    | 12  |
| 32   | 66498*   | WASHER-FLAT: SAE .63 Y ZP GR8                    | 24  |
| 33   | 66500*   | NUT-HEX: .63NC GR8 ZP                            | 12  |


\*INCLUDED IN ITEM 7




| <b>PADDLE SHAFT</b> |                 |                                 |            |
|---------------------|-----------------|---------------------------------|------------|
| <b>ITEM</b>         | <b>PART NO.</b> | <b>DESCRIPTION</b>              | <b>QTY</b> |
| 1                   | 57996           | SHIM-BEARING ZP                 | 2          |
| 2                   | 57997           | BEARING-PILLOW 2"               | 2          |
| 3                   | 57998           | PLATE-BACKING ZP                | 2          |
| 4                   | 51365           | TIGHTENER BOLT                  | 2          |
| 5                   | 1013024         | WASHER-FLAT: .63 ZP             | 4          |
| 6                   | 1014000         | BOLT-HEX: .63 X 3.50 NC GR5 ZP  | 2          |
| 7                   | 1016726         | BOLT-HEX: .63 X 4.00 NC GR5 ZP  | 2          |
| 8                   | 1011813         | WASHER-LOCK: .63 ZP             | 4          |
| 9                   | 1011578         | NUT-HEX: .63 NC GR2 ZP          | 8          |
| 10                  | 58027           | WLDMT-PADDLE SHAFT LH           | 1          |
| 11                  | 57196           | SHAFT-SPLINED                   | 1          |
| 12                  | 58028           | WLDMT-PADDLE SHAFT RH           | 1          |
| 13                  | 52405           | BEARING-PILLOW 1-3/4"           | 1          |
| 14                  | 50564           | PLATE                           | 1          |
| 15                  | 56737           | WLDMT-ROD ZP                    | 1          |
| 16                  | 50305           | SPACER-BEARING                  | 1          |
| 17                  | 1011577         | NUT-HEX: .50 NC GR2 ZP          | 4          |
| 18                  | 1011581         | WASHER-LOCK: .50 ZP             | 2          |
| 19                  | 1014443         | WASHER-FLAT: .50 ZP             | 2          |
| 20                  | 1011612         | BOLT-HEX: .50 X 3.50 GR5 ZP     | 2          |
| 21                  | 50719*          | WLDMT - PADDLE DOUBLE LH        | 1 Per Row  |
| 22                  | 50720*          | WLDMT - PADDLE SINGLE LH        | 1 Per Row  |
| 23                  | 51562           | PADDLE-RUBBER                   | 48         |
| 24                  | 1030779         | BOLT-ELEVATOR: .38 X 1.50 NC ZP | 96         |
| 25                  | 1011586         | WASHER-LOCK: .38 ZP             | 96         |
| 26                  | 1011576         | NUT-HEX: .38 NC GR2 ZP          | 96         |
| 27                  | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP      | 32         |
| 28                  | 1014349         | BOLT-HEX: .63 X 1.50 NC GR5 ZP  | 32         |
| 29                  | 50722**         | WLDMT - PADDLE DOUBLE RH        | 1 Per Row  |
| 30                  | 50721**         | WLDMT - PADDLE SINGLE RH        | 1 Per Row  |

\* INCLUDED IN ASSEMBLY 64133

\*\* INCLUDED IN ASSEMBLY 64134




| HYBRID PADDLE ASSY             |          |                                 |     |
|--------------------------------|----------|---------------------------------|-----|
| ITEM                           | PART NO. | DESCRIPTION                     | QTY |
| 1                              | 301863*  | WLDMT-PADDLE SPLIT LH 1         | 1   |
| 2                              | 301867*  | WLDMT-PADDLE SPLIT LH 2         | 1   |
| 3                              | 301871*  | WLDMT-PADDLE SPLIT LH 3         | 1   |
| 4                              | 301875   | PADDLE-RUBBER SOLID             | 6   |
| 5                              | 1013918  | BOLT-HEX .63 X 1.750 NC GR5 ZP  | 6   |
| 6                              | 1013004  | WASHER-FLAT : SAE.63 ZP         | 12  |
| 7                              | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP      | 6   |
| 8                              | 1030779  | BOLT-ELEVATOR: .38 X 1.50 NC ZP | 18  |
| 9                              | 1011828  | WASHER-FLAT: .38 ZP             | 18  |
| 10                             | 1011586  | WASHER-LOCK: .38 ZP             | 18  |
| 11                             | 1011576  | NUT-HEX: .38 NC GR2 ZP          | 18  |
| 12                             | 301865** | WLDMT-PADDLE SPLIT RH 1         | 1   |
| 13                             | 301869** | WLDMT-PADDLE SPLIT RH 2         | 1   |
| 14                             | 301873** | WLDMT-PADDLE SPLIT RH 3         | 1   |
| * INCLUDED IN ASSEMBLY 301862  |          |                                 |     |
| ** INCLUDED IN ASSEMBLY 301861 |          |                                 |     |







| <b>CLEANING ROLLS</b>                          |                 |                                 |            |
|------------------------------------------------|-----------------|---------------------------------|------------|
| <b>ITEM</b>                                    | <b>PART NO.</b> | <b>DESCRIPTION</b>              | <b>QTY</b> |
| <b>PARTS COMMON TO ALL ROLLS</b>               |                 |                                 |            |
| 1                                              | 58459           | HUB-TRANTORQUE 1.75             | 4          |
| 2                                              | 64163           | HUB-TRANTORQUE 1.75 X 3.38      | 10         |
| 3                                              | 59471           | SHAFT-STUB-#7 ROLL-RH, LH-IDLER | 2          |
| 4                                              | 58759           | SHAFT- #2, 3, 4, 5, 7LH         | 1          |
| 5                                              | 64177           | SHAFT-DRIVE #2,3,4,5            | 4          |
| 6                                              | 64179           | SHAFT-IDLER #2,3,4,6            | 4          |
| 7                                              | 64181           | SHAFT-#1 DRIVE END              | 1          |
| 8                                              | 64165           | HUB-TRANTORQUE 2.00 X 3.38      | 2          |
| 9                                              | 58761           | SHAFT-#7 RH ROLL-DRIVE END      | 1          |
| 10                                             | 64182           | SHAFT-#1 IDLER END              | 1          |
| 11                                             | 64184           | RING-RETAINING 1.75             | 10         |
| 12                                             | 64185           | RING-RETAINING 2.00             | 2          |
| 13                                             | 64178           | SHAFT-#5,6                      | 2          |
| 14                                             | 1011599         | BOLT-HEX: .38 X .75 NC GR5 ZP   | 36         |
| 15                                             | 1011586         | WASHER-LOCK: .38 ZP             | 36         |
| <b>NUMBER ONE ROLL (COMPLETE)</b>              |                 |                                 |            |
| 16                                             | 58966           | WLDMT-#1 SCROLLED-8R-HRD-TT     | 1          |
|                                                | 58999           | WLDMT-#1 SCROLLED-8R-STD-TT     |            |
| <b>NUMBER TWO ROLL (COMPLETE)</b>              |                 |                                 |            |
| 17                                             | 58969           | ASSY-#2-8R-5.5" STD-TT          | 1          |
|                                                | 59016           | ASSY-#2-8R-5" POLY-TT           |            |
| <b>NUMBER THREE ROLL (COMPLETE)</b>            |                 |                                 |            |
| 18                                             | 58977           | WLDMT-#3 SCROLLED-8R-HRD-TT     | 1          |
|                                                | 59000           | WLDMT-#3 SCROLLED-8R-STD-TT     |            |
|                                                | 59013           | WLDMT-#3 SCROLLED-8R-POLY-TT    |            |
| <b>NUMBER FOUR ROLL (COMPLETE)</b>             |                 |                                 |            |
| 19                                             | 62764           | ASSY-#4-8R-5.5" STD-TT          | 1          |
|                                                | 62765           | ASSY-#4-8R-5" POLY-TT           |            |
| <b>NUMBER FIVE ROLL (COMPLETE)</b>             |                 |                                 |            |
| 20                                             | 302765          | WLDMT-#5 SCROLLED-8R-HRD-TT     | 1          |
|                                                | 302763          | WLDMT-#5 SCROLLED-8R-STD-TT     |            |
|                                                | 302764          | WLDMT-#5 SCROLLED-8R-POLY-TT    |            |
| <b>NUMBER SIX ROLL (COMPLETE)</b>              |                 |                                 |            |
| 21                                             | 58989           | ASSY-#6-8R-5.5" STD-TT          | 1          |
|                                                | 59017           | ASSY-#6-8R-5" POLY-TT           |            |
| <b>NUMBER SEVEN ROLL LEFT HAND (COMPLETE)</b>  |                 |                                 |            |
| 22                                             | 302647          | WLDMT-#7LH SCROLL-8R-TT-SHORT   | 1          |
|                                                | 302659          | WLDMT-#7LH SCROLLED POLY-8R     |            |
| <b>NUMBER SEVEN ROLL RIGHT HAND (COMPLETE)</b> |                 |                                 |            |
| 23                                             | 302648          | WLDMT-#7RH SCROLL-8R-TT-SHORT   | 1          |
|                                                | 302660          | WLDMT-#7RH SCROLLED POLY-8R     |            |



| <b>CLEANING ROLL MOUNTING PACKAGE</b> |                 |                                              |            |
|---------------------------------------|-----------------|----------------------------------------------|------------|
| <b>ITEM</b>                           | <b>PART NO.</b> | <b>DESCRIPTION</b>                           | <b>QTY</b> |
| 1                                     | 58907           | WLDMT-MOUNT RH                               | 1          |
|                                       | 58906           | WLDMT-MOUNT LH (NOT SHOWN)                   | 1          |
| 2                                     | 56813           | BOLT-EYEBOLT: 1.25 X 10.5 ZP                 | 2          |
| 3                                     | 56679           | HALF ROUND 3.0" ZP                           | 2          |
| 4                                     | 56676           | ROD ZP                                       | 2          |
| 5                                     | 56814           | BOLT-EYEBOLT: .75 X 6.00 ZP                  | 4          |
| 6                                     | 57877           | SPRING 3.00" (RIGHT SIDE ONLY)               | 2          |
| 7                                     | 56680           | HALF ROUND 1.50" ZP                          | 4          |
| 8                                     | 57992           | SHIM-BEARING                                 | 2          |
| 9                                     | 62134           | BEARING-FLANGE 1-3/4"                        | 4          |
| 10                                    | 52405           | BEARING-PILLOW 1-3/4"                        | 8          |
|                                       | 64466           | PILLOW BLOCK BEARING 1-3/4" STL (ROCK ONLY)  |            |
| 11                                    | 62135           | BEARING 1.750 TAPPED BASE                    | 2          |
|                                       | 301608          | ASSY-STEEL TAPPED BASE BRG 1-3/4"(ROCK ONLY) |            |
| 12                                    | 62136           | BEARING 2.000 TAPPED BASE                    | 2          |
|                                       | 301523          | ASSY-STL TAPPED BASE BRG 2.00" (ROCK ONLY)   |            |
| 13                                    | 1011584         | WASHER-FLAT: SAE .50 ZP                      | 4          |
| 14                                    | 1032273         | BOLT-TAP: .63 X 3.50 NC GR5 ZP               | 2          |
| 15                                    | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP                   | 8          |
| 16                                    | 1026259         | NUT-JAM: .63 NC GR2 ZP                       | 4          |
| 17                                    | 1011578         | NUT-HEX: .63 NC GR2 ZP                       | 8          |
| 18                                    | 1013024         | WASHER-FLAT: .63 ZP                          | 4          |
| 19                                    | 1011609         | BOLT-HEX: .50 X 2.00 NC GR5 ZP               | 4          |
| 20                                    | 59104           | WASHER-FLAT: .56 GR8 ZP                      | 16         |
| 21                                    | 59105           | NUT-TOPLOCK: .56 NC GR8 ZP                   | 16         |
| 22                                    | 59103           | BOLT-HEX: .56 X 2.50 NC GR8 ZP               | 8          |
| 23                                    | 1011610         | BOLT-HEX: .50 X 2.50 NC GR5 ZP               | 4          |
| 24                                    | 1011581         | WASHER-LOCK: .50 ZP                          | 8          |
| 25                                    | 58635           | BOLT-CRG: .63 X 2.00 NC GR5 ZP               | 2          |
| 26                                    | 59102           | BOLT-HEX: .56 X 2.00 NC GR8 ZP               | 8          |
| 27                                    | 1032509         | BOLT-HEX: .63 X 1.25 NC GR5 ZP               | 4          |
| 28                                    | 1011813         | WASHER-LOCK: .63 ZP                          | 6          |
| 29                                    | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP               | 4          |
| 30                                    | 62511           | NUT-JAM: 1.25 NC GR2 ZP                      | 4          |
| 31                                    | 1011620         | NUT-HEX: .75 NC GR2 ZP                       | 8          |
| 32                                    | 1013431         | WASHER-FLAT: 1.25 ZP                         | 2          |
| 33                                    | 52383           | LOCK PROTECTOR 1-3/4"                        | 2          |
| 34                                    | 1016727         | PIN-COTTER: .25 X 2.50 NP                    | 2          |
| 35                                    | 59517           | BOLT-CRG: .50 X 1.75 NC GR5 ZP               | 4          |
| 36                                    | 56682           | WLDMT-SLIDE MOUNT RH                         | 1          |
|                                       | 56681           | WLDMT-SLIDE MOUNT LH (NOT SHOWN)             | 1          |
| 37                                    | 56677           | WLDMT-HOLDER                                 | 2          |
| 38                                    | 57792           | SHIM-BEARING                                 | 4          |
| 39                                    | 56675           | ROD ZP                                       | 4          |
| 40                                    | 56815           | WLDMT-BOLT & NUT ZP                          | 2          |
| 41                                    | 57878           | SPRING 10"                                   | 2          |
| 42                                    | 1014443         | WASHER-FLAT: .50 ZP                          | 4          |




| MAIN DRIVE |          |                                       |     |
|------------|----------|---------------------------------------|-----|
| ITEM       | PART NO. | DESCRIPTION                           | QTY |
| 1          | 53642    | U-JOINT                               | 5   |
| 2          | 56775    | SPLINE SHAFT                          | 1   |
| 3          | 1013519  | NUT-JAM: .38 NC GR2 ZP                | 20  |
| 4          | 1030708  | SCREW-SET: C-P .38 X 0.75 NC GR8      | 10  |
| 5          | 1030709  | SCREW-SET: C-P .38 X 1.00 NC GR8      | 10  |
| 6          | 52405    | BEARING-PILLOW 1.75                   | 1   |
| 7          | 1017708  | BOLT-HEX: .50 X 2.25 NC GR5 ZP        | 2   |
| 8          | 1014443  | WASHER-FLAT: .50 ZP                   | 6   |
| 9          | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP            | 18  |
| 10         | 52404    | BEARING-FLANGE 1.75                   | 2   |
| 11         | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP        | 8   |
| 12         | 56759    | SHAFT-DRIVE 8R                        | 1   |
| 13         | 50152    | KEY .38 X .38 X 2.00                  | 11  |
| 14         | 53641    | HUB P1 1.75 (WTH KEY)                 | 1   |
| 15         | 63847    | GEARBOX-PRAIRIE (1.35:1) BLACK        | 1   |
| 16         | 69128    | FTG-ADAPTER: 8MP-8MP 4" LONG          | 2   |
| 17         | 55730    | FTG-ADAPTER: 8FP-8FP                  | 2   |
| 18         | 62204    | WLDMT - MOUNT GEARBOX                 | 1   |
| 19         | 62544    | BAR - BOLTING                         | 2   |
| 20         | 1032504  | BOLT-HEX: .63 X 6.00 NC GR8 ZP        | 4   |
| 21         | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 6   |
| 22         | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP        | 8   |
| 23         | 1011813  | WASHER-LOCK: .63 ZP                   | 8   |
| 24         | 57934    | SHAFT-DRIVE LH SHORT                  | 1   |
| 25         | 58336    | SHAFT-DRIVE LH LONG                   | 1   |
| 26         | 57924    | SHAFT-DRIVE: 72.50                    | 1   |
| 27         | 57925    | COUPLER-DRIVE BLACK                   | 1   |
| 28         | 58489    | PIN-ROLL: .25 X 2.75 NP               | 2   |
| 29         | 58396    | KEY .31 X .31 X 1.75                  | 2   |
| 30         | 63848    | GEARBOX-PRAIRIE (1:1.35) 6001 (BLACK) | 1   |
| 31         | 62034    | SPROCKET H80-P12                      | 1   |
| 32         | 57680    | SHEAVE 8B62Q                          | 1   |
|            | 57681    | SHEAVE 8B68Q                          |     |
|            | 57679    | SHEAVE 8B56Q                          |     |
| 33         | 55123    | HUB Q2 1.75                           | 1   |
| 34         | 51481    | PTO-CV 1.75" WEASLER (HRV)            | 1   |
|            | 51480    | PTO-CV 1.38" WEASLER (HRV)            |     |
| 35         | 1030704  | BOLT-HEX: .63 X 3.25 NC GR5 ZP        | 2   |
| 36         | 68111    | BRACKET-BRACE BEARING                 | 1   |
| 37         | 59517    | BOLT-CRG: .50 X 1.75 NC GR5 ZP        | 8   |



## MAIN DRIVE: ONBOARD OPTION


| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
| 1    | 53642    | U-JOINT                          | 3   |
| 2    | 56775    | SPLINE SHAFT                     | 1   |
| 3    | 1013519  | NUT-JAM: .38 NC GR2 ZP           | 12  |
| 4    | 1030708  | SCREW-SET: C-P .38 X .75 NC GR8  | 6   |
| 5    | 1030709  | SCREW-SET: C-P .38 X 1.00 NC GR8 | 6   |
| 6    | 52405    | BEARING-PILLOW 1.75              | 1   |
| 7    | 1017708  | BOLT-HEX: .50 X 2.25 NC GR5 ZP   | 2   |
| 8    | 1014443  | WASHER-FLAT: .50 ZP              | 6   |
| 9    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP       | 18  |
| 10   | 52404    | BEARING-FLANGE 1.75              | 3   |
| 11   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP   | 8   |
| 12   | 56759    | SHAFT-DRIVE 8R                   | 2   |
| 13   | 50152    | KEY .38 X .38 X 2.00             | 10  |
| 14   | 53641    | HUB P1 1.75 (WITH KEY)           | 1   |
| 15   | 62015    | GEARBOX: 1.81:1 W/ C MOUNT BLACK | 1   |
| 16   | 69128    | FTG-ADAPTER: 8MP-8MP 4" LONG     | 1   |
| 17   | 55730    | FTG-ADAPTER: 8FP-8FP             | 1   |
| 18   | 1011813  | WASHER-LOCK: .63 ZP              | 4   |
| 19   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP   | 4   |
| 20   | 62034    | SPROCKET H80-P12                 | 1   |
| 21   | 57680    | SHEAVE 8B62Q                     | 1   |
|      | 57681    | SHEAVE 8B68Q                     |     |
|      | 57679    | SHEAVE 8B56Q                     |     |
| 22   | 55123    | HUB Q2 1.75                      | 1   |
| 23   | 51481    | PTO-CV 1.75" WEASLER (HRV)       | 1   |
|      | 51480    | PTO-CV 1.38" WEASLER (HRV)       |     |
| 24   | 1030704  | BOLT-HEX: .63 X 3.25 NC GR5 ZP   | 2   |
| 25   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP       | 2   |
| 26   | 303588   | PUMP-5.4^3 SAE C (CW) (3500 PSI) | 1   |
| 27   | 301066   | PLATE-ADAPTER SAE "C" PUMP       | 1   |
| 28   | 68111    | BRACKET-BRACE BEARING            | 1   |
| 29   | 59517    | BOLT-CRG: .50 X 1.75 NC GR5 ZP   | 8   |
| 30   | 1011581  | WASHER-LOCK: .50 ZP              | 2   |
| 31   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP   | 2   |






## CLEANING ROLL DRIVE


| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 1    | 56422    | ASSY-SPINDLE & HUB                   | 1   |
| 2    | 56711    | ROD-PLATED                           | 1   |
| 3    | 57680    | SHEAVE 8B62Q                         | 4   |
| 4    | 56853    | SPRING                               | 1   |
| 5    | 56708    | HOLDER-PLATED                        | 1   |
| 6    | 56707    | ADJUSTMENT ROD ZP                    | 1   |
| 7    | 1011581  | WASHER-LOCK: .50 ZP                  | 1   |
| 8    | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP       | 1   |
| 9    | 1011577  | NUT-HEX: .50 NC GR2 ZP               | 1   |
| 10   | 1011578  | NUT-HEX: .63 NC GR2 ZP               | 3   |
| 11   | 58295    | WLDMT-IDLER                          | 1   |
| 12   | 56425    | TIGHTENER IDLER                      | 1   |
| 13   | 301822   | ASSY-REVERSE PULLEY 8R W/LOCK COLLAR | 3   |
| 14   | 50335    | HUB Q1 1.75                          | 2   |
| 15   | 50152    | KEY .38 X .38 X 2.00                 | 5   |
| 16   | 57995    | KEY .50 X .50 X 2.00                 | 1   |
| 17   | 53649    | SPROCKET H60-P20                     | 2   |
| 18   | 62106    | SPROCKET H60-P19                     | 1   |
| 19   | 53641    | HUB P1 1.75 (WITH KEY)               | 3   |
| 20   | 1013024  | WASHER-FLAT: .63 ZP                  | 7   |
| 21   | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP          | 2   |
| 22   | 1015558  | BOLT-HEX: .50 X 1.00 NF GR5 ZP       | 4   |
| 23   | 58248    | HUB Q2 2.00                          | 1   |
| 24   | 1019827  | PIN-COTTER: .19 X 1.00 NP            | 1   |
| 25   | 1011624  | BOLT-HEX: .63 X 3.00 NC GR5 ZP       | 1   |
| 26   | 53651    | 7348-2 SPROCKET IDLER                | 1   |
| 27   | 1011813  | WASHER-LOCK: .63 ZP                  | 1   |
| 28   | 303566   | CHAIN-ROLLER CP 60H-1R-052           | 1   |
| 29   | 301718   | PLATE-REVERSE GRABROLL COVER         | 1   |
| 30   | 64474    | V-BELT 8B195                         | 1   |
| 31   | 55123    | HUB Q2 1.75                          | 3   |
| 32   | 301936   | BOLT-FLG: .50 X 2.50 NC GR8 YZP      | 8   |
| 33   | 301937   | WASHER-STAR: .50 ZP                  | 8   |



| <b>APRON/PADDLE SHAFT DRIVE</b> |                 |                                               |            |
|---------------------------------|-----------------|-----------------------------------------------|------------|
| <b>ITEM</b>                     | <b>PART NO.</b> |                                               | <b>QTY</b> |
| 1                               | 58335           | SPROCKET-CLUTCH 80P45 PRESET                  | 1          |
|                                 | 73034           | SPROCKET H80-P14 (ROCK ONLY)                  |            |
| 2                               | 303561          | CHAIN-ROLLER CP 80H-1R-177                    | 1          |
|                                 | 303562          | CHAIN-ROLLER CP 80H-1R-182                    |            |
| 3                               | 53641           | HUB P1 1.75 (WITH .38 X 2.00 KEY)             | 1          |
| 4                               | 50385           | HUB Q1 2.00                                   | 1          |
| 5                               | 57993           | SPROCKET-CLUTCH 80Q36 PRESET                  | 1          |
|                                 | 69630           | SPROCKET-CLUTCH 80Q51 PRESET (PLASTIC PADDLE) |            |
| 6                               | 57995           | KEY .50 X .50 X 2.00                          | 1          |
| 7                               | 56851           | SPROCKET-IDLER H8025 X 1.44                   | 1          |
| 8                               | 56864           | WLDMT-ADJUSTER                                | 1          |
| 9                               | 56334           | SPROCKET-IDLER 8012                           | 1          |
| 10                              | 1011577         | NUT-HEX: .50 NC GR2 ZP                        | 2          |
| 11                              | 1032271         | BOLT-HEX: .75 X 3.25 NC GR5 ZP                | 1          |
| 12                              | 1012634         | WASHER-FLAT: SAE .75 ZP                       | 6          |
| 13                              | 1030702         | WASHER-FLAT: .75 ZP                           | 2          |
| 14                              | 1012061         | WASHER-LOCK: .75 ZP                           | 3          |
| 15                              | 1011620         | NUT-HEX: .75 NC GR5 ZP                        | 3          |
| 16                              | 57804           | MOUNT                                         | 2          |
| 17                              | 1013918         | BOLT-HEX: .63 X 1.75 NC GR5 ZP                | 4          |
| 18                              | 1013004         | WASHER-FLAT: SAE .63 ZP                       | 4          |
| 19                              | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP                    | 4          |
| 20                              | 57853           | WLDMT-SUPPORT                                 | 1          |
| 21                              | 1011625         | BOLT-HEX: .75 X 4.00 NC GR5 ZP                | 2          |
| 22                              | 57827           | SLIDE-CHAIN                                   | 1          |
| 23                              | 1011601         | BOLT-HEX: .38 X 1.25 NC GR5 ZP                | 2          |
| 24                              | 1014608         | WASHER-FLAT: SAE .38 ZP                       | 2          |
| 25                              | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP                    | 2          |
| 26                              | 69625           | WLDMT-IDLER PADDLE SHAFT                      | 1          |
| 27                              | 72063           | BOLT-CRG: .63 X 1.50 NC GR5 ZP                | 3          |
| 28                              | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP                    | 3          |
| 29                              | 68136           | PLUG- .625 SQUARE PLASTIC (NOT SHOWN)         | 4          |
| 30                              | 56339           | SPROCKET H80-P13                              | 1          |




| TANK |          |                                    |     |
|------|----------|------------------------------------|-----|
| ITEM | PART NO. | DESCRIPTION                        | QTY |
| 1    | 69782    | WLDMT-TANK SCRUB 8R                | 1   |
| 2    | 53825    | BOGIE WHEEL 5"                     | 2   |
| 3    | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP     | 2   |
| 4    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP         | 14  |
| 5    | 302643   | WLDMT-LOCK SLIDE                   | 2   |
| 6    | 1020685  | WASHER-FLAT: 1.00 ZP               | 4   |
| 7    | 1016944  | PIN-COTTER: .25 X 2.00 ZP          | 4   |
| 8    | 302641   | TUBE-LOCK                          | 2   |
| 9    | 54785    | WLDMT-LOCK BRACKET                 | 2   |
| 10   | 1014349  | BOLT-HEX: .63 X 1.50 NC GR5 ZP     | 4   |
| 11   | 1030947  | PIN-HITCH: .63 X 4.00 ZP W/HAIRPIN | 2   |
| 12   | 1014443  | WASHER-FLAT: .50 ZP                | 22  |
| 13   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP         | 28  |
| 14   | 64749    | TUBE-STRIKER                       | 1   |
| 15   | 64574    | PLATE-STRIKER                      | 1   |
| 16   | 57917    | PLATE-EXTENSION                    | 2   |
| 17   | 65658    | U-BOLT: .50 X 3 X 2.06 X 3         | 4   |
| 18   | 1017719  | BOLT-HEX: .50 X 3.25 NC GR5 ZP     | 4   |
| 19   | 1011611  | BOLT-HEX: .50 X 3.00 NC GR5 ZP     | 2   |
| 20   | 1014000  | BOLT-HEX: .63 X 3.50 NC GR5 ZP     | 8   |
| 21   | 1013024  | WASHER-FLAT: .63 ZP                | 16  |
| 22   | 72420    | WLDMT-LADDER TOP                   | 1   |
| 23   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP     | 10  |
| 24   | 64192    | STAND-OFF 4.00                     | 2   |
| 25   | 1011584  | WASHER-FLAT: SAE .50 ZP            | 4   |
| 26   | 301320   | WLDMT-LADDER BOTTOM 3-RUNG         | 1   |
| 27   | 1012060  | BOLT-HEX: .75 X 2.00 GR5 ZP        | 2   |
| 28   | 1030702  | WASHER-FLAT: .75 ZP                | 4   |
| 29   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP         | 2   |
| 30   | 301383   | PLATE-LADDER MOUNT LH              | 1   |
| 31   | 301384   | PLATE-LADDER MOUNT RH              | 1   |
| 32   | 59615    | DECAL-REFLECTIVE TAPE (NOT SHOWN)  | 8   |



| <b>ELEVATOR AND BOOM ASSEMBLY 8 ROW</b> |                 |                                           |            |
|-----------------------------------------|-----------------|-------------------------------------------|------------|
| <b>ITEM</b>                             | <b>PART NO.</b> | <b>DESCRIPTION</b>                        | <b>QTY</b> |
| 1                                       | 301505          | WLDMT-ELEVATOR 8R                         | 1          |
| 2                                       | 63813           | SPROCKET-IDLER 50MM 10T                   | 2          |
|                                         | 54824           | SPROCKET-IDLER 56MM                       |            |
| 3                                       | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP            | 44         |
| 4                                       | 1011813         | WASHER-LOCK: .63 ZP                       | 2          |
| 5                                       | 1011578         | NUT-HEX: .63 NC GR2 ZP                    | 2          |
| 6                                       | 64748           | PLATE-ELEVATOR BACKING                    | 8          |
| 7                                       | 65658           | U-BOLT: .50 X 3 X 2.06 X 3                | 6          |
| 8                                       | 1014443         | WASHER-FLAT: .50 ZP                       | 25         |
| 9                                       | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP                | 30         |
| 10                                      | 58971           | STAND OFF 1.50"                           | 2          |
| 11                                      | 64192           | STAND OFF                                 | 42         |
| 12                                      | 53825           | BOGIE WHEEL 5"                            | 40         |
| 13                                      | 65825           | BOLT-HEX: .63 X 3.25 NC GR5 ZP            | 2          |
| 14                                      | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP                | 50         |
| 15                                      | 64550           | SHEET-BELT PROTECTOR                      | 2          |
| 16                                      | 59488           | BOLT-CRG: .38 X 1.00 NC GR5 ZP            | 28         |
| 17                                      | 1011828         | WASHER-FLAT .38 ZP                        | 33         |
| 18                                      | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP                | 43         |
| 19                                      | 64609           | FLAP-ELEVATOR                             | 1          |
| 20                                      | 69822           | SLIDE-ELEVATOR PLASTIC 6R/8R/12R          | 1          |
| 21                                      | 301507          | SLIDE-ELEVATOR PLASTIC 8R                 | 1          |
| 22                                      | 1011601         | BOLT-HEX: .38 X 1.25 NC GR5 ZP            | 10         |
| 23                                      | 1014608         | WASHER-FLT: SAE .38 ZP                    | 12         |
| 24                                      | 1016362         | BOLT-CRG: .38 X 1.25 NC GR5 ZP            | 5          |
| 25                                      | 64608           | STRIP-BOLTING                             | 1          |
| 26                                      | 68073           | BELT-50MM ELEVATOR 8R (NOT SHOWN)         | 1          |
|                                         | 68072           | BELT-56MM ELEVATOR 8R (NOT SHOWN)         |            |
|                                         | 301516          | BELT- 56MM ELEVATOR 8R DOUBLE (NOT SHOWN) |            |
|                                         | 301517          | BELT- 50MM ELEVATOR 8R DOUBLE (NOT SHOWN) |            |
| 27                                      | 53450           | WLDMT-ELEVATOR BOOM 4R/6R/8R              | 1          |
| 28                                      | 54803           | CROSS BRACE-BOOM                          | 1          |
| 29                                      | 301525          | PLATE-BOOM EXTENSION SHORT FRONT          | 1          |
| 30                                      | 301524          | PLATE-BOOM EXTENSION SHORT REAR           | 1          |
| 31                                      | 1011581         | WASHER-LOCK: .50 ZP                       | 2          |
| 32                                      | 1011606         | BOLT-HEX: .50 X 1.25 NC GR5 ZP            | 4          |
| 33                                      | 53449           | SLEEVE-HINGE                              | 2          |
| 34                                      | 1014349         | BOLT-HEX: .63 X 1.50 NC GR5 ZP            | 6          |
| 35                                      | 53854           | BOGIE WHEEL 4"                            | 4          |
| 36                                      | 53708           | PILLOW BLOCK BEARING UCP-206-20           | 2          |


CONTINUED






## ELEVATOR AND BOOM ASSEMBLY (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                                | QTY |
|------|----------|--------------------------------------------|-----|
| 37   | 68650    | SHAFT-HEAD Ø1.750                          | 1   |
| 38   | 50152    | KEY .38 X .38 X 2.00                       | 3   |
| 39   | 57686    | MOTOR-HYDRAULIC 32.3IN <sup>3</sup> /REV   | 1   |
|      | 57880    | SEAL KIT FOR 57686                         |     |
| 40   | 52382    | SEAL PROTECTOR 1-3/4"                      | 2   |
| 41   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP             | 2   |
| 42   | 1011660  | BOLT-CRG: .50 X 1.50 NC GR5 ZP             | 2   |
| 43   | 68658    | SPROCKET-SPLIT 56MM 10T Ø1.750             | 2   |
|      | 68659    | SPROCKET-SPLIT 50MM 12T Ø1.750             |     |
|      | 301521   | SPROCKET-SPLIT 50MM 12T Ø1.750 DOUBLE BELT |     |
| 44   | 64627    | WLDMT-REDUCTION MOUNT                      | 1   |
| 45   | 58086    | SPACER-CHAIN IDLER ZP                      | 1   |
| 46   | 63876    | TENSIONER ZP                               | 1   |
| 47   | 1012061  | WASHER-LOCK: .75 ZP                        | 1   |
| 48   | 1012059  | BOLT-HEX: .75 X 3.00 NC GR5 ZP             | 1   |
| 49   | 56334    | SPROCKET-IDLER 8012                        | 1   |
| 50   | 1011620  | NUT-HEX: .75 NC GR2 ZP                     | 1   |
| 51   | 64155    | SPROCKET H80-P15                           | 1   |
| 52   | 53719    | HUB P1 1-1/4"                              | 1   |
| 53   | 56650    | SPROCKET H80-Q20                           | 1   |
| 54   | 50752    | HUB Q1 1-7/16"                             | 1   |
| 55   | 1011591  | NUT-JAM: .50 NC ZP                         | 2   |
| 56   | 64654    | CHAIN-ROLLER 80H-1R-038                    | 1   |
|      | 64675    | LINK-OFFSET #80H                           | 2   |
| 57   | 64578    | WLDMT-BOOM END SUPPORT                     | 1   |
| 58   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP             | 4   |
| 59   | 64732    | PLATE-SHIM 0.120                           | 1   |
| 60   | 1013024  | WASHER-FLAT: .63 ZP                        | 4   |
| 61   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP             | 8   |
| 62   | 1011584  | WASHER-FLAT: SAE .50 ZP                    | 12  |
| 63   | 1017708  | BOLT-HEX: .50 X 2.25 NC GR5 ZP             | 2   |




## BOOM EXTENSION 30" 50MM/56MM (OPTIONAL)

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 64192    | STAND OFF                      | 6   |
| 2    | 53854    | BOGIE WHEEL 4"                 | 2   |
| 3    | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP | 6   |
| 4    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 10  |
| 5    | 53825    | BOGIE WHEEL 5"                 | 4   |
| 6    | 68708    | WLDMT-BOOM EXTENSION           | 1   |
| 7    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP | 8   |
| 8    | 302241   | WLDMT-BOOM RISER EXT. RAIL     | 2   |
| 9    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 12  |
| 10   | 58194    | FTG-ADAPTER: 8MJ-8MJ           | 2   |
| 11   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 4   |
| 12   | 301717   | HARNESS-EXTENSION: 32" 2 WIRE  | 2   |
| 13   | 68077    | BELT-50MM: .50 X 42 X 30LPR    | 1   |
|      | 68076    | BELT-56MM: .50 X 42 X 27LPR    |     |
|      | 301836   | BELT-56MM ELEVATOR EXT DOUBLE  |     |
|      | 301812   | BELT-50MM ELEVATOR EXT DOUBLE  |     |
| 14   | 57676    | HOSE: .50 X 31 8FJX-8FJX       | 2   |
| 15   | 1014443  | WASHER-FLAT: .50 ZP            | 17  |
| 16   | 68710    | PLATE-BOOM SUPPORT SPACER      | 2   |
| 17   | 1014349  | BOLT-HEX: .63 X 1.50 NC GR5 ZP | 4   |



| <b>BOOM EXTENSION 42" 56MM (OPTIONAL)</b> |                 |                                        |            |
|-------------------------------------------|-----------------|----------------------------------------|------------|
| <b>ITEM</b>                               | <b>PART NO.</b> | <b>DESCRIPTION</b>                     | <b>QTY</b> |
| 1                                         | 301090          | WLDMT- BOOM EXTENSION Ø1.75 SHAFT LONG | 1          |
| 2                                         | 1011606         | BOLT-HEX: .50 X 1.25 NC GR5 ZP         | 8          |
| 3                                         | 1014443         | WASHER-FLAT: .50 ZP                    | 17         |
| 4                                         | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP             | 12         |
| 5                                         | 1014349         | BOLT-HEX: .63 X 1.50 NC GR5 ZP         | 4          |
| 6                                         | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP             | 10         |
| 7                                         | 53854           | BOGIE WHEEL 4"                         | 2          |
| 8                                         | 64192           | STAND OFF                              | 6          |
| 9                                         | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP         | 6          |
| 10                                        | 68710           | PLATE-BOOM SUPPORT SPACER              | 2          |
| 11                                        | 53825           | BOGIE WHEEL 5"                         | 4          |
| 12                                        | 302242          | PLATE-BOOM RAILING-42" BOOM EXT        | 2          |
| 13                                        | 302781          | HARNESS-EXTENSION 44" 2 WIRE DEUTSCH   | 2          |
| 14                                        | 58194           | FTG-ADAPTER: 8MJ-8MJ                   | 2          |
| 15                                        | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP         | 4          |
| 16                                        | 301105          | HOSE: .50 X 043 8FJX-8FJX              | 2          |
| 17                                        | 301106          | BELT-56MM ELEVATOR EXTENSION 38 LPR    | 1          |




## REAR SCRUB

| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 1    | 300402   | WLDMT-REAR SCRUB PANEL RH            | 1   |
| 2    | 64192    | STAND OFF                            | 28  |
| 3    | 53825    | BOGIE WHEEL 5"                       | 40  |
| 4    | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP       | 28  |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP           | 64  |
| 6    | 57916    | BAR-STRIPPER                         | 1   |
| 7    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP       | 2   |
| 8    | 1014443  | WASHER-FLAT: .50 ZP                  | 28  |
| 9    | 1011577  | NUT-HEX: .50 NC GR2 ZP               | 14  |
| 10   | 52405    | PILLOWBLOCK BEARING 1.75             | 4   |
| 11   | 52382    | SEAL PROTECTOR 1.75                  | 4   |
| 12   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP       | 4   |
| 13   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP           | 10  |
| 14   | 1011610  | BOLT-HEX: .50 X 2.50 NC GR5 ZP       | 4   |
| 15   | 1011581  | WASHER-LOCK: .50 ZP                  | 2   |
| 16   | 68650    | SHAFT-HEAD 1.75                      | 2   |
| 17   | 68655    | TIGHTENER-ZP                         | 2   |
| 18   | 53945    | TRIANGLE FLANGETTE                   | 24  |
| 19   | 53944    | BEARING-INSERT 1" WTH LOCKING COLLAR | 12  |
| 20   | 1017255  | BOLT-CRG: .31 X 1.00                 | 36  |
| 21   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP           | 36  |
| 22   | 53401    | WLDMT-PENDULUM                       | 6   |
| 23   | 64253    | SPACER ZP                            | 12  |
| 24   | 1017526  | BOLT-HEX: .63 X 2.25 NC GR5 ZP       | 12  |
| 25   | 1012975  | KEY .250 X .250 X 1.250              | 12  |
| 26   | 69390    | BOLT-HEX: .63 X 2.50 NC GR5 ZP FULL  | 8   |
| 27   | 1026259  | NUT-JAM: .63 NC GR2 ZP               | 16  |
| 28   | 50718    | ARM-ZP                               | 12  |
| 29   | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP       | 12  |
| 30   | 1013519  | NUT-JAM: .38 NC GR2 ZP               | 12  |
| 31   | 65658    | U-BOLT: .50 X 3 X 2.063 X 3          | 2   |
| 32   | 53159    | SPRING                               | 12  |
| 33   | 57937    | CHAIN-LINK: .19 X 8.00 (NOT SHOWN)   | 4   |
| 34   | 57938    | CHAIN-LINK: .19 X 20.00 (NOT SHOWN)  | 2   |
| 35   | 57939    | CHAIN-LINK: .19 X 24.00 (NOT SHOWN)  | 4   |
| 36   | 57940    | CHAIN-LINK: .19 X 30.00              | 2   |
| 37   | 62896    | ROD-SCRUB CLEANER                    | 1   |
| 38   | 1012634  | WASHER-FLAT: SAE .75 ZP              | 2   |
| 39   | 1011984  | PIN-COTTER: .16 X 1.50 ZP            | 2   |
| 40   | 1017248  | TIE, CABLE                           | 4   |

CONTINUED










## REAR SCRUB (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 41   | 1016598  | BOLT- HEX: .75 X 2.50 NC GR5 ZP | 12  |
| 42   | 1017000  | NUT-TOPLOCK: .75 NC             | 12  |
| 43   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP  | 8   |
| 44   | 73127    | PLATE-SCRUB EXT.-SIDE           | 2   |
| 45   | 58898    | PLATE-SCRUB EXT-REAR            | 1   |
| 46   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP  | 6   |
| 47   | 54805    | REAR SCRUB EXTENSION RH         | 1   |
| 48   | 54778    | REAR SCRUB EXTENSION LH         | 1   |
| 49   | 56754    | PIPE-THREADED                   | 1   |
| 50   | 56773    | PIPE-PLASTIC                    | 1   |
| 51   | 1011813  | WASHER-LOCK: .63 ZP             | 2   |
| 52   | 300401   | WLDMT-REAR SCRUB PANEL LH       | 1   |
| 53   | 1013024  | WASHER-FLAT: .63 ZP             | 16  |
| 54   | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP  | 16  |
| 55   | 300403   | WLDMT-CROSS TUBE                | 4   |
| 56   | 302402   | PIPE-PLASTIC                    | 2   |





| <b>REAR SCRUB: BELTED CHAIN 56MM</b>               |                 |                                      |            |
|----------------------------------------------------|-----------------|--------------------------------------|------------|
| <b>ITEM</b>                                        | <b>PART NO.</b> | <b>DESCRIPTION</b>                   | <b>QTY</b> |
| 1                                                  | 68651           | SPROCKET-SPLIT 56MM                  | 2          |
|                                                    | 68667*          | SPROCKET-56MM 14T URETHANE (OUTSIDE) | 2          |
| 2                                                  | 54824           | SPROCKET-IDLER 56MM                  | 2          |
| 3                                                  | 62932           | PLATE-SHIM                           | 10         |
| 4                                                  | 54042           | ROLLER-FLANGE 6"                     | 10         |
| 5                                                  | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP       | 2          |
| 6                                                  | 1013816         | BOLT-HEX: .63 X 5.00 NC GR5 ZP       | 10         |
| 7                                                  | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP           | 12         |
| 8                                                  | 53842           | BELT-56MM 1/2 X 42 X 156 LPR         | 1          |
| 9                                                  | 62141           | BELT-56MM 1/2 X 42 X 136 LPR         | 1          |
| 10                                                 | 68651           | SPROCKET-SPLIT 56MM (INSIDE)         | 2          |
| 11                                                 | 50152           | KEY .375 X .375 X 2.000 (NOT SHOWN)  | 4          |
|                                                    | 58201*          | KEY .375 X .375 X 3.000 (NOT SHOWN)  |            |
| <b>REAR SCRUB: BELTED CHAIN 56MM FLANGE ROLLER</b> |                 |                                      |            |
| 1                                                  | 68651           | SPROCKET-SPLIT 56MM 12T Ø1.75        | 2          |
| 2                                                  | 59057           | ROLLER-RUBBER FLANGE 6.5"            | 2          |
| 3                                                  | 1013024         | WASHER-FLAT: .63 ZP                  | 20         |
| 4                                                  | 59057           | ROLLER-RUBBER FLANGE 6.5"            | 8          |
| 5                                                  | 65825           | BOLT-HEX: .63 X 3.25 NC GR5 ZP       | 2          |
| 6                                                  | 65825           | BOLT-HEX: .63 X 3.25 NC GR5 ZP       | 8          |
| 7                                                  | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP           | 10         |
| 8                                                  | 53842           | BELT-56MM OUTSIDE SCRUB 6R/8R        | 1          |
| 9                                                  | 62141           | BELT-56MM INSIDE SCRUB 6R/8R         | 1          |
| 10                                                 | 68651           | SPROCKET-SPLIT 56MM 12T Ø1.75        | 2          |
| 11                                                 | 50152           | KEY .375 X .375 X 2.000              | 4          |

\* Urethane option only




## REAR SCRUB: G1 55MM BELTED CHAIN HP ASSEMBLY #302847

| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 302907   | WLDMT-IN TANK HEADSHAFT MOUNT RH      | 1   |
| 2    | 302906   | WLDMT-IN TANK HEADSHAFT MOUNT LH      | 1   |
| 3    | 302873   | SPROCKET-SPLIT 55MM 12T HP BELT DRIVE | 4   |
| 4    | 58201    | KEY .375 X .375 X 3.000               | 4   |
| 5    | 56754    | ROD-THREADED                          | 1   |
| 6    | 56773    | PIPE-PLASTIC                          | 1   |
| 7    | 302911   | PLATE-HEADSHAFT SLOT FILLER           | 2   |
| 8    | 302912   | PLATE-HEADSHAFT BOGIE REPLACEMENT     | 2   |
| 9    | 303336   | PLATE-SCRAPER                         | 8   |
| 10   | 303335   | PLATE-SCRAPER MOUNT RH                | 4   |
| 11   | 303338   | PLATE-SCRAPER MOUNT LH                | 4   |
| 12   | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP        | 16  |
| 13   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 50  |
| 14   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP        | 2   |
| 15   | 1011813  | WASHER-LOCK: .63 ZP                   | 2   |
| 16   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP        | 10  |
| 17   | 1014443  | WASHER-FLAT: .50 ZP                   | 24  |
| 18   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP            | 22  |
| 19   | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP        | 16  |
| 20   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP            | 24  |
| 21   | 1011828  | WASHER-FLAT: .38 ZP                   | 16  |
| 22   | 1011586  | WASHER-LOCK: .38 ZP                   | 16  |
| 23   | 1011576  | NUT-HEX: .38 NC GR2 ZP                | 16  |
| 24   | 1016362  | BOLT-CRG: .38 X 1.25 NC GR5 ZP        | 16  |




| <b>REAR SCRUB: G1 55MM BELTED CHAIN HP #302847</b> |                 |                                         |            |
|----------------------------------------------------|-----------------|-----------------------------------------|------------|
| <b>ITEM</b>                                        | <b>PART NO.</b> | <b>DESCRIPTION</b>                      | <b>QTY</b> |
| 1                                                  | 302873          | SPROCKET-SPLIT 55MM 12T HP BELT DRIVE   | 4          |
| 2                                                  | 310821          | ROLLER-RUBBER LARGE FLANGE              | 6          |
| 3                                                  | 303333          | PLATE-FLANGE ROLLER SPACER              | 12         |
| 4                                                  | 1030702         | WASHER-FLAT: .75 ZP                     | 8          |
| 5                                                  | 1017000         | NUT-TOPLOCK: .75 NC GR5 ZP              | 8          |
| 6                                                  | 310822          | ROLLER-RUBBER LARGE                     | 2          |
| 7                                                  | 58368           | BOLT-HEX: .75 X 5.00 NC GR5 ZP          | 8          |
| 8                                                  | 302871          | BELT-55MM HIGH PROFILE INSIDE SCRUB G1  | 1          |
| 9                                                  | 302872          | BELT-55MM HIGH PROFILE OUTSIDE SCRUB G1 | 1          |






| <b>REAR SCRUB: G2 BELTED CHAIN ASSEMBLY</b> |                 |                                     |            |
|---------------------------------------------|-----------------|-------------------------------------|------------|
| <b>ITEM</b>                                 | <b>PART NO.</b> | <b>DESCRIPTION</b>                  | <b>QTY</b> |
| 1                                           | 302608          | WLDMT-REAR SCRUB PANEL G2 RH        | 1          |
| 2                                           | 54042           | ROLLER-STEP 6" (LONG)               | 8          |
| 3                                           | 53825           | BOGIE WHEEL 5"                      | 40         |
| 4                                           | 302634          | ASSY-SCRUB PENDULUM                 | 6          |
| 5                                           | 302635          | ASSY-SCRUB PENDULUM LARGE           | 1          |
| 6                                           | 52405           | BEARING-PILLOW 1-3/4"               | 4          |
| 7                                           | 68650           | SHAFT-HEAD Ø1.750                   | 2          |
| 8                                           | 302402          | PIPE-PLASTIC 6/8R SCRUB HEAD SHAFT  | 2          |
| 9                                           | 52382           | SEAL PROTECTOR 1-3/4"               | 4          |
| 10                                          | 1011610         | BOLT-HEX: .50 x 2.50 NC GR5 ZP      | 8          |
| 11                                          | 1014443         | WASHER-FLAT: .50 ZP                 | 12         |
| 12                                          | 1011577         | NUT-HEX: .50 NC GR2 ZP              | 8          |
| 13                                          | 58201           | KEY .375 X .375 X 3.000             | 4          |
| 14                                          | 53159           | SPRING                              | 16         |
| 15                                          | 302694          | CHAIN-LINK: .188 X 14 LINKS         | 10         |
| 16                                          | 57938           | CHAIN-LINK: .188 X 20.000           | 2          |
| 17                                          | 57939           | CHAIN-LINK: .188 X 24.000           | 2          |
| 18                                          | 69390           | BOLT-HEX: .63 X 2.50 NC GR5 ZP FULL | 10         |
| 19                                          | 1026259         | NUT-JAM: .63 NC GR2 ZP              | 20         |
| 20                                          | 302681          | WLDMT-HEADSHAFT MOUNT               | 2          |
| 21                                          | 72063           | BOLT-CRG: .63 X 1.50 NC GR5 ZP      | 18         |
| 22                                          | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP          | 66         |
| 23                                          | 1013024         | WASHER-FLAT: .63 ZP                 | 18         |
| 24                                          | 302621          | PLATE-SCRUB EXT SIDE                | 2          |
| 25                                          | 302620          | PLATE-SCRUB EXT REAR                | 1          |
| 26                                          | 1011607         | BOLT-HEX: .50 x 1.50 NC GR5 ZP      | 6          |
| 27                                          | 1011584         | WASHER-FLAT: SAE .50 ZP             | 12         |
| 28                                          | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP          | 10         |
| 29                                          | 1016598         | BOLT- .75 X 2.50 NC GR5 ZP          | 12         |
| 30                                          | 1017000         | NUT-TOPLOCK: .75 NC GR5 ZP          | 12         |
| 31                                          | 65658           | U-BOLT: .50 X 3 X 2.06 X 3          | 2          |
| 32                                          | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP      | 40         |
| 33                                          | 64192           | STAND OFF-.625 X 4.0"               | 40         |
| 34                                          | 62932           | PLATE-SHIM .50 ZP                   | 8          |
| 35                                          | 1013816         | BOLT-HEX: .63 X 5.00 NC GR5 ZP      | 8          |
| 36                                          | 302609          | WLDMT-REAR SCRUB PANEL G2 LH        | 1          |
| 37                                          | 300403          | WLDMT-CROSS TUBB                    | 3          |





## ASSY-SCRUB PENDULUM

| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 1    | 53401    | WLDMT-PENDULUM                       | 1   |
| 2    | 50718    | ARM-ZP                               | 2   |
| 3    | 53825    | BOGIE WHEEL 5"                       | 2   |
| 4    | 64253    | SPACER ZP                            | 2   |
| 5    | 1017526  | BOLT-HEX .63 X 2.25 NC GR5 ZP        | 2   |
| 6    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP           | 2   |
| 7    | 53945    | TRIANGLE FLANGETTE                   | 4   |
| 8    | 53944    | BEARING-INSERT 1" WTH LOCKING COLLAR | 2   |
| 9    | 1017255  | BOLT-CRG: .31 X 1.00                 | 6   |
| 10   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP           | 6   |
| 11   | 1012975  | KEY .250 X .250 X 1.250              | 2   |
| 12   | 1013519  | NUT-JAM: .38 NC GR2 ZP               | 2   |
| 13   | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP       | 2   |




## ASSY-SCRUB PENDULUM LARGE

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 302636   | WLDMT-SCRUB PENDULUM LARGE     | 2   |
| 2    | 53825    | BOGIE WHEEL 5"                 | 2   |
| 3    | 1014349  | BOLT-HEX: .63 X 1.50 NC GR5 ZP | 2   |
| 4    | 53945    | 1016353 TRIANGLE FLANGETTE     | 4   |
| 5    | 53944    | 7367-2 BEARING-INSERT 1"       | 2   |
| 6    | 1017255  | BOLT-CRG: .31 X 1.00 NC GR5 ZP | 6   |
| 7    | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP     | 6   |
| 8    | 50718    | ARM-ZP                         | 2   |
| 9    | 1012975  | KEY .250 X .250 X 1.250        | 2   |
| 10   | 1013519  | NUT-JAM: .38 NC GR2 ZP         | 2   |
| 11   | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP | 2   |
| 12   | 1016362  | BOLT-CRG: .38 X 1.25 NC GR5 ZP | 4   |
| 13   | 1011828  | WASHER-FLAT: .38 ZP            | 4   |
| 14   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP     | 4   |




| <b>BELTED CHAIN 50MM/56MM G2 SCRUB</b> |                 |                                  |            |
|----------------------------------------|-----------------|----------------------------------|------------|
| <b>ITEM</b>                            | <b>PART NO.</b> | <b>DESCRIPTION</b>               | <b>QTY</b> |
| 1                                      | 68651           | SPROCKET-SPLIT 56MM              | 4          |
|                                        | 68657           | SPROCKET-SPLIT 50MM 14T ø1.750   |            |
| 2                                      | 54824           | SPROCKET-IDLER 56MM              | 4          |
|                                        | 63813           | SPROCKET-IDLER 50MM 10T          |            |
| 3                                      | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP   | 4          |
| 4                                      | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP       | 4          |
| 5                                      | 302719          | BELT-56MM INSIDE SCRUB 6R/8R G2  | 1          |
|                                        | 302720          | BELT-50MM INSIDE SCRUB 6R/8R G2  |            |
| 6                                      | 302605          | BELT-56MM OUTSIDE SCRUB 6R/8R G2 | 1          |
|                                        | 302721          | BELT-50MM OUTSIDE SCRUB 6R/8R G2 |            |






| REAR SCRUB DRIVE: SINGLE MOTOR |          |                                        |     |
|--------------------------------|----------|----------------------------------------|-----|
| ITEM                           | PART NO. | DESCRIPTION                            | QTY |
| 1                              | 58102    | WLDMT-MOTOR BRACKET                    | 1   |
| 2                              | 62103    | WLDMT-GEARBOX MOUNT                    | 1   |
| 3                              | 58987    | MOTOR-HYDRAULIC 20.6IN^3/REV           | 1   |
|                                | 57880    | SEAL KIT FOR 58387                     |     |
| 4                              | 1014443  | WASHER-FLAT: .50 ZP                    | 4   |
| 5                              | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP         | 5   |
| 6                              | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP             | 17  |
| 7                              | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP         | 2   |
| 8                              | 62125    | SPROCKET-8019X 1.25 BORE .313 KEY      | 1   |
| 9                              | 50335    | HUB Q1 1.75                            | 2   |
| 10                             | 63876    | TENSIONER ZP                           | 1   |
| 11                             | 1011577  | NUT-HEX: .50 NC GR2 ZP                 | 2   |
| 12                             | 56334    | SPROCKET-IDLER 8012                    | 1   |
| 13                             | 58086    | SPACER-CHAIN IDLER ZP                  | 1   |
| 14                             | 59051    | SPROCKET H80-Q30                       | 1   |
| 15                             | 59052    | SPROCKET H80-Q32                       | 1   |
| 16                             | 1012059  | BOLT- HEX: .75 X 3.00 NC GR5 ZP        | 1   |
| 17                             | 68784    | CHAIN-ROLLER 80-1R-114                 | 1   |
| 18                             | 50152    | KEY .38 X .38 X 2.00                   | 2   |
| 19                             | 1011620  | NUT-HEX: .75 NC GR2 ZP                 | 1   |
| 20                             | 59043    | FTG-ADAPTER: 10MB-12MJ                 | 2   |
| 21                             | 58985    | VALVE-FLOW CONTROL- 3/4" FP            | 1   |
|                                | 64414    | SEAL KIT FOR 58985                     |     |
| 22                             | 1030766  | BOLT-HEX: .25 X 4.00 NC GR5 ZP         | 2   |
| 23                             | 1020416  | WASHER-FLAT: .25 ZP                    | 14  |
| 24                             | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP             | 2   |
| 25                             | 59042    | FTG-ADAPTER: 12MP-12MJ                 | 3   |
| 26                             | 59041    | FTG-ELBOW: 12MJ-12FJX-90               | 3   |
| 27                             | 59888    | FTG-TEE: 12MJ-12FJX-12MJ               | 1   |
| 28                             | 59184    | BRACKET-HOSE ZP                        | 1   |
| 29                             | 65658    | U-BOLT: .50 X 3.00 X 2.06 X 3.00       | 1   |
| 30                             | 63753    | CLAMP .75 ZP                           | 3   |
| 31                             | 59182    | BRACKET-HOSE ZP                        | 2   |
| 32                             | 54653    | U-BOLT: .50 X 3.25 X 4.00 X 3.25       | 2   |
| 33                             | 1011725  | BOLT-HEX: .38 X 2.00 NC GR5 ZP         | 3   |
| 34                             | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP             | 7   |
| 35                             | 58396    | KEY .313 X .313 X 1.750                | 1   |
| 36                             | 59895    | HOSE: .75 X 173 12FJX-12FJX (8R-FRAME) | 2   |
|                                | 59036    | HOSE: .75 X 152 12FJX-12FJX (6R-FRAME) |     |
| 37                             | 59801    | HOSE: .75 X 74 12FJX-12FJX             | 1   |
| 38                             | 59035    | HOSE: .75 X 66 12FJX-12FJX             | 1   |

CONTINUE



**REAR SCRUB DRIVE: SINGLE MOTOR (CONTINUED)**


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 39   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 4   |
| 40   | 1012061  | WASHER-LOCK: .75 ZP            | 1   |
| 41   | 69020    | WLDMT-BRACKET FLOW CONTROL     | 1   |
| 42   | 59881    | BRACKET-BOLT PLATE             | 4   |
| 43   | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 4   |
| 44   | 59463    | SPACER ZP                      | 2   |



## STANDARD REAR STRUTS 11.2 X 24

| ITEM | PART NO. | DESCRIPTION                       | QTY |
|------|----------|-----------------------------------|-----|
| 1    | 300135   | VLDMT-MOUNT ADJ 11.2-24 UNIVERSAL | 1   |
| 2    | 69204    | VLDMT-STRUT LH ADJ 11.2 X24       | 1   |
| 3    | 64143    | BAR - BOLTING                     | 4   |
| 4    | 52954*   | SPINDLE-STANDARD                  | 1   |
| 5    | 59045    | SCRAPER                           | 2   |
| 6    | 54393*   | 7600-6 STUD-HUB BOLT              | 8   |
| 7    | 301490   | SELF TAPPING GREASE FITTING       | 1   |
| 8    | 1011748  | ZERK-GREASE: .25 UNF STRAIGHT     | 1   |
| 9    | 1011618  | BOLT-HEX: .50 X5.00 NC GR5 ZP     | 2   |
| 10   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP        | 10  |
| 11   | 64145    | BOLT-HEX: 1.13 X8.00 NC GR8 ZP    | 8   |
| 12   | 64147    | WASHER-LOCK: 1.13 ZP              | 8   |
| 13   | 64146    | NUT-HEX: 1.13 NC GR2 ZP           | 8   |
| 14   | 53623*   | HUB-WHEEL 8 BOLT                  | 1   |
| 15   | 1030728* | WASHER-SPINDLE: 1.06ID X2.13OD    | 1   |
| 16   | 1030726* | NUT-SPINDLE: 1.00 NF NP           | 1   |
| 17   | 1030797* | PIN-COTTER: .19 X1.75 NP          | 1   |
| 18   | 53619*   | SEAL                              | 1   |
| 19   | 53621*   | BEARING CONE-INNER                | 1   |
| 20   | 53622*   | BEARING CUP-INNER                 | 1   |
| 21   | 52243*   | BEARING CUP-OUTER                 | 1   |
| 22   | 53620*   | BEARING CONE-OUTER                | 1   |
| 23   | 53624*   | HUB CAP                           | 1   |
| 24   | 56986    | TIRE-MNTD: 11.2-24 10 PLY R1 RH   | 1   |
|      | 56903    | WHEEL W10 X 24 8 BOLT (1.88 POS)  |     |
|      | 56976    | TIRE 11.2-24 10 PLY R1            |     |
|      | 68973    | TUBE-REPAIR 11.2-24               |     |
| 25   | 63992    | TIRE-MNTD: 11.2-24 10 PLY R1 LH   | 1   |
|      | 56903    | WHEEL W10 X 24 8 BOLT (1.88 POS)  |     |
|      | 56976    | TIRE 11.2-24 10 PLY R1            |     |
|      | 68973    | TUBE-REPAIR 11.2-24               | AR  |
| 26   | 53625*   | NUT-WHEEL: .63-18NF               | 8   |
| 27   | 1016718  | BOLT-HEX: .75 X6.50 NC GR5 ZP     | 2   |
| 28   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP        | 2   |
| 29   | 53167    | ASSY-HUB & SPINDLE 8-BOLT         | 2   |
| 30   | 52248    | DECAL-CAUTION                     | 1   |
| 31   | 73368    | WASHER-FLAT: 1.75 ZP              | 2   |
| 32   | 73369    | ROLL PIN: .38 X3.50 ZP            | 2   |
| 33   | 301238   | PIN-STRUT REAR ADJ                | 1   |
| 34   | 1032524  | BOLT-HEX: .50 X 4.00 NC GR5 ZP    | 1   |


CONTINUE



| <b>STANDARD REAR STRUTS (CONTINUED)</b> |                 |                                             |            |
|-----------------------------------------|-----------------|---------------------------------------------|------------|
| <b>ITEM</b>                             | <b>PART NO.</b> | <b>DESCRIPTION</b>                          | <b>QTY</b> |
| 35                                      | 72950           | CYLINDER-HYDRAULIC 4 X 10                   | 1          |
|                                         | 301315          | SEAL KT-CYL 4 X 8, 4 X 10 3000PSI UNIVERSAL |            |
|                                         | 73421           | CYLINDER-HYD 4 X 10-3000-0° ADC             |            |
|                                         | 73629           | SEAL KIT FOR 73421                          |            |
| 36                                      | 50714           | CLAMP .50 ZP                                | 6          |
| 37                                      | 1011586         | WASHER-LOCK: .38 ZP                         | 6          |
| 38                                      | 1011600         | BOLT-HEX: .38 X 1.00 NC GR5 ZP              | 6          |
| 39                                      | 36290           | PIONEER TIP 8010-15P (#8 ORB)               | 2          |
| 40                                      | 58560           | FTG-ELBOW: 8MB-8MJ-90                       | 2          |
| 41                                      | 66596           | HOSE: .50 X 320 8FJX-8MB                    | 1          |
| 42                                      | 67670           | HOSE: .50 X 312 8MB-8FJX                    | 1          |
| 43                                      | 301237          | BUSHING-SPRING 2.00 X 1.75 X 1.50           | 2          |
| 44                                      | 69206**         | WLDMT-STRUT RH STD 11.2-24                  | 1          |
| 45                                      | 302551**        | WLDMT-UNIVERSAL SPINDLE MOUNT               | 1          |
| 46                                      | 1016598**       | BOLT-HEX: .75 X 2.50 NC GR5 ZP              | 6          |
| 47                                      | 1012061**       | WASHER-LOCK: .75 ZP                         | 6          |
| 48                                      | 1011620**       | NUT-HEX: .75 NC GR2 ZP                      | 6          |

\* ITEMS INCLUDED IN ITEM 29

\*\* ITEMS ARE INCLUDED ONLY IN STANDARD STRUT OPTION






## REAR STRUT STD ADJ 23.5/55-26

| ITEM | PART NO. | DESCRIPTION                                 | QTY |
|------|----------|---------------------------------------------|-----|
| 1    | 73445    | WLDMT-STRUT LH UPPER 23.5                   | 1   |
|      | 73469    | WLDMT-STRUT RH UPPER 23.5 (NOT SHOWN)       | 1   |
| 2    | 301807   | ASSY-STRUT LH LOWER W/CUPS PAINTED          | 1   |
|      | 301808   | ASSY-STRUT RH LOWER W/CUPS PAINTED (NS)     | 1   |
| 3    | 73466    | BUSHING-SPRING 2.25 X 2.0 X 2.0 L (REF)     | 2   |
| 4    | 73369    | PIN-ROLL: .38 X 3.50 ZP                     | 1   |
| 5    | 35519-1* | ASSY-SPINDLE: 3.13 X 14.5 CRS               | 1   |
| 6    | 35343    | ASSY-LH TIRE & WHEEL 23.5/55-26             | 1   |
|      | 35344    | ASSY-RH TIRE & WHEEL 23.5/55-26 (NOT SHOWN) | 1   |
|      | 35345    | TIRE 23.5/55-26                             | 1   |
|      | 35346    | WHEEL 26X20 WIDE 10 BOLT (SILVER)           | 1   |
| 7    | 1011618  | BOLT-HEX: .50 X 5.00 NC GR5 ZP              | 1   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                  | 1   |
| 9    | 1011748* | ZERK - GREASE                               | 2   |
| 10   | 64143    | BAR - BOLTING                               | 4   |
| 11   | 64145    | BOLT-HEX: 1.125 X 8.00 NC GR8 ZP            | 8   |
| 12   | 64147    | WASHER-LOCK: 1.125 ZP                       | 8   |
| 13   | 64146    | NUT-HEX: 1.125 NC GR2 ZP                    | 8   |
| 14   | 59045    | SCRAPER                                     | 1   |
| 15   | 1016598  | BOLT- .75 X 2.50 NC GR5 ZP                  | 2   |
| 16   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP                  | 2   |
| 17   | 301683   | SEAL-SINGLE TIRE STRUT                      | 2   |
| 18   | 301677   | SEAL CAP 8R LOWER STRUT 23.5 ADC            | 2   |
| 19   | 301672   | HUB CAP                                     | 2   |
| 20   | 301803   | PLATE-SEAL CAP CLAMP                        | 2   |
| 21   | 301804   | BOLT-CRG: .25 X 1.25 NC GR5 ZP              | 4   |
| 22   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP                  | 4   |
| 23   | 301673   | BEARING CUP-INNER (TIMKEN 529)              | 2   |
| 24   | 301678   | PIN-STRUT REAR ADJ 23.5 ADC W/BEARINGS HARD | 1   |
| 25   | 301682   | PIN-COTTER: .313 X 3.5 ZP                   | 2   |
| 26   | 301685   | NUT-HEX: SLOT 2.00 UN GR2 NP                | 2   |
| 27   | 301679   | WASHER-FLAT: 2.00 X 2.75 X .125             | 2   |
| 28   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP              | 1   |
| 29   | 1011581  | WASHER-LOCK: .50 ZP                         | 1   |
| 30   | 35519-2* | ASSY-HUB 10 BOLT-11.25 BC-12000#            | 1   |
| 31   | 301674   | BEARING CUP-OUTER (TIMKEN 520X)             | 2   |
| 32   | 320143*  | SEAL- OIL                                   | 1   |
| 33   | 320144*  | BEARING-CONE OUTER                          | 1   |
| 34   | 320145*  | BEARING-CONE INNER                          | 1   |
| 35   | 320146*  | CAP-HUB                                     | 1   |
| 36   | 320148*  | GASKET-CAP HUB                              | 1   |
| 37   | 1011596* | BOLT-HEX: .31 X .50 NC GR5 ZP               | 4   |
| 38   | 320147*  | NUT-WHEEL                                   | 10  |
| 39   | 35519    | ASSY-HUB&SPINDLE: 10-BOLT 12000#            | 1   |


\* ITEMS INCLUDED IN ITEM 39



## STEERABLE REAR STRUTS


| ITEM | PART NO. | DESCRIPTION                      | QTY |
|------|----------|----------------------------------|-----|
| 1    | 58240    | WLDMT - STEERING ARM             | 2   |
| 2    | 58285    | WLDMT-STEERING HOUSING R.H.      | 1   |
| 3    | 58238    | WLDMT - KING PIN                 | 2   |
| 4    | 1011748  | ZERK - GREASE                    | 10  |
| 5    | 1033376  | BOLT-HEX: 1.0 x 8.50 NC GR8 ZP   | 2   |
| 6    | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP      | 4   |
| 7    | 58186    | WLDMT-TIE ROD RH                 | 1   |
| 8    | 64143    | BAR - BOLTING                    | 6   |
| 9    | 1032276  | BOLT-HEX: 1.0 x 3.50 NC GR8 ZP   | 2   |
| 10   | 57233    | WLDMT - MOUNT STANDARD           | 2   |
| 11   | 52954    | SPINDLE-STANDARD                 | 4   |
| 12   | 58374    | WLDMT-TIE ROD EXTENSION          | 1   |
| 13   | 58341    | WLDMT-TIE ROD                    | 1   |
| 14   | 58203    | WLDMT-TIE ROD LH                 | 1   |
| 15   | 58239    | WLDMT-STEERING HOUSING LH        | 1   |
| 16   | 53278    | MOUNT-INDICATOR                  | 1   |
| 17   | 59492    | *ASSY DESC.*                     | 1   |
| 18   | 56809    | BAR-BOLTING                      | 2   |
| 19   | 58348    | INDICATOR                        | 1   |
| 20   | 58346    | ARM-STEERING INDICATOR           | 1   |
| 21   | 59045    | SCRAPER                          | 4   |
| 22   | 1012059  | BOLT-HEX: .75 X 6.50 NC GR5 ZP   | 4   |
| 23   | 1017000  | NUT-TOPLOCK .75 NC GR5 ZP        | 4   |
| 24   | 64145    | BOLT-HEX: 1.125 X 8.00 NC GR8 ZP | 12  |
| 25   | 64147    | WASHER-LOCK: 1.125 ZP            | 12  |
| 26   | 64146    | NUT-HEX: 1.125 NC GR2 ZP         | 12  |
| 27   | 1012059  | BOLT- .75 X 3.00 NC GR5 ZP       | 12  |
| 28   | 1012061  | WASHER-LOCK: .75 ZP              | 12  |
| 29   | 1011620  | NUT: .750 NC                     | 15  |
| 30   | 1011618  | BOLT-HEX: .50 X 5.00 NC GR5 ZP   | 4   |
| 31   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP       | 5   |
| 32   | 58123    | PLATE                            | 1   |
| 33   | 59493    | WLDMT-TIE ROD EXTENSION          | 1   |
| 34   | 1011610  | BOLT-HEX: .50 x 2.50 NC GR5 ZP   | 1   |
| 35   | 53619    | SEAL                             | 4   |
| 36   | 53621    | CONE-BEARING                     | 4   |
| 37   | 53622    | CUP-BEARING INNER                | 4   |
| 38   | 53623    | HUB-WHEEL 8 BOLT                 | 4   |
| 39   | 52243    | BEARING CUP                      | 4   |
| 40   | 53620*   | BEARING-CONE                     | 4   |

CONTINUED




| <b>STEERABLE REAR STRUTS (CONTINUED)</b> |                 |                                   |            |
|------------------------------------------|-----------------|-----------------------------------|------------|
| <b>ITEM</b>                              | <b>PART NO.</b> | <b>DESCRIPTION</b>                | <b>QTY</b> |
| 41                                       | 53625*          | NUT-WHEEL: .63-18NF               | 32         |
| 42                                       | 1030726*        | NUT-SPINDLE: 1.00 NF NP           | 4          |
| 43                                       | 1030728*        | WASHER-SPINDLE: 1.06ID X 2.13OD   | 4          |
| 44                                       | 1030797*        | PIN-COTTER: .19 X 1.75 NP         | 4          |
| 45                                       | 53624*          | HUB CAP                           | 4          |
| 46                                       | 56903           | WHEEL W10 X 24 8 BOLT (1.875 POS) | 4          |
| 47                                       | 56976           | TIRE 11.2-24 10 PLY R1            | 4          |
|                                          | 68973           | TUBE-REPAIR 11.2-24 (NOT SHOWN)   | AR         |
| 48                                       | 1030704         | BOLT-HEX: .63 X 3.25 NC GR5 ZP    | 1          |
| 49                                       | 1011578         | NUT-HEX: .63 NC GR2 ZP            | 1          |
| 50                                       | 1030729         | NUT-HEX: 1.25 NC GR2 ZP LH        | 1          |
| 51                                       | 1011621         | NUT-HEX: 1.25 NC GR2 ZP           | 1          |
| 52                                       | 58350           | BALL JOINT ROD END 1/2-20NF RH    | 1          |
| 53                                       | 58351           | BALL JOINT ROD END 1/2-20NF LH    | 1          |
| 54                                       | 1016660         | BOLT-HEX: .50 X 5.50 NC GR5 ZP    | 4          |
| 55                                       | 1011581         | WASHER-LOCK: .50 ZP               | 4          |
| 56                                       | 1011577         | NUT-HEX: .50 NC GR2 ZP            | 5          |
| 57                                       | 56884           | BUSHING-INDICATOR REAR STRUT      | 1          |
| 58                                       | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP    | 1          |
| 59                                       | 58355           | NUT-HEX: .50 NF GR5 ZP RH         | 3          |
| 60                                       | 58366           | NUT-HEX: .50 NF GR5 ZP LH         | 1          |
| 61                                       | 58367           | BOLT-HEX: .75 X 1.50 NC GR5 ZP    | 2          |
| 62                                       | 58890           | CYLINDER HYDRAULIC 3 X 8          | 1          |
|                                          | 301314          | SEAL KIT FOR 58890 UNIVERSAL      |            |
| 63                                       | 58560           | FTG-ELBOW: 8MB-8MJ-90             | 2          |
| 64                                       | 53167           | ASSY-HUB & SPINDLE 8 BOLT         | 2          |
| 65                                       | 300029          | HOSE: .50 X 276 8MB-8FJX          | 1          |
| 66                                       | 36290           | PIONEER TIP 8010-15P (#8 ORB)     | 2          |
| 67                                       | 66604           | HOSE: .50 X 290 8FJX-8MB          | 1          |
| 68                                       | 50714           | CLAMP 1/2" ZP                     | 4          |
| 69                                       | 1011586         | WASHER-LOCK: .38 ZP               | 4          |
| 70                                       | 1011600         | BOLT-HEX: .38 X 1.00 NC GR5 ZP    | 4          |
| 71                                       | 1011625         | BOLT-HEX: .75 X 4.00 NC GR5 ZP    | 2          |
| 72                                       | 52248           | DECAL CAUTION                     | 1          |
| 73                                       | 59205           | BUSHING-BORED 4.5 X 4.025         | 4          |

\* Items are included in Item 64



| <b>HITCH HYDRAULICS</b> |                 |                                   |            |
|-------------------------|-----------------|-----------------------------------|------------|
| <b>ITEM</b>             | <b>PART NO.</b> | <b>DESCRIPTION</b>                | <b>QTY</b> |
| 1                       | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP        | 6          |
| 2                       | 50714           | CLAMP .50 ZP                      | 6          |
| 3                       | 1011602         | BOLT-HEX: .38 X 1.50 NC GR5 ZP    | 6          |
| 4                       | 36290           | PIONEER TIP 8010-15P (#8 ORB)     | 2          |
| 5                       | 58560           | FTG-ELBOW: 8MB-8MJ-90             | 2          |
| 6                       | 57667           | FTG-TEE: 8MJ-8MJ-8MJ              | 4          |
| 7                       | 62082           | CYLINDER-HYDRAULIC 4 X 10" 3000   | 2          |
|                         | 301315          | SEAL KIT FOR 62082 UNIVERSAL      |            |
| 8                       | 37705           | HOSE: .50 X 128 8FJX-8MB          | 2          |
| 9                       | 57676           | HOSE: .50 X 031 8FJX-8FJX (6R/8R) | 2          |
| 10                      | 301105          | HOSE: .50 X 043 8FJX-8FJX (6R/8R) | 2          |
| 11                      | 58515           | FTG-ELBOW: 8MB-8MJ-45             | 2          |






| <b>FRAME MOUNTED ROW FINDER HYDRAULICS</b> |                 |                                         |            |
|--------------------------------------------|-----------------|-----------------------------------------|------------|
| <b>ITEM</b>                                | <b>PART NO.</b> | <b>DESCRIPTION</b>                      | <b>QTY</b> |
| 1                                          | 58891           | CYLINDER-HYDRAULIC 4 X 8" 3000          | 1          |
|                                            | 301315          | SEAL KIT UNIVERSAL                      |            |
| 2                                          | 57663           | FTG-ELBOW: 8MJ-8FJX-45                  | 1          |
| 3                                          | 57668           | FTG-ELBOW: 8MJ-8FJX 90                  | 2          |
| 4                                          | 301642          | HOSE: .50 X 322 8MB-8FJX                | 1          |
| 5                                          | 301645          | HOSE: .50 X 215 8MB-8FJX                | 1          |
| 6                                          | 301641          | HOSE: .50 X 314 8MB-8FJX                | 1          |
| 7                                          | 301644          | HOSE: .50 X 295 8FJX-8FJX               | 1          |
| 8                                          | 301643          | HOSE: .50 X 286 8FJX-8FJX               | 1          |
| 9                                          | 301647          | HOSE: .50 X 143 8MB-8FJX                | 2          |
| 10                                         | 1015221         | HOSE: .50 X 040 8FJX-8FJX(12R)          | 2          |
| 11                                         | 300070          | CHECK VALVE 8MB-8FB FLOW F-->M (FC-08R) | 1          |
| 12                                         | 1018115         | HOSE: .50 X 030 8FJX-8FJX(12R)          | 2          |
| 13                                         | 301646          | HOSE: .50 X 223 8MB-8FJX                | 1          |
| 14                                         | 301648*         | HOSE: .38 X 160 8MB-6FJX (NOT SHOWN)    | 1          |
| 15                                         | 36290           | PIONEER TIP 8010-15P (#8 ORB)           | 4          |
| 16                                         | 58195           | FTG-ADAPTER: 10MB-8MJ                   | 1          |
| 17                                         | 65901           | FTG-ELBOW: 10MB-8MJ-90                  | 1          |
| 18                                         | 56941           | FTG-ADAPTER: 8MB-8FJX                   | 2          |
| 19                                         | 57667           | FTG-TEE: 8MJ-8MJ-8MJ                    | 2          |
| 20                                         | 58195           | FTG-ADAPTER: 10MB-8MJ                   | 1          |
| 21                                         | 58560           | FTG-ELBOW: 8MB-8MJ-90                   | 2          |
| 22                                         | 57664           | FTG-ELBOW: 12MP-8MJ-90                  | 1          |
| 23                                         | 63661           | WLDMT-MOUNTING BRACKET                  | 1          |
| 24                                         | 63662           | WLDMT-MOUNTING SUPPORT                  | 2          |
| 25                                         | 53984           | U-BOLT: .500 X 7.00 X 6.00 X 7.00       | 2          |
| 26                                         | 1011581         | WASHER-LOCK: .50 ZP                     | 4          |
| 27                                         | 1011577         | NUT-HEX: .50 NC GR2 ZP                  | 4          |
| 28                                         | 52654           | 1050187 BUSHING                         | 2          |
| 29                                         | 63664           | BOLT-HEX: .75 X14.00 NC GR5 ZP          | 1          |
| 30                                         | 1017000         | NUT-TOPLOCK: .75 NC GR5 ZP              | 1          |

\*USED WITH ADC VALVE CONTROL BOX


**\*\*IMPORTANT\*\* ITEM 11 (PN: 300070-CHECK VALVE) MUST BE INSTALLED AS SHOWN PER THE DIAGRAM, TO PREVENT PREMATURE ROWFINDER VALVE FAILURE.**



## HITCH MOUNTED ROW FINDER HYDRAULICS


| ITEM | PART NO. | DESCRIPTION                             | QTY |
|------|----------|-----------------------------------------|-----|
| 1    | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP              | 6   |
| 2    | 50714    | CLAMP .50 ZP                            | 6   |
| 3    | 58891    | CYLINDER-HYDRAULIC 4 X 8" 3000          | 1   |
|      | 301315   | SEAL KIT FOR 58991 UNIVERSAL            |     |
| 4    | 1011602  | BOLT-HEX: .38 X 1.50 NC GR5 ZP          | 6   |
| 5    | 36290    | PIONEER TIP 8010-15P (#8 ORB)           | 6   |
| 6    | 57663    | FTG-ELBOW: 8MJ-8FJX-45                  | 1   |
| 7    | 65901    | FTG-ELBOW: 10MB-8MJ-90                  | 2   |
| 8    | 58560    | FTG-ELBOW: 8MB-8MJ-90                   | 4   |
| 9    | 56941    | FTG-ADAPTER: 8MB-8FJX                   | 2   |
| 10   | 57667    | FTG-TEE: 8MJ-8MJ-8MJ                    | 4   |
| 11   | 57668    | FTG-ELBOW: 8MJ-8FJX 90                  | 2   |
| 12   | 300039   | HOSE: .50 X 184 8MB-8FJX                | 2   |
| 13   | 66200    | HOSE: .50 X 188 8MB-8FJX                | 2   |
| 14   | 58195    | FTG-ADAPTER: 10MB-8MJ                   | 1   |
| 15   | 57672    | HOSE: .50 X 098 8FJX-8FJX               | 1   |
| 16   | 57673    | HOSE: .50 X 096 8FJX-8FJX               | 1   |
| 17   | 300070   | CHECK VALVE 8MB-8FB FLOW F-->M (FC-08R) | 1   |

**\*\*IMPORTANT\*\* ITEM 17 (PN: 300070-CHECK VALVE) MUST BE INSTALLED AS SHOWN PER DIAGRAM, TO PREVENT PREMATURE ROWFINDER VAVE FAILURE.**




## VALVE GROUP: DUAL MOTOR SCRUB

| ITEM | PART NO. | DESCRIPTION                        | QTY |
|------|----------|------------------------------------|-----|
| 1    | 68092    | WLDMT-BRACKET FLOW CONTROL         | 1   |
| 2    | 301266   | VALVE-FLOW CONTROL- 12FB           | 2   |
|      | 301375   | SEAL KT-VALVE FLOW CONTROL #301266 |     |
| 3    | 59524    | WLDMT-ARM FLOW CONTROL Z.P.        | 1   |
| 4    | 59633    | ACTUATOR-12VDC 4" STROKE           | 1   |
| 5    | 59463    | SPACER                             | 4   |
| 6    | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP         | 6   |
| 7    | 1013940  | BOLT-HEX: .25 X 1.25 NC GR5        | 1   |
| 8    | 59206    | BRACKET-FLOW CONTROL ZP            | 1   |
| 9    | 54314    | PIN-ROLL .19 X .75 ZP              | 3   |
| 10   | 1030776  | BOLT-HEX: .25 X 4.00 NC GR5        | 4   |
| 11   | 1020416  | WASHER-FLAT: .25 ZP                | 15  |
| 12   | 65918    | FTG-ADAPTER: 12MB-12MJ             | 6   |
| 13   | 59041    | FTG-ELBOW: 12MJ-12FJX 90           | 7   |
| 14   | 63471    | ASSY-TUBE LINE .75 X 5.25 0-0      | 1   |
| 15   | 58986    | FTG-TEE: 12MJ-12MJ-12MJ            | 1   |
| 16   | 59888    | FTG-TEE: 12MJ-12FJX-12MJ           | 1   |
| 17   | 59881    | BRACKET-BOLT PLATE                 | 4   |
| 18   | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP     | 4   |
| 19   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP         | 4   |
| 20   | 58875    | BOLT-HEX: .25 X 4.50 NC GR5 ZP     | 1   |




## TANK HYDRAULICS

| ITEM | PART NO. | DESCRIPTION                         | QTY |
|------|----------|-------------------------------------|-----|
| 1    | 54825    | BRACKET-HOSE ZP                     | 2   |
| 2    | 62904    | GUARD-SELECTOR VALVE                | 1   |
| 3    | 58470    | VALVE-SELECTOR                      | 1   |
| 4    | 59390    | BOLT-HEX: .38 X 2.25 NC GR5 ZP      | 2   |
| 5    | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP          | 5   |
| 6    | 56231    | FTG-TEE: 6MJ-6FJX-6MJ               | 1   |
| 7    | 56226    | FTG-ADAPTER: 8MB-8MJ                | 4   |
| 8    | 300072   | FITTING-RESTRICTOR (6MJ-6FJ R 1/16) | 1   |
| 9    | 58867    | HOSE: .38 X 110 6FJX-6FJX           | 1   |
| 10   | 56190    | FTG-PLUG: 8MB                       | 1   |
| 11   | 50714    | CLAMP 1/2" ZP                       | 10  |
| 12   | 300070   | VALVE-CHECK: 8MB-8FJ FLOW F-->M     | 1   |
| 13   | 58515    | FTG-ELBOW: 8MB-8MJ-45               | 1   |
| 14   | 300069   | FTG-ADAPTER: 8FB-10MB               | 1   |
| 15   | 56229    | FTG-ELBOW: 10MB-8MJ-45              | 1   |
| 16   | 58889    | CYLINDER-HYD 2.5 X 16               | 2   |
| 17   | 58557    | FTG-ELBOW: 8MB-6MJ 90               | 2   |
| 18   | 58547    | FTG-PLUG: 8MB BREATHER              | 2   |
| 19   | 1011586  | WASHER-LOCK: .38 ZP                 | 7   |
| 20   | 1011602  | BOLT-HEX: .38 X 1.50 NC GR5 ZP      | 3   |
| 21   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP      | 7   |
| 22   | 36290    | PIONEER TIP 8010-15P (#8 ORB)       | 2   |
| 23   | 50779    | HOSE-CLAMP                          | 2   |
| 24   | 300076   | HOSE: .50 X 262 8MB-8FJX            | 2   |
| 25   | 59889    | HOSE: .50 X 161 X 8FJX-8FJX         | 2   |
| 26   | 44159    | HOSE: .38 X 040 6FJX-6FJX           | 1   |
| 27   | 66624    | FTG-ADAPTER: 6MJ-8MB                | 1   |
| 28   | 57897    | FTG-ELBOW: 6MJ-6FJX-90              | 1   |
| 29   | 301538   | FTG-ELBOW: 6MJ-6FJX-45              | 1   |
| 30   | 301298   | WLDMT-CYLINDER LUG                  | 2   |
| 31   | 1013918  | BOLT-HEX: .63 X 1.75 NC GR5 ZP      | 8   |
| 32   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP          | 8   |
| 33   | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP       | 2   |
| 34   | 1020416  | WASHER-FLAT: .25 ZP                 | 2   |
| 35   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP          | 2   |







| HYDRAULIC TANK |          |                                 |     |
|----------------|----------|---------------------------------|-----|
| ITEM           | PART NO. | DESCRIPTION                     | QTY |
| 1              | 58079    | HYDRAULIC TANK-PAINTED          | 1   |
| 2              | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP  | 2   |
| 3              | 1014443  | WASHER-FLAT: .50 ZP             | 6   |
| 4              | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP      | 4   |
| 5              | 58204    | BAR - BOLTING                   | 1   |
| 6              | 1032514  | BOLT-HEX: .50 X 7.50 NC GR5 ZP  | 2   |
| 7              | 58914    | GAUGE-LEVEL & TEMP              | 1   |
| 8              | 58978    | FTG-ADAPTER: 20MP-20MP          | 1   |
| 9              | 58979    | VALVE-BALL: 20FP-20FP           | 1   |
| 10             | 62209    | FTG-ADAPTER: 20MP-20MJ          | 1   |
| 11             | 62213    | HOSE: 1.25 X 084 20FJX-20FJX    | 1   |
| 12             | 58980    | FTG-ELBOW: 24MB-20MJ-90         | 1   |
| 13             | 62212    | FTG-ELBOW: 16MB-12MJ-45         | 1   |
| 14             | 62517    | HOSE: .75 X 079 12FJX-12FJX     | 1   |
| 15             | 65918    | FTG-ADAPTER: 12MB-12MJ          | 2   |
| 16             | 302997   | VALVE-RELIEF 2500PSI            | 1   |
| 17             | 303000   | FTG-ADAPTER: 12MB-8MP           | 1   |
| 18             | 301173   | FTG-ADAPTER: 12MJ-12FJX W/4FB   | 1   |
| 19             | 301175   | GAUGE-PRESSURE: 1/4" MB 3000PSI | 1   |
| 20             | 58196    | FTG-ADAPTER: 12MP-12MP          | 2   |
| 21             | 59165    | VALVE-BALL 3/4FP - 3/4FP        | 1   |
| 22             | 58690    | FILTER HEAD                     | 1   |
| 23             | 59044    | FTG-ELBOW: 12MP-12MJ-90         | 1   |
| 24             | 303695   | FILTER-HYDRAULIC 4" (10 MICRON) | 1   |
| 25             | 55718    | FTG-PLUG: 8MB                   | 1   |
| 26             | 58197    | CAP-FILLER                      | 1   |
| 27             | 62964    | DECAL-WARNING                   | 1   |
| 28             | 303269   | DECAL-HYDRAULIC OIL             | 1   |
| 29             | 64429    | DECAL-WARNING BALL VALVE        | 1   |
| 30             | 64645    | CLAMP-STAUFF 6445PPH (2 HALVES) | 1   |
| 31             | 64646    | PLATE-COVER DP5                 | 1   |
| 32             | 1032287  | BOLT-HEX: .25 X 2.75 NC GR5 ZP  | 2   |
| 33             | 64612    | CLAMP-STAUFF 5278PPH (2 HALVES) | 1   |
| 34             | 1013242  | WASHER-LOCK: .25 ZP             | 4   |
| 35             | 64613    | PLATE-COVER DP6                 | 1   |
| 36             | 1032285  | BOLT-HEX: .25 X 2.50 NC GR5 ZP  | 2   |
| 37             | 59041    | FTG-ELBOW: 12MJ-12FJX-90        | 1   |




| LIGHT KIT HD |          |                                            |     |
|--------------|----------|--------------------------------------------|-----|
| ITEM         | PART NO. | DESCRIPTION                                | QTY |
| 1            | 64236    | BRACKET-LIGHT RH RED                       | 1   |
| 2            | 64235    | BRACKET-LIGHT LH RED                       | 1   |
| 3            | 64175    | BRACKET RH                                 | 1   |
| 4            | 64176    | BRACKET LH                                 | 1   |
| 5            | 305218   | LIGHT-RED LAMP SAE                         | 2   |
| 6            | 305217   | LIGHT-YELLOW LAMP SAE                      | 2   |
| 7            | 64290    | MOUNT-SMV SIGN                             | 1   |
| 8            | 65329    | SIGN-SMV ASAE                              | 1   |
| 9            | 300326   | PLATE-LIGHT MOUNT BOOM                     | 2   |
| 10           | 301293   | LIGHT-GROTE 2000 OVAL FLOOD                | 2   |
| 11           | 301294   | LIGHT-GROTE T26 NEAR FLOOD                 | 3   |
| 12           | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP              | 2   |
| 13           | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP                 | 20  |
| 14           | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP             | 4   |
| 15           | 1016999  | NUT-TOPLOCK .375 NC GR5 ZP                 | 4   |
| 16           | 1013423  | BOLT-HEX: .25 X 1.00 NC GR5 ZP             | 16  |
| 17           | 305216   | HARNESS-FLASHER MODULE                     | 1   |
| 18           | 301339   | PLATE-LIGHT MODULE MOUNT                   | 1   |
| 19           | 1016853  | BOLT-HEX: .25 X .75 NC GR5 ZP              | 2   |
| 20           | 301335   | HARNESS-HARVESTER MAIN                     | 1   |
| 21           | 301494   | HARNESS-HARVESTER 8R HAZARD                | 1   |
| 22           | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP             | 2   |
| 23           | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                 | 2   |
| 24           | 1013122  | TIE-CABLE, NYLON 14.00" (NOT SHOWN)        | 40  |
| 25           | 62833    | CLAMP-ADHESIVE BACKED CABLE (NOT SHOWN)    | 8   |
| 26           | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP (NOT SHOWN) | 1   |
| 27           | 301495   | HARNESS-HARVESTER WORK LIGHT               | 1   |
| 28           | 300327   | PLATE-LIGHT MOUNT                          | 2   |
| 29           | 306098   | U-BOLT: .375 X 3.00 X 4.00 X 3.00 ZP       | 4   |
| 30           | 64364    | U-BOLT: .375 X 5.13 X 6.00 X 5.13 ZP       | 1   |
| 31           | 64047    | ANGLE-GUARD                                | 1   |
| 32           | 300332   | PLATE-LIGHT MOUNT BOOM (FRONT)             | 1   |



| <b>KIT-JD TOUCHSET 2200-2500 MODEL #302865</b> |                 |                                               |            |
|------------------------------------------------|-----------------|-----------------------------------------------|------------|
| <b>ITEM</b>                                    | <b>PART NO.</b> | <b>DESCRIPTION</b>                            | <b>QTY</b> |
| 1                                              | 306820          | SENSOR BRACKET-DLS                            | 1          |
| 2                                              | 306823          | LEVER-DLS                                     | 1          |
| 3                                              | 306830          | TURNBUCKLE 1/4"-28                            | 1          |
| 4                                              | 306822          | GROMMET-DLS SHAFT                             | 1          |
| 5                                              | 306827          | SHAFT-DLS ZP                                  | 1          |
| 6                                              | 73492           | SENSOR-ROTARY POSITION                        | 1          |
| 7                                              | 1011598         | BOLT-HEX: .31 X 1.00 NC GR5 ZP                | 2          |
| 8                                              | 1029115         | WASHER-LOCK: .31 ZP                           | 2          |
| 9                                              | 1011303         | SCREW-MACH RND SLT: #10-24 X 1.25"            | 2          |
| 10                                             | 1026591         | NUT-K-LOCK: #10-24 NC GR2 ZP                  | 2          |
| 11                                             | 306832          | BOLT-SHOULDER: 1/4" X 1/2" SHLD LGTH X #10-24 | 2          |
| 12                                             | 67079           | NUT-NYLOCK: #10-24 NC GR2 ZP                  | 2          |
| 13                                             | 302778          | HARNESS-JOHN DEERE TOUCH SET                  | 1          |
| 14                                             | 306831          | BOLT-SHOULDER: 3/16" X 1.0" SHLD LGTH X #8-32 | 1          |
| 15                                             | 62617           | NUT-NYLOCK: #8-32 GR2 ZP                      | 1          |
| 16                                             | 306829          | BALL JOINT ROD END, 1/4"-28 LH                | 1          |
| 17                                             | 1011579         | NUT-HEX: .25 NF GR2 ZP                        | 1          |
| 18                                             | 306825          | SUPPORT-DLS SHAFT (NOT SHOWN)                 | 1          |
| 19                                             | 306826          | O-RING (NOT SHOWN)                            | 1          |




| <b>PTO CV DRIVELINE #301558</b> |                 |                                             |            |
|---------------------------------|-----------------|---------------------------------------------|------------|
| <b>1.75" - 20 SPLINE</b>        |                 |                                             |            |
| <b>ITEM</b>                     | <b>PART NO.</b> | <b>DESCRIPTION</b>                          | <b>QTY</b> |
| 1                               | 62123           | KT-SAFETY SLIDE LOCK REPAIR 1.750"          | 1          |
| 2                               | 305902          | YOKE ASSY-SAFETY SLIDE LOCK 1.750" CAT 6 CV | 1          |
| 3                               | 301841          | KT-CROSS & BEARING CAT 6                    | 2          |
| 4                               | 305904          | HOUSING-CV CENTER ASSY CAT 6                | 1          |
| 5                               | 64398           | KT-NYLON REPAIR UNIVERSAL                   | 2          |
| 6                               | 54161           | ZERK-DRIVE LUBE FTG (PRESSED IN)            | 4          |
| 7                               | 301559          | GUARD SET-CV PTO HRV MAX 90" EXT.           | 1          |
| 8                               | 54172           | KT-CROSS & BEARING 35E SERIES               | 1          |
| 9                               | 57286           | ASSY-BALL SHEAR HRV                         | 1          |
| 10                              | 1030700         | NUT-TOPLOCK: .31 NC GR5 ZP                  | 1          |
| 11                              | 1011285         | BOLT-HEX: .31 X 2.00 NC GR5 ZP              | 1          |
| <b>PTO CV DRIVELINE #301575</b> |                 |                                             |            |
| <b>1.375" - 21 SPLINE</b>       |                 |                                             |            |
| 1                               | 62122           | KT-SAFETY SLIDE LOCK REPAIR 1.375"          | 1          |
| 2                               | 301824          | YOKE ASSY-SAFETY SLIDE LOCK 1.375" CAT 6 CV | 1          |






## GEARBOX (1.81:1) #62015

| ITEM                       | PART NO. | DESCRIPTION                   | QTY |
|----------------------------|----------|-------------------------------|-----|
| 1                          | 62721    | QUILL SHAFT                   | 1   |
| 2                          | 62722    | SEAL: 2.00 - 3.26             | 1   |
| 3                          | 62724    | SNAP RING                     | 2   |
| 4                          | 62723    | WASHER 2.00 X .13             | 2   |
| 5                          | 62725    | BEARING CONE                  | 2   |
| 6                          | 62726    | BEARING CUP                   | 2   |
| 7                          | 62727    | BEARING CUP                   | 2   |
| 8                          | 62728    | BEARING CONE                  | 2   |
| 9                          | 62729    | PINION-16 TOOTH               | 2   |
| 10                         | 62730    | SHIM: 1.75 X .007             | 3   |
| 11                         | 62731    | WASHER 1.75 X .179            | 2   |
|                            | 68599    | WASHER 1.75 X .135            |     |
| 12                         | 62732    | SNAP RING                     | 2   |
| 13                         | 62733    | CASE-900 SERIES               | 1   |
| 14                         | 64408    | VENT PLUG: .50 NPT (SQ. HD.)  | 1   |
| 15                         | 62735    | PLUG: .50 NPT                 | 1   |
| 16                         | 62736    | SHIM-COVER                    | 2   |
| 17                         | 62737    | QUILL HOUSING                 | 1   |
| 18                         | 1011599  | BOLT-HEX: .38 X .75 NC GR5 NP | 16  |
| 19                         | 68597    | QUILL SHAFT                   | 1   |
| 20                         | 68596    | FLANGE: 'SAE C' -2.00 BOLT    | 1   |
| 21                         | 62741    | SFHCS: .38 X .75 NC GR5       | 4   |
| 22                         | 62742    | COVER-OPEN .38 NPT            | 1   |
| 23                         | 62743    | PLUG: .38 NPT                 | 1   |
| 24                         | 62744    | OIL SEAL: 1.75 X .31          | 2   |
| 25                         | 62745    | BEARING CUP                   | 2   |
| 26                         | 62746    | BEARING CONE                  | 2   |
| 27                         | 64410    | GEAR-29 TOOTH                 | 1   |
| 28                         | 64409    | THRU SHAFT                    | 1   |
| 29                         | 68598    | WASHER                        | 1   |
| <b>SHIMS USE AS NEEDED</b> |          |                               |     |
|                            | 64457    | SHIM COVER                    |     |
|                            | 64461    | SHIM: 1.375 ID X .007         |     |
|                            | 62730    | SHIM: 1.75 ID X .007          |     |
|                            | 69225    | SHIM: 2.75 OD X .007          |     |
|                            | 62736    | SHIM COVER                    |     |
|                            | 301622   | SHIM: 3.00 OD X 2.25 ID       |     |
|                            | 301492   | SHIM                          |     |




| <b>SELECTOR VALVE #58470</b> |          |                   |      |
|------------------------------|----------|-------------------|------|
| ITEM NO.                     | PART NO. | DESCRIPTION       | QTY. |
| 1                            | 68060    | PLATE ZP          | 2    |
| 3                            | 53724    | VALVE-SELECTOR    | 1    |
| 4                            | 58470-2  | HANDLE            | 1    |
| 5                            | 58470-4  | SPRING PIN        | 1    |
| 6                            | 58470-5  | PIN-COTTER HANDLE | 1    |
| 7                            | 58470-3  | CLIP-HANDLE       | 1    |




# ROW FINDER VALVE #301150

| ITEM | PART NO. | DESCRIPTION     | QTY |
|------|----------|-----------------|-----|
|      | 62757    | SEAL KIT        |     |
| 1    |          | U-CUP           | 1   |
| 2    |          | O-RING          | 1   |
| 3    |          | O-RING          | 1   |
| 4    |          | ALUMINUM WASHER | 1   |



## OPEN CENTER TO CLOSED CENTER CONVERSION


THIS FEATURE ALLOWS AN OTHERWISE OPEN CENTER VALVE TO BE CONVERTED TO CLOSED CENTER OPERATION. AS SHOWN ABOVE, A 3/8 NPTF PIPE PLUG IS INSTALLED IN THE BOTTOM OF THE OUTLET PORT TO BLOCK OPEN CENTER PASSAGE. A PIPE THREAD SEALANT SHOULD BE USED. THIS FEATURE IS STANDARD ON ALL VALVES WITH 3/4 NPTF INLET AND OUTLET PORTS. THE PIPE PLUG IS INCLUDED WITH THESE MODELS. DISCARD THE PIPE PLUG IF THE VALVE IS USED ON AN OPEN CENTER APPLICATION.



| <b>SPROCKET #54824</b> |                 |                    |            |
|------------------------|-----------------|--------------------|------------|
| <b>ITEM</b>            | <b>PART NO.</b> | <b>DESCRIPTION</b> | <b>QTY</b> |
| 1                      | 56893           | SPROCKET 56MM 8T   | 1          |
| 2                      | 54108           | BEARING 2"         | 2          |
| 3                      | 54151           | SNAP RING SR11     | 1          |
| 4                      | 54154           | SNAP RING SR3      | 1          |
| 5                      | 56892           | STUB SHAFT         | 1          |

| <b>BELT TIGHTENER #56422</b> |                 |                             |            |
|------------------------------|-----------------|-----------------------------|------------|
| <b>ITEM</b>                  | <b>PART NO.</b> | <b>DESCRIPTION</b>          | <b>QTY</b> |
| 6                            | 56421           | WLDMT - SPINDLE             | 1          |
| 7                            | 1013623         | BUSHING-MACH: .63 NP        | 2          |
| 8                            | 1013625         | NUT-HEX: SLOT .63 NF GR5 ZP | 1          |
| 9                            | 1013626         | PIN-COTTER: .16 X 1.25 ZP   | 1          |
| 10                           | 1015157*        | HUB-MACHINING               | 1          |
| 11                           | 52245*          | BEARING CONE-INNER          | 1          |
| 12                           | 1013620*        | CONE-BEARING                | 1          |
| 13                           | 1013622*        | HUB CAP                     | 1          |
| 14                           | 1029527*        | SEAL                        | 1          |
| 15                           | 54646*          | BOLT-LUG .50 X 1.00         | 4          |
| 16                           | 1012360*        | CUP-BEARING: LM 67010       | 1          |
| 17                           | 1013268*        | CUP-BEARING: LM 11910       | 1          |
| 18                           | 56951           | ASSY-HUB                    | 1          |

\*Items are included in item 18





### SLIP CLUTCH (IN-LINE) #57926


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 58168    | HUB-DRIVE                      | 1   |
| 2    | 58169    | BUSHING-BRONZE                 | 1   |
| 3    | 58170    | DISC-FIBER                     | 2   |
| 4    | 58171    | HUB-SLIP CLUTCH                | 1   |
| 5    | 58172    | BUSHING-BRONZE                 | 1   |
| 6    | 58173    | PLATE-SLIP CLUTCH              | 1   |
| 7    | 301701   | TUBE-SLIP CLUTCH (2.38)        | 6   |
| 8    | 58174    | SPRING-SLIP CLUTCH             | 6   |
| 9    | 1011828  | WASHER-FLAT: .38 ZP            | 6   |
| 10   | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 6   |

### SLIP CLUTCH/SPOCKET #57993

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 11   | 58177    | SPROCKET                       | 1   |
| 12   | 58207    | BUSHING-BRONZE                 | 2   |
| 13   | 58215    | DISC-FIBER                     | 2   |
| 14   | 58209    | HUB-CLUTCH                     | 1   |
| 15   | 58211    | PLATE-SLIP CLUTCH              | 1   |
| 16   | 58213    | TUBE-SLIP CLUTCH (2.870")      | 8   |
| 17   | 58174    | SPRING-SLIP CLUTCH             | 8   |
| 18   | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 8   |
| 19   | 1011828  | WASHER-FLAT: .38 ZP            | 8   |


### SLIP CLUTCH/SPOCKET #58335

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 11   | 58566    | SPROCKET                       | 1   |
| 12   | 58208    | BUSHING-BRONZE                 | 2   |
| 13   | 58216    | DISC-FIBER                     | 2   |
| 14   | 58210    | HUB-CLUTCH                     | 1   |
| 15   | 58212    | PLATE-SLIP CLUTCH              | 1   |
| 16   | 301701   | TUBE-SLIP CLUTCH (2.38)        | 6   |
| 17   | 58174    | SPRING-SLIP CLUTCH             | 6   |
| 18   | 1013239  | BOLT-HEX: .38 X 3.00 NC GR5 ZP | 6   |
| 19   | 1011828  | WASHER-FLAT: .38 ZP            | 6   |



## SLIP CLUTCH/SPOCKET #69630


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 69631    | SPROCKET                       | 1   |
| 2    | 58207    | BUSHING-BRONZE                 | 2   |
| 3    | 58215    | DISC-FIBER                     | 2   |
| 4    | 58209    | HUB-CLUTCH                     | 1   |
| 5    | 58211    | PLATE-SLIP CLUTCH              | 1   |
| 6    | 58213    | TUBE-SLIP CLUTCH (2.870")      | 8   |
| 7    | 58174    | SPRING-SLIP CLUTCH             | 8   |
| 8    | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 8   |
| 9    | 1011828  | WASHER-FLAT: .38 ZP            | 8   |



| <b>IDLER PULLEY #56409</b> |                 |                    |            |
|----------------------------|-----------------|--------------------|------------|
| <b>ITEM</b>                | <b>PART NO.</b> | <b>DESCRIPTION</b> | <b>QTY</b> |
| 1                          | 56408           | WLDMT-PULLEY 8R    | 1          |
| 2                          | 56399           | BALL BEARING 1.75  | 2          |
| 3                          | 56400           | RETAINING RING     | 2          |



| <b>SPROCKET IDLER #56851</b> |                 |                    |            |
|------------------------------|-----------------|--------------------|------------|
| <b>ITEM</b>                  | <b>PART NO.</b> | <b>DESCRIPTION</b> | <b>QTY</b> |
| 4                            | 56851*          | ROLLER-IDLER       | 1          |
| 5                            | 58806           | BEARING-IDLER      | 1          |
| 6                            | 58805           | SNAP-RING          | 1          |

\*COMES WITH ITEMS 5 & 6



## REVERSE PULLEY #301822

| ITEM | PART NO. | DESCRIPTION          | QTY |
|------|----------|----------------------|-----|
| 1    | 301823   | WLDMT-REVERSE PULLEY | 1   |
| 2    | 56399    | BALL-INSERT 1-3/4"   | 2   |
| 3    | 56400    | RETAINING RING       | 2   |






| <b>ROLLERS</b> |                 |                           |            |
|----------------|-----------------|---------------------------|------------|
| <b>ITEM</b>    | <b>PART NO.</b> | <b>DESCRIPTION</b>        | <b>QTY</b> |
| 1              | 54151           | SNAP RING SR11            | 1          |
| 2              | 54152           | WASHER                    | 2          |
| 3              | 54108           | BEARING 2"                | 2          |
| 4              | 56885           | STUB SHAFT LONG           | 1          |
| 5              | 62702           | STUB SHAFT SHORT          | 1          |
| 6              | 54042**         | ROLLER-STEP 6"            | 1          |
| 7              | 54151           | SNAP RING SR11            | 1          |
| 8              | 54152           | WASHER                    | 2          |
| 9              | 54108           | BEARING 2"                | 2          |
| 10             | 54153           | SPACER-NRS                | 1          |
| 11             | 54154           | SNAP RING SR3             | 1          |
| 12             | 56889           | STUB SHAFT                | 1          |
| 13             | 53951*          | ROLLER-STEP FLANGE 7"     | 1          |
| 12             | 54155           | STUB SHAFT                | 1          |
| 14             | 53950*          | ROLLER-CONE 6"            | 1          |
| 12             | 54155           | STUB SHAFT                | 1          |
| 15             | 59057*          | ROLLER-RUBBER FLANGE 6.5" | 1          |


\* COMES WITH ITEMS 7-12

\* \*COMES WITH ITEMS 1-5





| DRIVELINE COMPONENTS |          |                               |     |
|----------------------|----------|-------------------------------|-----|
| ITEM                 | PART NO. | DESCRIPTION                   | QTY |
| 1                    | 53642    | U-JOINT                       | 1   |
| 2                    | 55035    | YOKE 1.75"                    | 2   |
| 3                    | 54172    | 35E CROSS & BEARING KIT       | 1   |
| 4                    | 57923    | DRIVE SHAFT 49.25"            | 1   |
|                      | 57924    | DRIVE SHAFT 72.50"            |     |
| 5                    | 57925    | DRIVE COUPLER                 | 1   |
| 6                    | 62037    | YOKE 1.38"                    | 1   |
| 7                    | 58876    | KT-CROSS & BEARING 14E SERIES | 1   |

## SCRUB DRIVELINE ASSEMBLY



BELTED CHAIN  
LAP JOINT CONNECTION  
STANDARD





WARNING : ENSURE THAT SCREWS ARE SUFFICIENTLY TIGHT TO PRODUCE A BULGE AT THE EDGE OF THE BELT OF BETWEEN 1 AND 2mm (SEE DIAGRAM). FAILURE TO DO SO MAY CAUSE PREMATURE FAILURE AND VOID YOUR WARRANTY

RELACEMTN RODS

|                                                    |              |        |        |
|----------------------------------------------------|--------------|--------|--------|
| Elevator (Standard)<br>Machine<br>6R/8R            | Rod Diameter | ST     | FLT    |
|                                                    | 0.5          | 73122  | 69366  |
| Elevator (Double)<br>Machine<br>6R/8R              | Rod Diameter | ST     | FLT    |
|                                                    | 0.5          | 301528 | 301526 |
| Apron<br>Machine<br>6R22/8R22<br>6R22/8R22<br>6R30 | Rod Diameter | ST     | UP     |
|                                                    | 0.5          | 73122  | 73123  |
|                                                    | 0.625        | 69660  | 69661  |
|                                                    | 0.625        | 64994  | 69952  |
| Scrub<br>Machine<br>6R/8R                          | Rod Diameter | ST     | UP     |
|                                                    | 0.5          | 73122  | 73123  |

# BELTED CHAIN LAP JOINT CONNECTION HIGH PROFILE

DIRECTION OF TRAVEL




|       |         |              |       |       |
|-------|---------|--------------|-------|-------|
| SCRUB | MACNINE | ROD DIAMETER | ST    | UP    |
|       | 6R/8R   | 0.5          | 73122 | 73123 |

WARNING : ENSURE THAT SCREWS ARE SUFFICIENTLY TIGHT TO PRODUCE A BULGE AT THE EDGE OF THE BELT OF BETWEEN 1 AND 2mm (SEE DIAGRAM). FAILURE TO DO SO MAY CAUSE PREMATURE FAILURE AND VOID YOUR WARRANTY

# KIT CONSISTS OF:

- 1.25 FT - BELT, NO-PROFILE
- 8 EA - PLATE, RIVET
- 16 EA - SCREW
- 16 EA - NUT


## REPAIR KIT - BELTED CHAIN #69541



### REPAIR PROCEDURE

1. REMOVE RIVETS 3 PITCHES (MIN) EACH SIDE OF DAMAGED BELT.
2. TRIM OUT DAMAGED BELT.
3. CUT NO-PROFILE BELT TO GIVE MINIMUM OF 3 PITCHES OVERLAP BOTH SIDES OF DAMAGE.
4. LAY NO-PROFILE BELT ON BELT TO BE REPAIRED AND DRILL HOLES TO MATCH PITCH.
5. ASSEMBLE AS SHOWN.
6. TIGHTEN SCREWS TO FORM APPROXIMATELY 2mm BELT SWELL AT BOLTED JOINT.
7. CUT OFF SCREWS NEXT TO NUTS.
8. PEEN SCREWS TO SECURE NUTS.

# BELTED CHAIN RIVET CUTTER #62802






## RECOMMENDED ADJUSTMENT AND LUBRICATION

1. THE JAWS SHOULD BE ADJUSTED USING A .005 IN. SHIM BETWEEN THE CUTTING EDGES. ADJUST THE BOLT #7 UNTIL IT IS HARD TO PULL THE SHIM. THEN LOCK IT IN PLACE WITH THE LOCKNUT #8 TO KEEP THE ADJUSTMENT SECURE. THIS SHOULD BE DONE PERIODICALLY FOR BEST OPERATION.
2. LUBRICATION OF THE PIVOT POINTS IS NECESSARY TO PROLONG THE LIFE OF THE CUTTERS AND SHOULD BE DONE FREQUENTLY. TRY WD-40.
3. THE AREA WHERE THE BAR IS RIVETED TO THE BELT SHOULD BE LUBRICATED PRIOR TO CUTTING THE RIVETS. A LITTLE MOVEMENT OF THE HANDLES TO THE SIDE AS A PRYING ACTION WILL ALSO HELP TO FINISH BREAKING THE RIVET.









# DECALS

1 303272 QTY 2



6 302992 QTY 1



2 9971011 QTY 4



7 9971015 QTY 2




3 9971021 QTY 1



8 303263 QTY 2



4 9971013 QTY 3






9 303268 QTY 5



5 9971025 QTY 1



CONTINUED



## DECALS (CONTINUED)

10 303277 QTY 1




15 997867 QTY 2



11 9971015 QTY 1



16 303269 QTY 2



12 997861 QTY 1



17 302233 QTY 2

| HRV Hose Color Chart-ADC |                      |
|--------------------------|----------------------|
| Black                    | Hitch or Fasse Valve |
| Blue                     | Row Finder Constant  |
| Yellow                   | Row Finder Override  |
| Green                    | Elevator             |
| Orange                   | Active Depth Control |
| Red                      | Steering Option      |
| Black/ Orange            | Jump Chain Option    |
| Red/ Green               | Grabroll Option      |
| Blue/ Yellow             | Drive Wheel Option   |

13 303265 QTY 2



17 302240

| HRV Hose Color Chart-Rear Lift |                             |
|--------------------------------|-----------------------------|
| Black                          | Hitch or Fasse Valve        |
| Blue                           | Row Finder Constant         |
| Yellow                         | Row Finder Override         |
| Green                          | Elevator                    |
| Orange                         | Lift or Left Rear Lift      |
| Red                            | Steering or Right Rear Lift |
| Black/ Orange                  | Jump Chain Option           |
| Red/ Green                     | Grabroll Option             |
| Blue/ Yellow                   | Drive Wheel Option          |




14 997859 QTY 1



17 302239

| HRV Hose Color Chart-Steering |                            |
|-------------------------------|----------------------------|
| Black                         | Hitch or Fasse Valve       |
| Blue                          | Row Finder Constant        |
| Yellow                        | Row Finder Override        |
| Green                         | Elevator                   |
| Orange                        | Left Steering Option       |
| Red                           | Steering or Right Steering |
| Black/ Orange                 | Jump Chain Option          |
| Red/ Green                    | Grabroll Option            |
| Blue/ Yellow                  | Drive Wheel Option         |

CONTINUED





## DECALS (CONTINUED)


18 69292 2500 QTY 1  
69291 2400  
69290 2300

2400

21A 69399 QTY 2 LARGE LOGO  
21A 63465 QTY 5 SMALL LOGO



19 69294 LH QTY 1  
69297 RH QTY 1 NOT SHOWN




22 65330 QTY 2



23 65331 QTY 4



24 65332 QTY 2



20 69295 LH QTY 1 69298 RH NOT SHOWN QTY 1



25 62873 QTY 1

**Cleaning Bed Speed and Spring Adjustment**


| Spring Compression Adjustment |          |       |  |
|-------------------------------|----------|-------|--|
| B                             | 13.50 in | 34 cm |  |
| C                             | 8.50 in  | 22 cm |  |


| Sheave A | Outside Diameter | Gratroll RPM | P/N (6R) | P/N (8R) |
|----------|------------------|--------------|----------|----------|
| 6.8"     | 7.15 in 182 mm   | 606          | 56647    | 57681    |
| 6.2      | 6.55 in 166 mm   | 552          | 56646    | 57680    |
| 5.6"     | 5.95 in 151 mm   | 500          | 53668    | 57679    |

\* Available from your authorized WIC dealer

62873

26 303264 QTY 1







| HYDRAULIC LABEL ASSY |          |                                    |     |
|----------------------|----------|------------------------------------|-----|
| ITEM                 | PART NO. | DESCRIPTION                        | QTY |
| 1                    | 301920*  | HYD LABEL: .50 ORANGE/GRAY SET     | 1   |
|                      | 301902*  | HYD LABEL: .50 BLUE/GRAY SET       |     |
|                      | 301917*  | HYD LABEL: .50 YELLOW/GRAY SET     |     |
|                      | 301914*  | HYD LABEL: .50 GREEN/GRAY SET      |     |
|                      | 301911*  | HYD LABEL: .50 BLACK/GRAY SET      |     |
|                      | 301908*  | HYD LABEL: .50 RED/GRAY SET        |     |
|                      | 302230*  | HYD LABEL: .50 RED/GREEN SET       |     |
|                      | 302226*  | HYD LABEL: .50 BLACK/ORANGE SET    |     |
|                      | 302227*  | HYD LABEL: .50 BLUE/YELLOW SET     |     |
|                      | 301923*  | HYD LABEL: .75 GREEN/GRAY SET      |     |
|                      | 301928*  | HYD LABEL: .75 YELLOW/GRAY SET     |     |
| 2                    | 301915   | HYD LABEL: .50 GREEN HALF EXTEND   | 2   |
|                      | 301903   | HYD LABEL: .50 BLUE HALF EXTEND    |     |
|                      | 301909   | HYD LABEL: .50 RED HALF EXTEND     |     |
|                      | 301918   | HYD LABEL: .50 YELLOW HALF EXTEND  |     |
|                      | 301921   | HYD LABEL: .50 ORANGE HALF EXTEND  |     |
|                      | 301912   | HYD LABEL: .50 BLACK HALF EXTEND   |     |
|                      | 301921   | HYD LABEL: .50 ORANGE HALF EXTEND  |     |
|                      | 301925   | HYD LABEL: .75 GREEN HALF EXTEND   |     |
|                      | 301929   | HYD LABEL: .75 YELLOW HALF EXTEND  |     |
|                      | 302304   | HYD LABEL: .75 RED HALF EXTEND     |     |
| 3                    | 301916   | HYD LABEL: .50 GREEN HALF RETRACT  | 1   |
|                      | 301904   | HYD LABEL: .50 BLUE HALF RETRACT   |     |
|                      | 301910   | HYD LABEL: .50 RED HALF RETRACT    |     |
|                      | 301919   | HYD LABEL: .50 YELLOW HALF RETRACT |     |
|                      | 301922   | HYD LABEL: .50 ORANGE HALF RETRACT |     |
|                      | 301913   | HYD LABEL: .50 BLACK HALF RETRACT  |     |
|                      | 301922   | HYD LABEL: .50 ORANGE HALF RETRACT |     |
|                      | 301926   | HYD LABEL: .75 GREEN HALF RETRACT  |     |
|                      | 301930   | HYD LABEL: .75 YELLOW HALF RETRACT |     |
|                      | 302305   | HYD LABEL: .75 RED HALF RETRACT    |     |
| 4                    | 301905   | HYD LABEL: .50 GRAY HALF RETRACT   | 1   |
|                      | 301927   | HYD LABEL: .75 GRAY HALF RETRACT   |     |
| 5                    | 301906   | HYD LABEL: .50 CORE M & F O-RING   | 2   |
|                      | 301924   | HYD LABEL: .75 CORE M & F O-RING   |     |
| 6                    | 301907   | HYD LABEL: SET SCREW               | 8   |

\* COMES WITH ITEMS 2 THRU 6