

# PARTS MANUAL

2025

2300 HARVESTER SCRUB

6 ROW 22

4 ROW 30



2800 7<sup>th</sup> Avenue North  
Fargo, ND 58102

Phone: (701) 232-4199  
Fax: (701) 234-1716  
[www.amitytech.com](http://www.amitytech.com)




## TABLE OF CONTENTS

|                                                    |         |
|----------------------------------------------------|---------|
| HITCH ASSEMBLY .....                               | 1-2     |
| LIFTER STRUT .....                                 | 3-14    |
| ROW FINDER.....                                    | 15-18   |
| GUARDS & SHIELDS... ..                             | 19-22   |
| DOOR ASSEMBLY.....                                 | 23-24   |
| APRON SHAFT .....                                  | 25-28   |
| PADDLE SHAFT.....                                  | 29-32   |
| CLEANING ROLLS... ..                               | 33-36   |
| CLEANING ROLL MOUNTING PACKAGE.....                | 37-38   |
| MAIN DRIVE: ONBOARD OPTION.....                    | 39-40   |
| CLEANING ROLL DRIVE... ..                          | 41-42   |
| APRON/PADDLE SHAFT DRIVE .....                     | 43-44   |
| TANK .....                                         | 45-46   |
| ELEVATOR ASSEMBLY .....                            | 47-48   |
| ELEVATOR BOOM ASSEMBLY .....                       | 49-50   |
| ELEVATOR AND BOOM: HP SCRUB.....                   | 51-54   |
| BOOM EXTENSION 50MM/56MM (OPTIONAL) .....          | 55-56   |
| BOOM EXTENSION LONG 56MM (OPTIONAL).....           | 57-58   |
| REAR SCRUB.....                                    | 59-62   |
| REAR SCRUB: BELTED CHAIN.....                      | 63-68   |
| REAR SCRUB DRIVE: SINGLE MOTOR.....                | 69-72   |
| REAR SCRUB DRIVE: DUAL MOTOR.....                  | 73-74   |
| REAR SCRUB DRIVE: DUAL MOTOR - TRACTOR DRIVE. .... | 75-78   |
| STANDARD REAR STRUTS 11.2 X 24.....                | 79-82   |
| STANDARD STRUT SINGLE 23.5/55-26.....              | 83-84   |
| STEERABLE REAR STRUTS.....                         | 85-88   |
| STEERABLE STRUT SINGLE 710/40R22.5 .....           | 89-94   |
| ROW FINDER & HITCH HYDRAULICS.....                 | 95-96   |
| 3 BANK VALVE W/TOGGLE.....                         | 97-98   |
| VALVE GROUP: DUAL MOTOR SCRUB. ....                | 99-100  |
| TANK HYDRAULICS... ..                              | 101-102 |
| HYDRAULIC TANK.....                                | 103-104 |
| CYLINDER STOP KIT .....                            | 105-106 |
| LIGHT KIT.....                                     | 107-108 |
| ACTIVE DEPTH CONTROL (ADC) ELECTRONICS.....        | 109-110 |



## TABLE OF CONTENTS (CONTINUED)

|                                                 |         |
|-------------------------------------------------|---------|
| ADC ELECTRICAL SCHEMATIC.....                   | 111-112 |
| KT-JOYSTICK WITH MOUNT #303448 .....            | 113-114 |
| ADC WANDS.....                                  | 115-116 |
| ADC COMPONENTS .....                            | 117-118 |
| ADC HYDRAULICS .....                            | 119-120 |
| VALVE-ADC 3 BANK #303878.....                   | 121-122 |
| REVERSE #4 CLEANING ROLL #62111 (OPTIONAL)..... | 123-124 |
| HARVESTER STAND #63357 (OPTIONAL)....           | 125-126 |
| PTO DRIVELINE 1.75" – 20 SPLINE .....           | 127-128 |
| PTO DRIVELINE 1.38" – 21 SPLINE....             | 129-130 |
| GEARBOX (1.81:1): ONBOARD OPTION #62396.....    | 131-132 |
| SELECTOR VALVE #58470....                       | 133-134 |
| ROW FINDER VALVE #301150.....                   | 135-136 |
| SPROCKET #54824....                             | 137-138 |
| BELT TIGHTENER #56422.....                      | 137-138 |
| SLIP CLUTCH/SPROCKET #69630.....                | 139-140 |
| IDLER PULLEY #56409....                         | 141-142 |
| SPROCKET IDLER #56851.....                      | 141-142 |
| REVERSE PULLEY....                              | 143-144 |
| ROLLERS.....                                    | 145-146 |
| SCRUB DRIVELINE ASSEMBLY.....                   | 147     |
| BELT LAP JOINT.....                             | 148     |
| BELT REPAIR KIT.....                            | 149     |
| TOOL CUTTER.....                                | 150     |
| DECALS .....                                    | 151-158 |
| HYDRAULIC COUPLER ASSEMBLY.....                 | 159-160 |



# HITCH ASSEMBLY


| ITEM | PART NO. | DESCRIPTION                       | QTY |
|------|----------|-----------------------------------|-----|
| 1    | 301660   | WLDMT - HITCH PIVOT 6R/8R STD     | 1   |
| 2    | 301582   | WLDMT - DRAWPOLE EXTENDED         | 1   |
| 3    | 57930    | WLDMT-HITCH PLATE                 | 1   |
| 4    | 62101    | WLDMT-PIN                         | 1   |
| 5    | 1012059  | BOLT-HEX: .75 X 3.00 NC GR5 ZP    | 6   |
| 6    | 1012061  | WASHER-LOCK: .75 ZP               | 6   |
| 7    | 1011620  | NUT-HEX: .75 NC                   | 6   |
| 8    | 64476    | PLATE-PULL HITCH                  | 1   |
| 9    | 62477    | BOLT-HITCH DRILLED                | 1   |
| 10   | 62088    | NUT-SLOTTED: 1.13 NC GR5 ZP       | 1   |
| 11   | 1013473  | PIN-COTTER: .19 X 2.00 NP         | 1   |
| 12   | 301590   | PIN-HITCH PIVOT                   | 1   |
| 13   | 69911    | BOLT-HEX: .75 X 5.5 NC GR5 ZP     | 1   |
| 14   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP        | 1   |
| 15   | 1030883  | ZERK-GREASE: .3125 UNF STRAIGHT   | 2   |
| 16   | 301591   | SPRING BUSHING 3.50 X 3.00 X 2.50 | 2   |
| 17   | 1011748  | ZERK - GREASE: .25 UNF STRAIGHT   | 1   |
| 18   | 72021    | BOLT-HEX: 1.38 X 4.50 NC GR5 ZP   | 2   |
| 19   | 1030760  | WASHER-LOCK: 1.38 ZP              | 2   |
| 20   | 1030758  | NUT-HEX: 1.38 NC ZP               | 2   |
| 21   | 69256    | CHAIN-SAFETY 41000# (NOT SHOWN)   | 1   |



# LIFTER STRUT


| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 1011748  | ZERK - GREASE: .25 UNF          | 2   |
| 2    | 1013519  | NUT-JAM: .38 NC GR2 ZP          | 2   |
| 3    | 59398    | PIN-ROLL: .25 X 1.50 ZP         | 2   |
| 4    | 69907    | SHAFT-STRUT                     | 1   |
| 5    | 50142    | WLDMT-STRUT SPINDLE ASSY        | 1   |
| 6    | 50146    | WLDMT-STRUT BRACKET             | 1   |
| 7    | 63655    | HUB-MACHINED                    | 2   |
| 8    | 50134    | WLDMT-SPACER ZP                 | 1   |
|      | 51542    | BUMPER-RUBBER                   | 1   |
| 9    | 50137    | WASHER SQUARE ZP                | 2   |
|      | 50139    | PLATE-LIFTER STRUT SPACER ZP    | 4   |
| 10   | 1030761  | BOLT-HEX: .63 X 7.00 NC GR 8 ZP | 1   |
| 11   | 1011578  | NUT-HEX: .63 NC GR5 ZP          | 13  |
| 12   | 50715    | WLDMT-SCRAPER RH                | 1   |
| 13   | 1030702  | WASHER-FLAT: .75 ZP             | 4   |
| 14   | 50716    | WLDMT-SCRAPER LH                | 1   |
| 15   | 1016660  | BOLT-HEX: .50 X 5.50 NC GR5 ZP  | 1   |
| 16   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP      | 1   |
| 17   | 69856    | LIFTER WHEEL MACHINED PAINTED   | 2   |
|      | 300734   | LIFTER WHEEL HARD PAINTED       |     |
| 18   | 50747    | PLATE-LIFTER WHEEL SPACER ZP    | AR  |
| 19   | 63880    | WLDMT-WHEEL FILLER (OPTIONAL)   | 2   |
| 20   | 64135    | BOLT-EYE: .75 X 8.00 ZP         | 2   |
| 21   | 64136    | BOLT-HEX: .75 X 8.50 NC GR5 ZP  | 2   |
| 22   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP      | 4   |
| 23   | 1013023  | BOLT-HEX: .63 X 2.50 NC GR5 ZP  | 8   |
| 24   | 1011813  | WASHER-LOCK: .63 ZP             | 16  |
| 25   | 65825    | BOLT-HEX: .63 X 3.25 NC GR5 ZP  | 4   |
| 26   | 1013024  | WASHER-FLAT: .63 ZP             | 4   |
| 27   | 1013473  | PIN-COTTER: .19 X 2.00 NP       | 2   |
| 28   | 1016367  | NUT-SPINDLE: 1.38 NF NP         | 2   |
| 29   | 63624    | HUB CAP ROUNDED ZP              | 2   |
| 30   | 1030765  | BUSHING-MACHINED: 1.38 NR 10 GA | 2   |
| 31   | 53632    | SEAL                            | 2   |
| 32   | 53634    | CONE-BEARING INNER              | 2   |
| 33   | 53636    | CUP-BEARING INNER               | 2   |
| 34   | 1030766  | ZERK - GREASE .13 NPT STRAIGHT  | 2   |
| 35   | 53635    | CUP-BEARING OUTER               | 2   |
| 36   | 53633    | CONE-BEARING OUTER              | 2   |
| 37   | 64012    | PIN-COTTER: .19 X 3.00 NP       | 2   |

CONTINUED



## LIFTER STRUT (CONTINUED)


| ITEM                          | PART NO. | DESCRIPTION                              | QTY    |        |
|-------------------------------|----------|------------------------------------------|--------|--------|
| 38                            | 64674    | RACE-SPACER (.120)                       | AR     |        |
| 39                            | 300097   | PLATE-LIFTER WHEEL FILLER                | 16     |        |
| 40                            | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP           | 16     |        |
| 41                            | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP               | 16     |        |
| 42                            | 1026259  | NUT-JAM: .63 NC GR2 ZP                   | 5      |        |
| 43                            | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP           | 2      |        |
| OPTIONAL URETHANE BUSHING     |          |                                          |        |        |
| 44                            | 1016595  | NUT-TOPLOCK: .63 GR5 ZP                  | 12     |        |
| 45                            | 1014000  | BOLT-HEX: .63 X 3.50 NC GR5 ZP           | 8      |        |
| 46                            | 1013935  | BOLT-HEX: .63 X 4.50 NC GR5 ZP           | 4      |        |
| 47                            | 51705    | BUSHING                                  | 12     |        |
| 48                            | 301324   | WASHER-CUSTOM: .668 ID X 1.875 OD X .235 | 12     |        |
| OPTIONAL WHEEL FILLER BRACKET |          |                                          | 6-8ROW | 12 ROW |
| 49                            | 64658    | WLDMT-WHEEL FILLER BRACKET               | 2      | 3      |
| 50                            | 64659    | PLATE-RETAINER                           | 2      | 3      |
| 51                            | 63372    | BAR-BACKING                              | 4      | 6      |
| 52                            | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP           | 8      | 12     |
| 53                            | 1011581  | WASHER-LOCK: .50 ZP                      | 2      | 3      |
| 54                            | 1013682  | BOLT-HEX: .50 X 4.50 NC GR5 ZP           | 2      | 3      |
| 55                            | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP               | 8      | 12     |



# LIFTER STRUT - BOTTOM SCRAPER OPTION


| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 1011748  | ZERK - GREASE: .25 UNF          | 2   |
| 2    | 1013519  | NUT-JAM: .38 NC GR2 ZP          | 2   |
| 3    | 59398    | PIN-ROLL: .25 X 1.50 ZP         | 2   |
| 4    | 69907    | SHAFT-STRUT                     | 1   |
| 5    | 68095    | WLDMT-SP LIFTER STRUT STD       | 1   |
| 6    | 50146    | WLDMT-STRUT BRACKET             | 1   |
| 7    | 63655    | HUB-MACHINED                    | 2   |
| 8    | 50134    | WLDMT-SPACER ZP                 | 1   |
|      | 51542    | BUMPER-RUBBER                   | 1   |
| 9    | 50137    | WASHER SQUARE ZP                | 2   |
|      | 50139    | PLATE ZP                        | 4   |
| 10   | 1030761  | BOLT-HEX: .63 X 7.00 NC GR 8 ZP | 1   |
| 11   | 1011578  | NUT-HEX: .63 NC GR5 ZP          | 13  |
| 12   | 64369    | WLDMT-SCRAPER                   | 2   |
| 13   | 64685    | BOLT-CRG: .50 X 2.25 NC GR5 ZP  | 2   |
| 14   | 1014443  | WASHER-FLAT: .50 ZP             | 2   |
| 15   | 1011581  | WASHER-LOCK: .50 ZP             | 2   |
| 16   | 1011577  | NUT-HEX: .50 NC GR5 ZP          | 2   |
| 17   | 69856    | LIFTER WHEEL MACHINED PAINTED   | 2   |
|      | 300734   | LIFTER WHEEL HARD PAINTED       |     |
| 18   | 50747    | PLATE-LIFTER WHEEL SPACER ZP    | AR  |
| 19   | 63880    | WLDMT-WHEEL FILLER (OPTIONAL)   | 2   |
| 20   | 64135    | BOLT-EYE: .75 X 8.00 ZP         | 2   |
| 21   | 64136    | BOLT-HEX: .75 X 8.50 NC GR5 ZP  | 2   |
| 22   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP      | 4   |
| 23   | 1013023  | BOLT-HEX: .63 X 2.50 NC GR5 ZP  | 8   |
| 24   | 1011813  | WASHER-LOCK: .63 ZP             | 16  |
| 25   | 65825    | BOLT-HEX: .63 X 3.25 NC GR5 ZP  | 4   |
| 26   | 1013024  | WASHER-FLAT: .63 ZP             | 4   |
| 27   | 1016367  | NUT-SPINDLE: 1.38 NF NP         | 2   |
| 28   | 63624    | HUB CAP ROUNDED ZP              | 2   |
| 29   | 1030765  | BUSHING-MACHINED: 1.38 NR 10 GA | 2   |
| 30   | 53632    | SEAL                            | 2   |
| 31   | 53634    | CONE-BEARING INNER              | 2   |
| 32   | 53636    | CUP-BEARING INNER               | 2   |
| 33   | 1030766  | ZERK - GREASE .13 NPT STRAIGHT  | 2   |
| 34   | 53635    | CUP-BEARING OUTER               | 2   |
| 35   | 53633    | CONE-BEARING OUTER              | 2   |
| 36   | 64012    | PIN-COTTER: .19 X 3.00 NP       | 2   |
| 37   | 1026259  | NUT-JAM: .63 NC ZP              | 5   |
| 38   | 64674    | RACE-SPACER (.120)              | AR  |
| 39   | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP  | 2   |

CONTINUED



## LIFTER STRUT - BOTTOM SCRAPER (CONTINUED)


| ITEM                             | PART NO. | DESCRIPTION                                 | QTY |
|----------------------------------|----------|---------------------------------------------|-----|
| <b>OPTIONAL URETHANE BUSHING</b> |          |                                             |     |
| 40                               | 1016595  | NUT-TOPLOCK: .63 GR5 ZP                     | 12  |
| 41                               | 1014000  | BOLT-HEX: .63 X 3.50 NC GR5 ZP              | 8   |
| 42                               | 1013935  | BOLT-HEX: .63 X 4.50 NC GR5 ZP              | 4   |
| 43                               | 51705    | BUSHING                                     | 12  |
| 44                               | 301324   | WASHER-CUSTOM: .668 ID X 1.875 OD X .235 TH | 12  |
| <b>RIM FILLER KIT</b>            |          |                                             |     |
| 45                               | 300097   | PLATE-LIFTER WHEEL FILLER                   | 16  |
| 46                               | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP              | 16  |
| 47                               | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP                  | 16  |



## LIFTER STRUT: TOP AND BOTTOM SCRAPER


| ITEM | PART NO. | DESCRIPTION                       | QTY |
|------|----------|-----------------------------------|-----|
| 1    | 304133   | WLDMT-LIFTER STRUT STD            | 1   |
| 2    | 50146    | WLDMT-STRUT BRACKET               | 1   |
| 3    | 69907    | SHAFT-LIFTER STRUT ZP             | 1   |
| 4    | 59398    | PIN-ROLL: .25 X 1.50 ZP           | 2   |
| 5    | 1011748  | ZERK-GREASE: .25 UNF STRAIGHT     | 2   |
| 6    | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP    | 2   |
| 7    | 1013519  | NUT-JAM: .38 NC GR2 ZP            | 2   |
| 8    | 63655    | HUB-MACHINED (BLACK) - NO CUPS    | 2   |
| 9    | 53636    | 7446-22 BEARING CUP-INNER         | 2   |
| 10   | 53635    | BEARING CUP-OUTER 7446-16         | 2   |
| 11   | 1030766  | ZERK-GREASE: .13 NPT STRAIGHT     | 2   |
| 12   | 53634    | BEARING CONE-INNER 7445-30        | 2   |
| 13   | 53632    | SEAL                              | 2   |
| 14   | 53633    | BEARING CONE-OUTER 7445-27        | 2   |
| 15   | 64674    | RACE-SPACER (.120)                | 2   |
| 16   | 1030765  | BUSHING-MACH: 1.38 NR 10GA NP     | 2   |
| 17   | 64012    | PIN-COTTER: .19 X 2.00 NP         | 2   |
| 18   | 63624    | HUB CAP-ROUNDED ZP                | 2   |
| 19   | 50747    | PLATE-LIFTER WHEEL SPACER         | 8   |
| 20   | 69856    | LIFTER WHEEL-PAINTED (FILLER)     | 2   |
| 21   | 1024447  | BOLT-HEX: .63 X 2.75 NC GR5 ZP    | 10  |
| 22   | 65825    | BOLT-HEX: .63 X 3.25 NC GR5 ZP    | 4   |
| 23   | 1013024  | WASHER-FLAT: .63 ZP               | 4   |
| 24   | 1011813  | WASHER-LOCK: .63 P                | 16  |
| 25   | 50134    | WLDMT-SPACER ZP                   | 1   |
|      | 51542    | BUMPER-RUBBER                     | 1   |
| 26   | 50137    | WASHER-SQUARE ZP                  | 2   |
| 27   | 50139    | PLATE-LIFTER STRUT SPACER ZP      | 2   |
| 28   | 1030761  | BOLT-HEX: .63 X 7.00 NC GR8 ZP    | 1   |
| 29   | 1011578  | NUT-HEX: .63 NC GR2 ZP            | 13  |
| 30   | 1026259  | NUT-JAM: .63 NC GR2 ZP            | 5   |
| 31   | 64369    | WLDMT-SCRAPER ARM                 | 2   |
| 32   | 64685    | BOLT-CRG: .50 X 2.25 NC GR5 ZP    | 2   |
| 33   | 1014443  | WASHER-FLAT: .50 ZP               | 2   |
| 34   | 1011581  | WASHER-LOCK: .50 ZP               | 2   |
| 35   | 1011577  | NUT-HEX: .50 NC GR2 ZP            | 2   |
| 36   | 304128   | WLDMT-TOP SCRAPER MOUNT           | 1   |
| 37   | 1013004  | WASHER-FLAT: SAE .63 ZP           | 2   |
| 38   | 34864    | NUT-FLANGE: TOPLOCK .63 NC GR8 ZP | 2   |
| 39   | 50715    | WLDMT-SCRAPER RH                  | 1   |
| 40   | 50716    | WLDMT-SCRAPER LH                  | 1   |

CONTINUED



## LIFTER STRUT: TOP AND BOTTOM SCRAPER (CONTINUED)


| ITEM                             | PART NO. | DESCRIPTION                                 | QTY |
|----------------------------------|----------|---------------------------------------------|-----|
| 41                               | 1012634  | WASHER-FLAT: SAE .75 ZP                     | 4   |
| 42                               | 1013473  | PIN-COTTER: .19 X 2.00 ZP                   | 2   |
| 43                               | 1011669  | BOLT-HEX: .50 X 6.00 NC GR5 ZP              | 1   |
| 44                               | 1011584  | WASHER-FLAT: SAE .50 ZP                     | 1   |
| 45                               | 303774   | NUT-FLANGE: TOPLOCK .50 NC YZP              | 1   |
| 46                               | 64136    | BOLT-HEX: .75 X 8.50 NC GR5 ZP              | 2   |
| 47                               | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP                  | 4   |
| 48                               | 64135    | BOLT-EYEBOLT: .75 X 8.00 ZP                 | 2   |
|                                  |          |                                             |     |
| <b>OPTIONAL URETHANE BUSHING</b> |          |                                             |     |
| 49                               | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP                  | 12  |
| 50                               | 301324   | WASHER-CUSTOM: .668 ID X 1.875 OD X .235 TH | 12  |
| 51                               | 51705    | BUSHING-URETHANE 1.00"                      | 12  |
| 52                               | 59093    | BOLT-HEX: .63 X 3.75 NC GR5 ZP              | 8   |
| 53                               | 1013935  | BOLT-HEX: .63 X 4.50 NC GR5 ZP              | 4   |




## HYDRUALIC ROW FINDER

| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 52567    | BUSHING-ZP                            | 1   |
| 2    | 62520    | ASSY-ROW FINDER MAIN FRAME W/BUSHINGS | 1   |
| 3    | 55206    | BUSHING-MACH: 1.25 NR 14GA            | 9   |
| 4    | 51139    | ASSY-WLDMT-SWIVEL W/BUSHINGS          | 1   |
| 5    | 51130    | WLDMT-FLIPPER                         | 1   |
| 6    | 301748   | BOLT-HEX: .31 X 2.50 NC GR8 ZP        | 5   |
| 7    | 301749   | NUT-TOPLOCK: .31 NC GR8 ZP            | 5   |
| 8    | 51690    | SHAFT ZP                              | 1   |
| 9    | 52566    | TENSIONER ARM                         | 1   |
| 10   | 51131    | SENSOR ARM-L.H.                       | 1   |
|      | 301055   | WLDMT-SENSOR ARM LH BENT              |     |
| 11   | 52564    | SENSOR ARM-R.H.                       | 1   |
|      | 301056   | WLDMT-SENSOR ARM RH BENT              |     |
| 12   | 1030797  | PIN-COTTER: .19 X 1.75 NP             | 2   |
| 13   | 51137    | COLLAR                                | 1   |
| 14   | 52565    | ADJUSTMENT BOLT                       | 1   |
| 15   | 1013004  | WASHER-FLAT: SAE .63 ZP               | 3   |
| 16   | 1013024  | WASHER-FLAT: .63 ZP                   | 2   |
| 17   | 51692    | SPRING: .21 X 1.44 OD X 6.00 15 COILS | 1   |
| 18   | 1026259  | NUT-JAM: .63 NC GR2 ZP                | 3   |
| 19   | 1011578  | NUT-HEX: .63 NC GR2 ZP                | 3   |
| 20   | 51691    | EYEBOLT: .63 X 3.25 ZP                | 1   |
| 21   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 2   |
| 22   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP        | 2   |
| 23   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP        | 1   |
| 24   | 51129    | PLATE-ADJUSTMENT                      | 4   |
| 25   | 1014608  | WASHER-FLT: SAE .38 ZP                | 1   |
| 26   | 1020416  | WASHER-FLAT: .25 ZP                   | 2   |
| 27   | 1011583  | WASHER-FLAT: .31 ZP                   | 2   |
| 28   | 1011586  | WASHER-LOCK: .38 ZP                   | 2   |
| 29   | 1029115  | WASHER-LOCK: .31 ZP                   | 2   |
| 30   | 1011576  | NUT-HEX: .38 NC GR2 ZP                | 2   |
| 31   | 1011575  | NUT-HEX: .31 NC GR2 ZP                | 2   |
| 32   | 52582    | SPRING CAP                            | 4   |
| 33   | 51689    | SPRING-ROWFINDER PAINTED              | 2   |
| 34   | 1019828  | BOLT-HEX: .38 X 2.75 NC GR5 ZP        | 2   |
| 35   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP            | 7   |
| 36   | 51128    | SPRING PLATE                          | 1   |
| 37   | 1030792  | NUT-JAM: .38 NF GR2 ZP                | 1   |
| 38   | 301150   | VALVE-ROWFINDER O/C                   | 1   |
| 39   | 301750   | WLDMT-STUD RF LONG ZP                 | 1   |
| 40   | 64157    | PIN-ROLL: .19 X 1.125 ZP              | 1   |

CONTINUED




| <b>HYDRAULIC ROW FINDER (CONTINUED)</b> |                 |                                      |            |
|-----------------------------------------|-----------------|--------------------------------------|------------|
| <b>ITEM</b>                             | <b>PART NO.</b> | <b>DESCRIPTION</b>                   | <b>QTY</b> |
| 41                                      | 51136           | UNIBALL COUPLING                     | 1          |
| 42                                      | 1029137         | PIN-COTTER: .13 X 1.00 ZP            | 1          |
| 43                                      | 1011285         | BOLT-HEX: .31 X 2.00 NC              | 2          |
| 44                                      | 63661           | WLDMT-MOUNTING BRACKET               | 1          |
| 45                                      | 52181           | WLDMT-BRACKET                        |            |
| 46                                      | 1011609         | BOLT-HEX: .50 X 2.00 NC GR5 ZP       | 4          |
| 47                                      | 1011584         | WASHER-FLAT: SAE .50 ZP              | 4          |
| 48                                      | 1011581         | WASHER-LOCK: .50 ZP                  | 8          |
| 49                                      | 1011577         | NUT-HEX: .50 NC GR2 ZP               | 12         |
| 50                                      | 63662           | WLDMT-MOUNTING SUPPORT               | 2          |
| 51                                      | 301662          | WLDMT-ROWFINDER BRACKET UNIVERSAL    | 1          |
| 52                                      | 63664           | BOLT-HEX: .75 X 14.00 NC GR5 ZP      | 1          |
| 53                                      | 1012060         | BOLT-HEX: .75 X 2.00 NC GR5 ZP       | 2          |
| 54                                      | 1013537         | NUT-TOPLOCK: .75 NC GR5 ZP           | 2          |
| 55                                      | 53984           | U-BOLT: .500 X 7.00 X 6.00 X 7.00    | 2          |
| 56                                      | 35780           | U-BOLT: .500 X 7.50 X 8.00 X 7.50 ZP |            |
| 57                                      | 62882           | WLDMT-TIGHTENER 11.125" ZP           | 1          |
| 58                                      | 1011748         | ZERK - GREASE                        | 3          |
| 59                                      | 56939           | BUSHING-OILITE:1.25 X 1.625 X 1.50L  | 4          |
| 60                                      | 52654           | BUSHING                              | 2          |



## GUARDS AND SHIELDS


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 62883    | PLATE-HOSE MOUNT               | 1   |
| 2    | 1011096  | BOLT-HEX: .50 X 1.00 NC GR5 ZP | 4   |
| 3    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP     | 37  |
| 4    | 63354    | WLDMT-PTO SHIELD               | 1   |
| 5    | 301135   | TUBE-HYD HOSE HOLDER PC        | 1   |
| 6    | 58008    | WLDMT-MOUNT                    | 2   |
| 7    | 58009    | ROD ZP                         | 2   |
| 8    | 58446    | SPACER ZP                      | 6   |
| 9    | 58447    | STRAP                          | 2   |
| 10   | 1015174  | BOLT-HEX: .38 X 2.50 NC GR5 ZP | 6   |
| 11   | 1011828  | WASHER-FLAT: .38 ZP            | 32  |
| 12   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP     | 40  |
| 13   | 1011611  | BOLT-HEX: .50 X 3.00 GR5 ZP    | 1   |
| 14   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP | 30  |
| 15   | 53247    | MOUNT-TARP 6R                  | 2   |
| 16   | 57720    | TUBE-OUTER APRON 6R            | 2   |
| 17   | 57721    | TUBE-INNER APRON 6R/8R         | 1   |
| 18   | 58961    | APRON-RUBBER                   | 6   |
| 19   | 56754    | PIPE-THREADED                  | 1   |
| 20   | 56257    | WLDMT-SHIELD SCRUB CHAIN LH    | 1   |
| 21   | 1013024  | WASHER-FLAT: .63 ZP            | 4   |
| 22   | 1011813  | WASHER-LOCK: .63 ZP            | 2   |
| 23   | 1032275  | BOLT-HEX: .63 X 1.00 NC GR5 ZP | 6   |
| 24   | 56256    | LINK-GUARD                     | 2   |
| 25   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 4   |
| 26   | 56258    | WLDMT-SHIELD SCRUB CHAIN RH    | 1   |
| 27   | 62378    | WLDMT - DEFLECTOR 22"          | 5   |
| 28   | 65658    | U-BOLT: 1/2 X 3 X 2.06 X 3     | 10  |
| 29   | 51331    | ANGLE                          | 2   |
| 30   | 51680    | DEFLECTOR-RUBBER               | 2   |
| 31   | 1032507  | BOLT-HEX: .50 X 4.00 NC GR5 ZP | 4   |
| 32   | 59101    | SPRING PIN .375" X 3.00"       | 3   |
| 33   | 301129   | CAPLUG-2" SQ (.188 WA)         | 1   |
| 34   | 52408    | SPRING PIN .50" X 3.50"        | 1   |
| 35   | 1011602  | BOLT-HEX: .38 X 1.50 NC GR5 ZP | 4   |
| 36   | 1011974  | POP-RIVET: .19 X .531 ZP       | 18  |
| 37   | 63501    | PLATE-COVER                    | 2   |
| 38   | 69117    | U ROD ZP                       | 18  |
| 39   | 69265    | ASSY-LH DOOR 6R & 8R           | 1   |

CONTINUED




## GUARDS AND SHIELDS (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 40   | 69350    | ASSY-RH DOOR 6R & 8R                 | 1   |
| 41   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP           | 2   |
| 42   | 50714    | CLAMP 1/2" ZP                        | 12  |
| 43   | 1030880  | BOLT-CRG: .38 X 3.50 NC GR5 ZP       | 4   |
|      | 1030882  | BOLT-CRG: .38 X 2.50 NC GR5 ZP       |     |
| 44   | 303797   | PLATE-HYD HOSE HOLDER W/ PTO CATCH   | 1   |
| 45   | 33162    | U-BOLT: .375 X 3 X 2 X 3             | 2   |
| 46   | 223329   | HOLDER-LIGHT PLUG                    | 1   |
| 47   | 1013423  | BOLT-HEX: .25 X 1.00 NC GR5 ZP       | 2   |
| 48   | 300021   | PLATE-GUARD LH 6R                    | 1   |
| 49   | 300022   | PLATE-GUARD RH 6R (NOT SHOWN)        | 1   |
| 50   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP       | 4   |
| 51   | 303731   | NUT-FLANGE: TOPLOCK .38 NC YZP       | 8   |
| 52   | 1013519  | NUT-JAM: .38 NC GR2 ZP               | 12  |
| 53   | 1014608  | WASHER-FLAT: SAE .38 ZP              | 4   |
| 54   | 304037   | BUSHING-SPRING 1.625 X 1.375 X 0.75L | 2   |
| 55   | 307680   | PLATE-PTO SHEAR SS                   | 1   |
| 56   | 1011285  | BOLT-HEX: .31 X 2.00 NC GR5 ZP       | 1   |
| 57   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP           | 1   |
| 58   | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP       | 4   |




| <b>DOOR ASSEMBLY</b> |                 |                                      |            |
|----------------------|-----------------|--------------------------------------|------------|
| <b>ITEM</b>          | <b>PART NO.</b> | <b>DESCRIPTION</b>                   | <b>QTY</b> |
| 1                    | 69284           | LEVER-HRV LATCH ZP                   | 1          |
| 2                    | 69283           | LATCH-DLP ROTARY SLAM                | 1          |
| 3                    | 69286           | HINGE-108 HEAVY CONTINUOUS           | 1          |
| 4                    | 69266           | WLDMT-DOOR FRAME LH                  | 1          |
|                      | 69348           | WLDMT-DOOR FRAME RH (NOT SHOWN)      |            |
| 5                    | 69271           | PANEL-SHIELD TOP LH PC               | 1          |
|                      | 69316           | PANEL-SHIELD TOP RH PC (NOT SHOWN)   |            |
| 6                    | 69270           | SHEET-SHIELD DOOR LH PC              | 1          |
|                      | 69319           | SHEET-SHIELD DOOR RH PC (NOT SHOWN)  |            |
| 7                    | 69278           | STUD-BALL .31-18NC X .75             | 4          |
| 8                    | 69272           | PANEL-SHIELD FRONT LH PC             | 1          |
|                      | 69317           | PANEL-SHIELD FRONT RH PC (NOT SHOWN) |            |
| 9                    | 69273           | PANEL-SHIELD REAR LH PC              | 1          |
|                      | 69318           | PANEL-SHIELD REAR RH PC (NOT SHOWN)  |            |
| 10                   | 69274           | PLATE-SUPPORT REAR LH                | 1          |
|                      | 69344           | PLATE-SUPPORT REAR RH (NOT SHOWN)    |            |
| 11                   | 69275           | BRACKET-SPRING REAR                  | 1          |
| 12                   | 69277           | BRACKET-SPRING FRONT LH              | 1          |
|                      | 69320           | BRACKET-SPRING FRONT RH (NOT SHOWN)  |            |
| 13                   | 59488           | BOLT-CRG: .38 X 1.00 NC GR5 ZP       | 10         |
| 14                   | 1011828         | WASHER-FLAT .38 ZP                   | 17         |
| 15                   | 1016362         | BOLT-CRG: .38 X 1.25 NC GR5 ZP       | 7          |
| 16                   | 1011660         | BOLT-CRG: .50 X 1.50 NC GR5 ZP       | 2          |
| 17                   | 1014443         | WASHER-FLAT: .50 ZP                  | 2          |
| 18                   | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP           | 2          |
| 19                   | 1029448         | BOLT-HEX .31 X 3.00 NC GR5 ZP        | 1          |
| 20                   | 1011974         | RIVET-POP: .19 X .531 ZP             | 32         |
| 21                   | 1026591         | NUT-K-LOCK: #10-24 NC GR2            | 2          |
| 22                   | 65702           | BOLT-CRG: .31 X .75 NC GR5 ZP        | 2          |
| 23                   | 67078           | SCREW-P-H: 10-24 X .75 NC GR2 ZP     | 2          |
| 24                   | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP           | 17         |
| 25                   | 67077           | NUT-FLANGE SERR .31 NC ZP GR2        | 4          |
| 26                   | 69285           | HANDLE-MOLDED GRAB                   | 1          |
| 27                   | 69282           | SPRING-700N GAS                      | 2          |
| 28                   | 1020416         | WASHER-FLAT: .25 ZP                  | 4          |
| 29                   | 1030946         | NUT-TOPLOCK: .25 NC GR5 ZP           | 4          |
| 30                   | 1030700         | NUT-TOPLOCK: .31 NC GR5 ZP           | 4          |
| 31                   | 64635           | CASE-MANUAL STORAGE                  | 1          |
| 32                   | 1011595         | BOLT-HEX: .25 X .75 NC GR5 ZP        | 4          |
| 33                   | 319514          | BUMPER-PUSH IN 1/4 HOLE X 1/8 THICK  | 7          |




## APRON SHAFT - BELTED CHAIN

| ITEM | PART NO. |                                               | QTY |
|------|----------|-----------------------------------------------|-----|
| 1    | 56693    | WLDMT-ARM RH                                  | 1   |
| 2    | 56698    | WLDMT-SLIDE RH                                | 1   |
| 3    | 52405    | BEARING-PILLOW 1.75                           | 4   |
| 4    | 56692    | WLDMT-ARM LH                                  | 1   |
| 5    | 56697    | WLDMT-SLIDE LH                                | 1   |
| 6    | 56672    | SHIM-BEARING ZP                               | AR  |
| 7    | 63352    | WLDMT-TOP APRON SHAFT                         | 1   |
| 8    | 63394    | WLDMT-BOTTOM APRON SHAFT                      | 1   |
| 9    | 52382    | SEAL PROTECTOR 1.75                           | 2   |
| 10   | 1014443  | WASHER-FLAT: .50 ZP                           | 16  |
| 11   | 1029104  | BOLT-HEX: .50 X 3.75 NC GR5 ZP                | 4   |
| 12   | 1032507  | BOLT-HEX: .50 X 4.00 NC GR5 ZP                | 4   |
| 13   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                    | 8   |
| 14   | 1020685  | WASHER-FLAT: 1.00 ZP                          | 4   |
| 15   | 56718    | ROD-THREADED ZP                               | 2   |
| 16   | 1016944  | PIN-COTTER: .25 X 2.00 ZP                     | 4   |
| 17   | 1011620  | NUT-HEX: .75 NC GR2 ZP                        | 8   |
| 18   | 301075   | SPROCKET-SPLIT COUNTERBORE (PAIR)             | 6   |
|      | 302846   | SPROCKET-SPLIT 56MM 5/8 ROD 14T URETHANE HALF |     |
| 19   | 301532   | WLDMT-UPPER FILLER 4" SHAFT WIDE              | 2   |
| 20   | 301531   | WLDMT-LOWER FILLER 4" SHAFT WIDE              | 2   |
| 21   | 1011603  | BOLT-HEX: .38 X 1.75 NC GR5 ZP                | 72  |
| 22   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP                    | 80  |
| 23   | 301533   | CLAMP-FILLER 4" SHAFT WIDE PAINTED            | 4   |
| 24   | 64991    | BOLT-HEX: .38 X 1.25 NC GR8 ZP                | 8   |
| 25   | 59560    | BELT 1/2 X 42 X 56MM 48LPR                    | 3   |
|      | 69659    | BELT 5/8 X 42 X 56MM 48LPR                    |     |
| 26   | 1011828  | WASHER-FLAT: .38 ZP                           | 8   |
| 27   | 300146   | SHIM-BEARING .120 THICK                       | 4   |
| 28   | 63414    | DISC-SPLIT COUNTER BORED                      | 6   |
| 29   | 56672    | SHIM-BEARING ZP (PLASTIC PADDLE OPTION)       | 8   |
| 30   | 303216   | DISC-HALF WEAR PLATE 4"                       | 16  |




## APRON SHAFT - HOOK CHAIN

| ITEM | PART NO. | DESCRIPTION                                      | QTY |
|------|----------|--------------------------------------------------|-----|
| 1    | 56672    | SHIM-BEARING ZP                                  | AR  |
| 2    | 52405    | BEARING-PILLOW 1.75 (with lock collar)           | 4   |
| 3    | 56697    | WLDMT-SLIDE LH                                   | 1   |
| 4    | 56698    | WLDMT-SLIDE RH                                   | 1   |
| 5    | 56692    | WLDMT-ARM LH                                     | 1   |
| 6    | 56693    | WLDMT-ARM RH                                     | 1   |
| 7    | 1020685  | WASHER-FLAT: 1.00 ZP                             | 4   |
| 8    | 1016944  | PIN-COTTER: .25 X 2.00 ZP                        | 4   |
| 9    | 1011620  | NUT-HEX: .75 NC GR2 ZP                           | 8   |
| 10   | 1014443  | WASHER-FLAT: .50 ZP                              | 16  |
| 11   | 56718    | ROD-THREADED ZP                                  | 2   |
| 12   | 1029104  | BOLT-HEX: .50 X 3.75 NC GR5 ZP                   | 4   |
| 13   | 63394    | WLDMT- BOTTOM APRON SHAFT                        | 1   |
| 14   | 64159    | CLAMP-FILLER PAINTED                             | 4   |
| 15   | 58322    | HALF-DISC ZP                                     | 12  |
| 16   | 62836    | HALF DISC - SPACER ZP (1/2" CHAIN ONLY)          | 24  |
| 17   | 1011725  | BOLT-HEX: .38 X 2.00 NC GR5 ZP (1/2" CHAIN ONLY) | 72  |
|      | 1011603  | BOLT-HEX: .38 X 1.75 NC GR5 ZP                   |     |
| 18   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP                       | 80  |
| 19   | 64161    | WLDMT-LOWER FILLER                               | 2   |
| 20   | 63352    | WLDMT-TOP APRON SHAFT                            | 1   |
| 21   | 58318    | SPROCKET-HALF 2.38 ZP                            | 12  |
|      | 64154    | SPROCKET-HALF 2.38 ZP (ROCK)                     |     |
| 22   | 64162    | WLDMT-UPPER FILLER                               | 2   |
| 23   | 52382    | SEAL PROTECTOR 1-3/4"                            | 2   |
| 24   | 1032507  | BOLT-HEX: .50 X 4.00 NC GR5 ZP                   | 4   |
| 25   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                       | 8   |
| 26   | 1011828  | WASHER-FLAT: .38 ZP                              | 8   |
| 27   | 64991    | BOLT-HEX: .38 X 1.25 NC GR8 ZP                   | 8   |
| 28   | 53844    | CHAIN 1/2 X 42 X 2.38                            | 6   |
|      | 53846    | CHAIN 5/8 X 42 X 2.38                            |     |
| 29   | 300146   | SHIM-BEARING .120 THICK                          | 4   |
| 30   | 56772    | SHIM-BEARING ZP (PLASTIC PADDLE OPTION)          | 8   |




# PADDLE SHAFT

| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 1    | 57996    | SHIM-BEARING ZP                 | 2   |
| 2    | 57997    | BEARING-PILLOW 2"               | 2   |
| 3    | 57998    | PLATE-BACKING ZP                | 2   |
| 4    | 51365    | TIGHTENER BOLT                  | 2   |
| 5    | 1013024  | WASHER-FLAT: .63 ZP             | 4   |
| 6    | 1014000  | BOLT-HEX: .63 X 3.50 NC GR5 ZP  | 2   |
| 7    | 1016726  | BOLT-HEX: .63 X 4.00 NC GR5 ZP  | 2   |
| 8    | 1011813  | WASHER-LOCK: .63 ZP             | 4   |
| 9    | 1011578  | NUT-HEX: .63 NC GR2 ZP          | 8   |
| 10   | 57975    | WLDMT-PADDLE SHAFT              | 1   |
| 11   | 1011586  | WASHER-LOCK: .38 ZP             | 72  |
| 12   | 1011576  | NUT-HEX: .38 NC GR2 ZP          | 72  |
| 13   | 50722    | WLDMT - PADDLE DOUBLE RH        | 6   |
| 14   | 50721    | WLDMT - PADDLE SINGLE RH        | 6   |
| 15   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP      | 24  |
| 16   | 1014349  | BOLT-HEX: .63 X 1.50 NC GR5 ZP  | 24  |
| 17   | 50719    | WLDMT - PADDLE DOUBLE LH        | 6   |
| 18   | 50720    | WLDMT - PADDLE SINGLE LH        | 6   |
| 19   | 51562    | PADDLE-RUBBER                   | 36  |
| 20   | 1030779  | BOLT-ELEVATOR: .38 X 1.50 NC ZP | 72  |



## HYBRID PADDLE ASSY

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 301863   | WLDMT-PADDLE SPLIT LH 1        | 1   |
| 2    | 301867   | WLDMT-PADDLE SPLIT LH 2        | 1   |
| 3    | 301871   | WLDMT-PADDLE SPLIT LH 3        | 1   |
| 4    | 301875   | PADDLE-RUBBER SOLID            | 6   |
| 5    | 1013918  | BOLT-HEX .63 X 1.750 NC GR5 ZP | 6   |
| 6    | 1013004  | WASHER-FLAT: SAE .63 ZP        | 12  |
| 7    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 6   |
| 8    | 1030779  | BOLT-ELEVATOR:.38 X 1.50 NC ZP | 18  |
| 9    | 1011828  | WASHER-FLAT .38 ZP             | 18  |
| 10   | 1011586  | WASHER-LOCK: .38 ZP            | 18  |
| 11   | 1011576  | NUT-HEX: .38 NC GR2 ZP         | 18  |
| 12   | 301865   | WLDMT-PADDLE SPLIT RH 1        | 1   |
| 13   | 301869   | WLDMT-PADDLE SPLIT RH 2        | 1   |
| 14   | 301873   | WLDMT-PADDLE SPLIT RH 3        | 1   |



# CLEANING ROLLS

| ITEM | PART NO. | DESCRIPTION | QTY |
|------|----------|-------------|-----|
|------|----------|-------------|-----|

## PARTS COMMON TO ALL ROLLS

|    |         |                                 |    |
|----|---------|---------------------------------|----|
| 1  | 58459   | HUB-TRANTORQUE 1.75             | 4  |
| 2  | 64163   | HUB-TRANTORQUE 1.75 X 3.38      | 10 |
| 3  | 59471   | SHAFT-STUB-#7 ROLL-RH, LH-IDLER | 2  |
| 4  | 58759   | SHAFT- #2, 3, 4, 5, 7LH         | 1  |
| 5  | 64177   | SHAFT-DRIVE #2,3,4,5            | 4  |
| 6  | 64179   | SHAFT-IDLER #2,3,4,6            | 4  |
| 7  | 64181   | SHAFT-#1 DRIVE END              | 1  |
| 8  | 64165   | HUB-TRANTORQUE 2.00 X 3.38      | 2  |
| 9  | 58761   | SHAFT-#7 RH ROLL-DRIVE END      | 1  |
| 10 | 64182   | SHAFT-#1 IDLER END              | 1  |
| 11 | 64184   | RING-RETAINING 1.75             | 10 |
| 12 | 64185   | RING-RETAINING 2.00             | 2  |
| 13 | 64178   | SHAFT-#5,6                      | 2  |
| 14 | 1011599 | BOLT-HEX: .38 X .75 NC GR5 ZP   | 36 |
| 15 | 1011586 | WASHER-LOCK: .38 ZP             | 36 |

## NUMBER ONE ROLL (COMPLETE)

|    |       |                              |   |
|----|-------|------------------------------|---|
| 16 | 58824 | WLDMT-#1 SCROLLED-6R-STD-TT  | 1 |
|    | 58937 | WLDMT-#1 SCROLLED-6R-POLY-TT |   |
|    | 58948 | WLDMT-#1-SCROLLED-6R-HRD-TT  |   |


## NUMBER TWO AND FOUR ROLL (COMPLETE)

|    |       |                          |   |
|----|-------|--------------------------|---|
| 17 | 58953 | ASSY-#2,4-6R-5.5" STD-TT | 2 |
|    | 58943 | ASSY-#2,4-6R-5" POLY-TT  |   |

## NUMBER THREE ROLL (COMPLETE)


|    |       |                              |   |
|----|-------|------------------------------|---|
| 18 | 58829 | WLDMT-#3 SCROLLED-6R-STD-TT  | 1 |
|    | 58939 | WLDMT-#3 SCROLLED-6R-POLY-TT |   |
|    | 58949 | WLDMT-#3-SCROLLED-6R-HRD-TT  |   |

CONTINUED




## CLEANING ROLLS (CONTINUED)

| ITEM                                                      | PART NO. | DESCRIPTION                         | QTY |
|-----------------------------------------------------------|----------|-------------------------------------|-----|
| <b><u>NUMBER FIVE ROLL (COMPLETE)</u></b>                 |          |                                     |     |
| 19                                                        | 302757   | WLDMT-#5 SCROLLED-6R22-STD-TT       | 1   |
|                                                           | 302758   | WLDMT-#5 SCROLLED-6R22-POLY-TT      |     |
|                                                           | 302759   | WLDMT-#5 SCROLLED-6R22-HRD-TT       |     |
| <b><u>NUMBER SIX ROLL (COMPLETE)</u></b>                  |          |                                     |     |
| 20                                                        | 58954    | ASSY-#6-6R-5.5" STD-TT              | 1   |
|                                                           | 58944    | ASSY-#6-6R-5" POLY-TT               |     |
| <b><u>NUMBER SEVEN ROLL - - LEFT HAND (COMPLETE)</u></b>  |          |                                     |     |
| 21                                                        | 302723   | WLDMT-#7LH SCROLL-6R22-POLY-SHORTER | 1   |
|                                                           | 302697   | WLDMT-#7LH SCROLL-6R22-TT-SHORTER   |     |
| <b><u>NUMBER SEVEN ROLL - - RIGHT HAND (COMPLETE)</u></b> |          |                                     |     |
| 22                                                        | 302722   | WLDMT-#7RH SCROLL-6R22-POLY-SHORTER | 1   |
|                                                           | 302696   | WLDMT-#7RH SCROLL-6R22-TT-SHORTER   |     |




# CLEANING ROLL MOUNTING PACKAGE

| ITEM | PART NO. | DESCRIPTION                                  | QTY |
|------|----------|----------------------------------------------|-----|
| 1    | 58907    | WLDMT-MOUNT RH                               | 1   |
|      | 58906    | WLDMT-MOUNT LH (NOT SHOWN)                   | 1   |
| 2    | 56813    | BOLT-EYEBOLT: 1.25 X 10.5 ZP                 | 2   |
| 3    | 56679    | HALF ROUND 3.0" ZP                           | 2   |
| 4    | 56676    | ROD ZP                                       | 2   |
| 5    | 56814    | BOLT-EYEBOLT: .75 X 6.00 ZP                  | 4   |
| 6    | 57877    | SPRING 3.00" (RIGHT SIDE ONLY)               | 2   |
| 7    | 56680    | HALF ROUND 1.50" ZP                          | 4   |
| 8    | 57992    | SHIM-BEARING                                 | 2   |
| 9    | 62134    | BEARING-FLANGE 1-3/4"                        | 2   |
| 10   | 52405    | BEARING-PILLOW 1-3/4"                        | 10  |
|      | 64466    | PILLOW BLOCK BEARING 1-3/4" STL (ROCK ONLY)  |     |
| 11   | 62135    | BEARING 1.750 TAPPED BASE                    | 2   |
|      | 301608   | ASSY-STEEL TAPPED BASE BRG 1-3/4"(ROCK ONLY) |     |
| 12   | 62136    | BEARING 2.000 TAPPED BASE                    | 2   |
|      | 301523   | ASSY-STL TAPPED BASE BRG 2.00" (ROCK ONLY)   |     |
| 13   | 1011584  | WASHER-FLAT: SAE .50 ZP                      | 4   |
| 14   | 303390   | BOLT-HEX: .75 X 3.50 NC GR5 ZP FT            | 2   |
| 15   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                   | 4   |
| 16   | 1011578  | NUT-HEX: .63 NC GR2 ZP                       | 6   |
| 17   | 1011827  | NUT-JAM: .75 NC GR2 ZP                       | 2   |
| 18   | 1013024  | WASHER-FLAT: .63 ZP                          | 4   |
| 19   | 1030702  | WASHER-FLAT: .75 ZP                          | 4   |
| 20   | 59104    | WASHER-FLAT: .56 GR8 ZP                      | 24  |
| 21   | 59105    | NUT-TOPLOCK: .56 NC GR8 ZP                   | 20  |
| 22   | 59103    | BOLT-HEX: .56 X 2.50 NC GR8 ZP               | 8   |
| 23   | 1011610  | BOLT-HEX: .50 X 2.50 NC GR5 ZP               | 4   |
| 24   | 1011581  | WASHER-LOCK: .50 ZP                          | 8   |
| 25   | 58635    | BOLT-CRG: .63 X 2.00 NC GR5 ZP               | 2   |
| 26   | 59102    | BOLT-HEX: .56 X 2.00 NC GR8 ZP               | 8   |
| 27   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP               | 4   |
| 28   | 1011813  | WASHER-LOCK: .63 ZP                          | 6   |
| 29   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP               | 4   |
| 30   | 62511    | NUT-JAM: 1.25 NC GR2 ZP                      | 4   |
| 31   | 1011620  | NUT-HEX: .75 NC GR2 ZP                       | 12  |
| 32   | 1013431  | WASHER-FLAT: 1.25 ZP                         | 2   |
| 33   | 52383    | LOCK PROTECTOR 1-3/4"                        | 4   |
| 34   | 1016727  | PIN-COTTER: .25 X 2.50 NP                    | 2   |
| 35   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP               | 4   |
| 36   | 56682    | WLDMT-SLIDE MOUNT RH                         | 1   |
|      | 56681    | WLDMT-SLIDE MOUNT LH (NOT SHOWN)             | 1   |
| 37   | 56677    | PLATE-RETAINING                              | 2   |
| 38   | 57792    | SHIM-BEARING                                 | 8   |
| 39   | 56675    | ROD ZP                                       | 4   |
| 40   | 56815    | WLDMT-BOLT & NUT ZP                          | 2   |
| 41   | 57878    | SPRING 10"                                   | 2   |
| 42   | 1014443  | WASHER-FLAT: .50 ZP                          | 4   |
| 43   | 300146   | SHIM-BEARING 0.12" 2 X 7.5 ZP                | 4   |
| 44   | 302556   | BOLT-HEX: .56 X 3.75 NC GR8 ZP               | 4   |
| 45   | 1015294  | ZERK-GREASE: .13 NPT 90DEG                   | 2   |




## MAIN DRIVE: ONBOARD OPTION

| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 1    | 53642    | U-JOINT                              | 3   |
| 2    | 56775    | SPLINE SHAFT                         | 1   |
| 3    | 1013519  | NUT-JAM: .38 NC GR2 ZP               | 12  |
| 4    | 1030708  | SCREW-SET: C-P .38 X .75 NC GR8      | 6   |
| 5    | 1030709  | SCREW-SET: C-P .38 X 1.00 NC GR8     | 6   |
| 6    | 52405    | BEARING-PILLOW 1.75                  | 1   |
| 7    | 1017708  | BOLT-HEX: .50 X 2.25 NC GR5 ZP       | 2   |
| 8    | 1014443  | WASHER-FLAT: .50 ZP                  | 2   |
| 9    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP           | 10  |
| 10   | 52404    | BEARING-FLANGE 1.75                  | 2   |
| 11   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP       | 8   |
| 12   | 56819    | SHAFT-DRIVE 6R                       | 2   |
| 13   | 50152    | KEY .38 X .38 X 2.00                 | 10  |
| 14   | 53641    | HUB P1 1-3/4" (WITH KEY)             | 1   |
| 15   | 62396    | GEARBOX-PRAIRIE (1.81:1) PAINTED     | 1   |
|      | 63846    | GEARBOX-PRAIRIE (1.81:1) 905 (BLACK) |     |
| 16   | 69128    | FTG-ADAPTER: 8MP-8MP 4" LONG         | 1   |
| 17   | 55730    | FTG-ADAPTER: 8FP-8FP                 | 1   |
| 18   | 1011813  | WASHER-LOCK: .63 ZP                  | 4   |
| 19   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP       | 4   |
| 20   | 62034    | SPROCKET H80-P12                     | 1   |
| 21   | 56646    | SHEAVE 6TB62                         | 1   |
|      | 56647    | SHEAVE 6TB68                         |     |
|      | 53668    | SHEAVE 6TB56                         |     |
| 22   | 50335    | HUB Q1 1.75                          | 1   |
| 23   | 51481    | PTO-CV 1.75" WEASLER (HRV)           | 1   |
|      | 51480    | PTO-CV 1.38" WEASLER (HRV)           |     |
| 24   | 1030704  | BOLT-HEX: .63 X 3.25 NC GR5 ZP       | 2   |
| 25   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP           | 2   |
| 26   | 62153    | PUMP-HYDRAULIC 5.3                   | 1   |
|      | 59761    | SEAL KIT FOR 62153                   |     |
| 27   | 63702    | PLATE-ADAPTER SAE 'B' PUMP           | 1   |




# CLEANING ROLL DRIVE

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 56422    | ASSY-SPINDLE & HUB             | 1   |
| 2    | 56711    | ROD-PLATED                     | 1   |
| 3    | 56646    | SHEAVE 6TB62                   | 4   |
| 4    | 56853    | SPRING                         | 1   |
| 5    | 56708    | HOLDER-PLATED                  | 1   |
| 6    | 56707    | ADJUSTMENT ROD ZP              | 1   |
| 7    | 1011581  | WASHER-LOCK: .50 ZP            | 1   |
| 8    | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP | 1   |
| 9    | 1011577  | NUT-HEX: .50 NC GR2 ZP         | 1   |
| 10   | 1011578  | NUT-HEX: .63 NC GR2 ZP         | 4   |
| 11   | 57933    | WLDMT- IDLER (with flange)     | 1   |
| 12   | 50387    | WLDMT-IDLER                    | 1   |
| 13   | 56396    | WLDMT-PULLEY 6R                | 2   |
| 14   | 50335    | HUB Q1 1.75                    | 5   |
| 15   | 50152    | KEY .38 X .38 X 2.00           | 5   |
| 16   | 57995    | KEY .50 X .50 X 2.00           | 1   |
| 17   | 56406    | ASSY-IDLER PULLEY 6R           | 1   |
| 18   | 53649    | SPROCKET H60-P20               | 2   |
| 19   | 62106    | SPROCKET H60-P19               | 1   |
| 20   | 53641    | HUB P1 1.75 (WITH KEY)         | 3   |
| 21   | 1013024  | WASHER-FLAT: .63 ZP            | 7   |
| 22   | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP    | 2   |
| 23   | 1015558  | BOLT-HEX: .50 X 1.00 NF GR5 ZP | 4   |
| 24   | 50385    | HUB Q1 2.00                    | 1   |
| 25   | 1019827  | PIN-COTTER: .19 X 1.00 NP      | 1   |
| 26   | 1011624  | BOLT-HEX: .63 X 3.00 NC GR5 ZP | 1   |
| 27   | 53651    | 7348-2 SPROCKET IDLER          | 1   |
| 28   | 1011813  | WASHER-LOCK: .63 ZP            | 1   |
| 29   | 58165    | CHAIN-ROLLER 60H-1R-052        | 1   |
| 30   | 56648    | V-BELT 6B195                   | 1   |




## APRON/PADDLE SHAFT DRIVE

| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 304228   | SPROCKET-CLUTCH 80P51 PRESET (8R)     | 1   |
|      | 57993    | SPROCKET-CLUTCH 80Q36 PRESET (6R)     |     |
| 2    | 303561   | CHAIN-ROLLER CP 80H-1R-177            | 1   |
|      | 303562   | CHAIN-ROLLER CP 80H-1R-182            |     |
| 3    | 53641    | HUB P1 1.75 (WTH .38 X 2.00 KEY)      | 1   |
| 4    | 50385    | HUB Q1 2.00                           | 1   |
| 5    | 57993    | SPROCKET-CLUTCH 80Q36 PRESET          | 1   |
|      | 69630    | SPROCKET-CLUTCH 80Q51 PRESET          |     |
| 6    | 57995    | KEY .50 X .50 X 2.00                  | 1   |
| 7    | 56851    | SPROCKET-IDLER H8025 X 1.44           | 1   |
| 8    | 56864    | WLDMT-ADJUSTER                        | 1   |
| 9    | 56334    | SPROCKET-IDLER 8012                   | 1   |
| 10   | 1011577  | NUT-HEX: .50 NC GR2 ZP                | 2   |
| 11   | 1032271  | BOLT-HEX: .75 X 3.25 NC GR5 ZP        | 1   |
| 12   | 1012634  | WASHER-FLAT: SAE .75 ZP               | 6   |
| 13   | 1030702  | WASHER-FLAT: .75 ZP                   | 2   |
| 14   | 1012061  | WASHER-LOCK: .75 ZP                   | 3   |
| 15   | 1011620  | NUT-HEX: .75 NC GR5 ZP                | 3   |
| 16   | 57804    | MOUNT                                 | 2   |
| 17   | 1013918  | BOLT-HEX: .63 X 1.75 NC GR5 ZP        | 4   |
| 18   | 1013004  | WASHER-FLAT: SAE .63 ZP               | 4   |
| 19   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 4   |
| 20   | 57853    | WLDMT-SUPPORT                         | 1   |
| 21   | 1011625  | BOLT-HEX: .75 X 4.00 NC GR5 ZP        | 2   |
| 22   | 57827    | SLIDE-CHAIN                           | 1   |
| 23   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP        | 2   |
| 24   | 1014608  | WASHER-FLAT: SAE .38 ZP               | 2   |
| 25   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP            | 2   |
| 26   | 69625    | WLDMT-IDLER PADDLE SHAFT              | 1   |
| 27   | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP        | 3   |
| 28   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 3   |
| 29   | 68136    | PLUG- .625 SQUARE PLASTIC (NOT SHOWN) | 4   |
| 30   | 56339    | SPROCKET H80-P13                      | 1   |




| <b>TANK ASSEMBLY</b> |                 |                                    |            |
|----------------------|-----------------|------------------------------------|------------|
| <b>ITEM</b>          | <b>PART NO.</b> | <b>DESCRIPTION</b>                 | <b>QTY</b> |
| 1                    | 69758           | WLDMT-TANK 6R                      | 1          |
| 2                    | 53825           | BOGIE WHEEL 5"                     | 2          |
| 3                    | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP     | 2          |
| 4                    | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP         | 14         |
| 5                    | 302643          | WLDMT-LOCK SLIDE                   | 2          |
| 6                    | 1020685         | WASHER-FLAT: 1.00                  | 4          |
| 7                    | 1016944         | PIN-COTTER: .25 X 2.00 ZP          | 4          |
| 8                    | 302641          | TUBE-LOCK                          | 2          |
| 9                    | 54785           | WLDMT-LOCK BRACKET                 | 2          |
| 10                   | 1014349         | BOLT-HEX: .63 X 1.50 NC GR5 ZP     | 4          |
| 11                   | 1030947         | PIN-HITCH: .63 X 4.00 ZP W/HAIRPIN | 2          |
| 12                   | 72420           | WLDMT-LADDER TOP                   | 1          |
| 13                   | 1014443         | WASHER-FLAT: .50 ZP                | 14         |
| 14                   | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP     | 10         |
| 15                   | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP         | 32         |
| 16                   | 1011600         | BOLT-HEX: .38 X 1.00 NC GR5 ZP     | 6          |
| 17                   | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP         | 6          |
| 18                   | 64749           | TUBE-STRIKER                       | 1          |
| 19                   | 64574           | PLATE-STRIKER                      | 1          |
| 20                   | 64746           | PLATE-TANK TO BOOM REAR            | 1          |
| 21                   | 64747           | PLATE-TANK TO BOOM FRONT           | 1          |
| 22                   | 57917           | PLATE-EXTENSION                    | 2          |
| 23                   | 64192           | STAND-OFF 4"                       | 2          |
| 24                   | 1017719         | BOLT-HEX: .50 X 3.25 NC GR5 ZP     | 4          |
| 25                   | 1011611         | BOLT-HEX: .50 X 3.00 NC GR5 ZP     | 2          |
| 26                   | 1011828         | WASHER-FLAT: .38 ZP                | 6          |
| 27                   | 1014000         | BOLT-HEX: .63 X 3.50 NC GR5 ZP     | 8          |
| 28                   | 1013024         | WASHER-FLAT: .63 ZP                | 16         |
| 29                   | 65658           | U-BOLT: .500 X 3 X 2.063 X 3       | 4          |
| 30                   | 301320          | WLDMT-LADDER BOTTOM 3-RUNG         | 1          |
| 31                   | 1012060         | BOLT-HEX: .75 X 2.00 NC GR5 ZP     | 2          |
| 32                   | 1030702         | WASHER-FLAT: .75 ZP                | 4          |
| 33                   | 1017000         | NUT-TOPLOCK: .75 NC GR5 ZP         | 2          |
| 34                   | 301382          | PLATE-LADDER MOUNT NARROW          | 2          |
| 35                   | 1011584         | WASHER-FLAT: SAE .50 ZP            | 28         |
| 36                   | 1013004         | WASHER-FLAT: SAE .63 ZP            | 10         |
| 37                   | 59615           | DECAL-REFLECTIVE TAPE (NOT SHOWN)  | 8          |
| 38                   | 304249          | PLATE-LADDER MNT                   | 2          |
| 39                   | 54653           | U-BOLT: .500 X 3.25 X 4.00 X 3.25  | 4          |




## ELEVATOR ASSEMBLY

| ITEM | PART NO. | DESCRIPTION                               | QTY |
|------|----------|-------------------------------------------|-----|
| 1    | 301510   | WLDMT-ELEVATOR 6R                         | 1   |
| 2    | 63813    | SPROCKET-IDLER 50MM 10T                   | 2   |
|      | 54824    | SPROCKET-IDLER 56MM                       |     |
| 3    | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP            | 26  |
| 4    | 1013004  | WASHER-FLAT: SAE .63 ZP                   | 32  |
| 5    | 1012913  | BOLT-HEX: .63 X 6.50 NC GR5 ZP            | 4   |
| 6    | 64748    | PLATE-ELEVATOR BACKING                    | 4   |
| 7    | 65658    | U-BOLT: .50 X 3 X 2.06 X 3                | 6   |
| 8    | 1014443  | WASHER-FLAT: .50 ZP                       | 16  |
| 9    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                | 14  |
| 10   | 58971    | STAND OFF 1.50"                           | 2   |
| 11   | 64192    | STAND OFF                                 | 28  |
| 12   | 53825    | BOGIE WHEEL 5"                            | 30  |
| 13   | 65825    | BOLT-HEX: .63 X 3.25 NC GR5 ZP            | 2   |
| 14   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP                | 32  |
| 15   | 64550    | SHEET-BELT PROTECTOR                      | 2   |
| 16   | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP            | 22  |
| 17   | 1011828  | WASHER-FLAT .38 ZP                        | 27  |
| 18   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP                | 36  |
| 19   | 64609    | FLAP-ELEVATOR                             | 1   |
| 20   | 69822    | SLIDE-ELEVATOR PLASTIC 6R/8R/12R          | 1   |
| 21   | 301515   | SLIDE-ELEVATOR PLASTIC 6R                 | 1   |
| 22   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP            | 9   |
| 23   | 1014608  | WASHER-FLT: SAE .38 ZP                    | 9   |
| 24   | 1016362  | BOLT-CRG: .38 X 1.25 NC GR5 ZP            | 5   |
| 25   | 64608    | STRIP-BOLTING                             | 1   |
| 26   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP            | 2   |
| 27   | 68075    | BELT-50MM ELEVATOR 6R (NOT SHOWN)         | 1   |
|      | 68074    | BELT-56MM ELEVATOR 6R (NOT SHOWN)         |     |
|      | 301509   | BELT- 56MM ELEVATOR 6R DOUBLE (NOT SHOWN) |     |
|      | 301513   | BELT- 50MM ELEVATOR 6R DOUBLE (NOT SHOWN) |     |



## BOOM ASSEMBLY


| ITEM | PART NO. | DESCRIPTION                                | QTY |
|------|----------|--------------------------------------------|-----|
| 1    | 53450    | VLDMT-ELEVATOR BOOM 4R/6R/8R               | 1   |
| 2    | 54803    | CROSS BRACE-BOOM                           | 1   |
| 3    | 301525   | PLATE-BOOM EXTENSION SHORT FRONT           | 1   |
| 4    | 301524   | PLATE-BOOM EXTENSION SHORT REAR            | 1   |
| 5    | 302773   | GROMMET- OD: 1.625, ID: 1.25               | 2   |
| 6    | 303869   | BOLT-CRG: .50 X 3.50 GR5 ZP FULL           | 1   |
| 7    | 53449    | SLEEVE-HINGE                               | 2   |
| 8    | 1014349  | BOLT-HEX: .63 X 1.50 NC GR5 ZP             | 6   |
| 9    | 53854    | BOGIE WHEEL 4"                             | 4   |
| 10   | 52405    | BEARING-PILLOW 1-3/4"                      | 3   |
| 11   | 303860   | SHAFT-HEAD Ø1.750 BOOM (3 BRG)             | 1   |
| 12   | 58201    | KEY .375 X .375 X 3.00                     | 3   |
| 13   | 57686    | MOTOR-HYDRAULIC 32.3IN <sup>3</sup> /REV   | 1   |
|      | 57880    | SEAL KIT FOR 57686                         |     |
| 14   | 52382    | SEAL PROTECTOR 1-3/4"                      | 2   |
| 15   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP             | 6   |
| 16   | 1011660  | BOLT-CRG: .50 X 1.50 NC GR5 ZP             | 10  |
| 17   | 68658    | SPROCKET-SPLIT 56MM 10T Ø1.750             | 2   |
|      | 301521   | SPROCKET-SPLIT 50MM 12T Ø1.750 DOUBLE BELT |     |
|      | 301522   | SPROCKET-SPLIT 56MM 10T Ø1.750 DOUBLE BELT |     |
|      | 68659    | SPROCKET-SPLIT 50MM 12T Ø1.750             |     |
| 18   | 303863   | VLDMT-BOOM MOTOR MOUNT                     | 1   |
| 19   | 303866   | PLATE-MOTOR MOUNT SLIDE                    | 1   |
| 20   | 303867   | PLATE-MOTOR TENSIONER                      | 1   |
| 21   | 303868   | PLATE-BOOM MOTOR BEARING MOUNT             | 1   |
| 22   | 303774   | NUT-FLANGE: TOPLOCK .50 NC YZP             | 18  |
| 23   | 65313    | NUT-NYLOCK: .50 NC GR2 ZP                  | 1   |
| 24   | 50335    | HUB Q1 1-3/4"                              | 1   |
| 25   | 56339    | SPROCKET H80-P13                           | 1   |
| 26   | 53719    | HUB P1 1-1/4"                              | 1   |
| 27   | 56650    | SPROCKET H80-Q20                           | 1   |
| 28   | 1011610  | BOLT-HEX: .50 X 2.50 NC GR5 ZP             | 2   |
| 29   | 304015   | CHAIN-ROLLER 80H-1R-036 CP                 | 1   |
| 30   | 64578    | VLDMT-BOOM END SUPPORT                     | 1   |
| 31   | 64732    | PLATE-SHIM 0.120                           | 2   |
| 32   | 1013024  | WASHER-FLAT: .63 ZP                        | 4   |
| 33   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP             | 8   |
| 34   | 1011584  | WASHER-FLAT: SAE .50 ZP                    | 25  |
| 35   | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP             | 10  |
| 36   | 1013004  | WASHER-FLAT: SAE .63 ZP                    | 18  |
| 37   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                 | 8   |
| 38   | 64192    | STAND OFF                                  | 10  |
| 39   | 53825    | BOGIE WHEEL 5"                             | 6   |
| 40   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP                 | 16  |



## ELEVATOR AND BOOM ASSEMBLY: HP SCRUB


| ITEM | PART NO. | DESCRIPTION                              | QTY |
|------|----------|------------------------------------------|-----|
| 1    | 301510   | WLDMT-ELEVATOR 6R                        | 1   |
| 2    | 310821   | ROLLER-RUBBER FLANGED Ø180MM             | 2   |
| 3    | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP           | 36  |
| 4    | 1013004  | WASHER-FLAT: SAE .63 ZP                  | 46  |
| 5    | 303333   | PLATE-FLANGE ROLLER SPACER ZP            | 2   |
| 6    | 64748    | PLATE-ELEVATOR BACKING                   | 4   |
| 7    | 65658    | U-BOLT: .50 X 3 X 2.06 X 3               | 6   |
| 8    | 1014443  | WASHER-FLAT: .50 ZP                      | 16  |
| 9    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP               | 22  |
| 10   | 58971    | STAND OFF 1.50"                          | 2   |
| 11   | 64192    | STAND OFF                                | 36  |
| 12   | 53825    | BOGIE WHEEL 5"                           | 34  |
| 13   | 65825    | BOLT-HEX: .63 X 3.25 NC GR5 ZP           | 2   |
| 14   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP               | 44  |
| 15   | 64550    | SHEET-BELT PROTECTOR                     | 2   |
| 16   | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP           | 26  |
| 17   | 1011828  | WASHER-FLAT .38 ZP                       | 35  |
| 18   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP               | 44  |
| 19   | 64609    | FLAP-ELEVATOR                            | 1   |
| 20   | 69822    | SLIDE-ELEVATOR PLASTIC 6R/8R/12R         | 1   |
| 21   | 301515   | SLIDE-ELEVATOR PLASTIC 6R                | 1   |
| 22   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP           | 9   |
| 23   | 1014608  | WASHER-FLT: SAE .38 ZP                   | 17  |
| 24   | 1016362  | BOLT-CRG: .38 X 1.25 NC GR5 ZP           | 17  |
| 25   | 64608    | STRIP-BOLTING                            | 1   |
| 26   | 304002   | BELT-55MM HP ELEVATOR 2300 (NOT SHOWN)   | 1   |
| 27   | 53450    | WLDMT-ELEVATOR BOOM 4R/6R/8R             | 1   |
| 28   | 54803    | CROSS BRACE-BOOM                         | 1   |
| 29   | 301525   | PLATE-BOOM EXTENSION SHORT FRONT         | 1   |
| 30   | 301524   | PLATE-BOOM EXTENSION SHORT REAR          | 1   |
| 31   | 302773   | GROMMET- OD: 1.625, ID: 1.25             | 2   |
| 32   | 303869   | BOLT-CRG: .50 X 3.50 GR5 ZP FULL         | 1   |
| 33   | 53449    | SLEEVE-HINGE                             | 2   |
| 34   | 1014349  | BOLT-HEX: .63 X 1.50 NC GR5 ZP           | 6   |
| 35   | 53854    | BOGIE WHEEL 4"                           | 4   |
| 36   | 52405    | BEARING-PILLOW 1-3/4"                    | 3   |
| 37   | 303860   | SHAFT-HEAD Ø1.750 BOOM (3 BRG)           | 1   |
| 38   | 58201    | KEY .375 X .375 X 3.00                   | 3   |
| 39   | 57686    | MOTOR-HYDRAULIC 32.3IN <sup>3</sup> /REV | 1   |
|      | 57880    | SEAL KIT FOR 57686                       |     |
| 40   | 52382    | SEAL PROTECTOR 1-3/4"                    | 2   |

CONTINUED




## ELEVATOR AND BOOM ASSEMBLY: HP SCRUB (CONTINUED)


| ITEM | PART NO. | DESCRIPTION                                   | QTY |
|------|----------|-----------------------------------------------|-----|
| 41   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP                | 4   |
| 42   | 1011660  | BOLT-CRG: .50 X 1.50 NC GR5 ZP                | 10  |
| 43   | 303153   | SPROCKET-SPLIT 55MM 14T Ø1.750 HIGH PROFILE   | 2   |
| 44   | 303863   | WLDMT-BOOM MOTOR MOUNT                        | 1   |
| 45   | 303866   | PLATE-MOTOR MOUNT SLIDE                       | 1   |
| 46   | 303867   | PLATE-MOTOR TENSIONER                         | 1   |
| 47   | 303868   | PLATE-BOOM MOTOR BEARING MOUNT                | 1   |
| 48   | 303774   | NUT-FLANGE: TOPLOCK .50 NC YZP                | 18  |
| 49   | 65313    | NUT-NYLOCK: .50 NC GR2 ZP                     | 1   |
| 50   | 50335    | HUB Q1 1-3/4"                                 | 1   |
| 51   | 56339    | SPROCKET H80-P13                              | 1   |
| 52   | 53719    | HUB P1 1-1/4"                                 | 1   |
| 53   | 303862   | SPROCKET H80-Q28                              | 1   |
| 54   | 1011610  | BOLT-HEX: .50 X 2.50 NC GR5 ZP                | 2   |
| 55   | 303861   | CHAIN-ROLLER 80H-1R-042 CP                    | 1   |
| 56   | 64578    | WLDMT-BOOM END SUPPORT                        | 1   |
| 57   | 64732    | PLATE-SHIM 0.120                              | 2   |
| 58   | 1013024  | WASHER-FLAT: .63 ZP                           | 4   |
| 59   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP                | 10  |
| 60   | 1011584  | WASHER-FLAT: SAE .50 ZP                       | 25  |
| 61   | 1011611  | BOLT-HEX: .50 X 3.00 NC GR5 ZP                | 2   |
| 62   | 58368    | BOLT-HEX: .75 X 5.00 NC GR5 ZP                | 2   |
| 63   | 1012634  | WASHER-FLAT: SAE .75 ZP                       | 2   |
| 64   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP                    | 2   |
| 65   | 303338   | PLATE-SCRAPER MOUNT LH (NOT SHOWN)            | 1   |
| 66   | 303335   | PLATE-SCRAPER MOUNT RH                        | 1   |
| 67   | 303336   | PLATE-SCRAPER                                 | 2   |
| 68   | 1011576  | NUT-HEX: .38 NC GR2 ZP                        | 12  |
| 69   | 1011586  | WASHER-LOCK: .38 ZP                           | 12  |
| 70   | 304021   | PLATE-STONE DEFLECTOR 5R/6R/8R RH (NOT SHOWN) | 1   |
| 71   | 304022   | PLATE-STONE DEFLECTOR 5R/6R/8R LH             | 1   |
| 72   | 303886   | RUBBER-ROLLER STONE DEFLECTOR                 | 2   |
| 73   | 304023   | PLATE-DEFLECTOR BACKING                       | 2   |
| 74   | 58679    | BOLT-CRG: .38 X 1.50 NC GR5 ZP                | 4   |
| 75   | 303424   | PLATE-SPROCKET SCRAPER MOUNT RH               | 1   |
| 76   | 303425   | PLATE-SPROCKET SCRAPER MOUNT LH (NOT SHOWN)   | 1   |
| 77   | 303426   | PLATE-SPROCKET SCRAPER                        | 2   |



| <b>BOOM EXTENSION 30" 50MM/56MM (OPTIONAL)</b> |                 |                                     |            |
|------------------------------------------------|-----------------|-------------------------------------|------------|
| <b>ITEM</b>                                    | <b>PART NO.</b> | <b>DESCRIPTION</b>                  | <b>QTY</b> |
| 1                                              | 64192           | STAND OFF                           | 6          |
| 2                                              | 53854           | BOGIE WHEEL 4"                      | 2          |
| 3                                              | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP      | 6          |
| 4                                              | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP          | 10         |
| 5                                              | 53825           | BOGIE WHEEL 5"                      | 4          |
| 6                                              | 68708           | WLDMT-BOOM EXTENSION                | 1          |
| 7                                              | 1011606         | BOLT-HEX: .50 X 1.25 NC GR5 ZP      | 8          |
| 8                                              | 302241          | WLDMT-BOOM RISER EXT. RAIL          | 2          |
| 9                                              | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP          | 12         |
| 10                                             | 66943           | FTG-ADAPTER: 12FJ-8MJ               | 2          |
| 11                                             | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP      | 4          |
| 12                                             | 301717          | HARNESS-EXTENSION: 32" 2 WRE        | 2          |
| 13                                             | 68077           | BELT-50MM: .50 X 42 X 30LPR         | 1          |
|                                                | 68076           | BELT-56MM: .50 X 42 X 27LPR         |            |
|                                                | 301836          | BELT-56MM ELEVATOR EXT DOUBLE       |            |
|                                                | 301812          | BELT-50MM ELEVATOR EXT DOUBLE       |            |
|                                                | 304003          | BELT-55MM HP ELEVATOR EXT 2300-2500 |            |
| 14                                             | 44165           | HOSE: .75 X 030 12FJX-12MJ          | 2          |
| 15                                             | 1014443         | WASHER-FLAT: .50 ZP                 | 17         |
| 16                                             | 68710           | PLATE-BOOM SUPPORT SPACER           | 2          |
| 17                                             | 1014349         | BOLT-HEX: .63 X 1.50 NC GR5 ZP      | 4          |
| 18                                             | 304025          | FTG-ADAPTER: 12MJ-8FJ               | 2          |



| <b>BOOM EXTENSION 42" 56MM (OPTIONAL)</b> |                 |                                        |            |
|-------------------------------------------|-----------------|----------------------------------------|------------|
| <b>ITEM</b>                               | <b>PART NO.</b> | <b>DESCRIPTION</b>                     | <b>QTY</b> |
| 1                                         | 301090          | WLDMT- BOOM EXTENSION Ø1.75 SHAFT LONG | 1          |
| 2                                         | 1011606         | BOLT-HEX: .50 X 1.25 NC GR5 ZP         | 8          |
| 3                                         | 1014443         | WASHER-FLAT: .50 ZP                    | 17         |
| 4                                         | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP             | 12         |
| 5                                         | 1014349         | BOLT-HEX: .63 X 1.50 NC GR5 ZP         | 4          |
| 6                                         | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP             | 10         |
| 7                                         | 53854           | BOGIE WHEEL 4"                         | 2          |
| 8                                         | 64192           | STAND OFF                              | 6          |
| 9                                         | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP         | 6          |
| 10                                        | 68710           | PLATE-BOOM SUPPORT SPACER              | 2          |
| 11                                        | 53825           | BOGIE WHEEL 5"                         | 4          |
| 12                                        | 302242          | PLATE-BOOM RAILING-42" BOOM EXT        | 2          |
| 13                                        | 302781          | HARNESS-EXTENSION 44" 2 WIRE DEUTSCH   | 2          |
| 14                                        | 59032           | FTG-ADAPTER: 12MJ-12MJ                 | 2          |
| 15                                        | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP         | 4          |
| 16                                        | 59804           | HOSE: .75 X 045 12FJX-12FJX            | 2          |
| 17                                        | 301106          | BELT-56MM ELEVATOR EXTENSION 38 LPR    | 1          |
| 18                                        | 66943           | FTG-ADAPTER: 12FJ-8MJ                  | 2          |
| 19                                        | 304025          | FTG-ADAPTER: 12MJ-8FJ                  | 2          |



# REAR SCRUB



| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 300402   | WLDMT-REAR SCRUB PANEL RH             | 1   |
| 2    | 64192    | STAND OFF                             | 28  |
| 3    | 53825    | BOGIE WHEEL 5"                        | 40  |
| 4    | 1013068  | BOLT-HEX: .63 X 6.00 NC GR5 ZP        | 28  |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 64  |
| 6    | 57916    | BAR-STRIPPER                          | 1   |
| 7    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP        | 2   |
| 8    | 1014443  | WASHER-FLAT: .50 ZP                   | 28  |
| 9    | 1011577  | NUT-HEX: .50 NC GR2 ZP                | 14  |
| 10   | 52405    | PILLOW BLOCK BEARING 1.75             | 4   |
| 11   | 52382    | SEAL PROTECTOR 1.75                   | 4   |
| 12   | 1011609  | BOLT-HEX: .50 X 2.00 NC GR5 ZP        | 4   |
| 13   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP            | 10  |
| 14   | 1011610  | BOLT-HEX: .50 X 2.50 NC GR5 ZP        | 4   |
| 15   | 1011581  | WASHER-LOCK: .50 ZP                   | 2   |
| 16   | 68650    | SHAFT-HEAD 1.75                       | 2   |
| 17   | 68655    | TIGHTENER-ZP                          | 2   |
| 18   | 53945    | TRIANGLE FLANGETTE                    | 24  |
| 19   | 53944    | BEARING-INSERT 1" WITH LOCKING COLLAR | 12  |
| 20   | 1017255  | BOLT-CRG: .31 X 1.00                  | 36  |
| 21   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP            | 36  |
| 22   | 53401    | WLDMT-PENDULUM                        | 6   |
| 23   | 64253    | SPACER ZP                             | 12  |
| 24   | 1017526  | BOLT-HEX: .63 X 2.25 NC GR5 ZP        | 12  |
| 25   | 1012975  | KEY .250 X .250 X 1.250               | 12  |
| 26   | 69390    | BOLT-HEX: .63 X 2.50 NC GR5 ZP FULL   | 8   |
| 27   | 1026259  | NUT-JAM: .63 NC GR2 ZP                | 16  |
| 28   | 50718    | ARM-ZP                                | 12  |
| 29   | 50813    | SCREW-SET: SQ HD .38 X 1.00 ZP        | 12  |
| 30   | 1013519  | NUT-JAM: .38 NC GR2 ZP                | 12  |
| 31   | 65658    | U-BOLT: .50 X 3 X 2.063 X 3           | 2   |
| 32   | 53159    | SPRING                                | 12  |
| 33   | 57937    | CHAIN-LINK: .19 X 8.00 (NOT SHOWN)    | 4   |
| 34   | 57938    | CHAIN-LINK: .19 X 20.00 (NOT SHOWN)   | 2   |
| 35   | 57939    | CHAIN-LINK: .19 X 24.00 (NOT SHOWN)   | 4   |
| 36   | 57940    | CHAIN-LINK: .19 X 30.00               | 2   |
| 37   | 62896    | ROD-SCRUB CLEANER                     | 1   |
| 38   | 1012634  | WASHER-FLAT: SAE .75 ZP               | 2   |
| 39   | 1011984  | PIN-COTTER: .16 X 1.50 ZP             | 2   |
| 40   | 1017248  | TIE, CABLE                            | 4   |

CONTINUED




## REAR SCRUB (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                     | QTY |
|------|----------|---------------------------------|-----|
| 41   | 1016598  | BOLT- HEX: .75 X 2.50 NC GR5 ZP | 12  |
| 42   | 1017000  | NUT-TOPLOCK: .75 NC             | 12  |
| 43   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP  | 8   |
| 44   | 73127    | PLATE-SCRUB EXT.-SIDE           | 2   |
| 45   | 58898    | PLATE-SCRUB EXT-REAR            | 1   |
| 46   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP  | 6   |
| 47   | 54805    | REAR SCRUB EXTENSION RH         | 1   |
| 48   | 54778    | REAR SCRUB EXTENSION LH         | 1   |
| 49   | 56754    | PIPE-THREADED                   | 1   |
| 50   | 56773    | PIPE-PLASTIC                    | 1   |
| 51   | 1011813  | WASHER-LOCK: .63 ZP             | 2   |
| 52   | 300401   | WLDMT-REAR SCRUB PANEL LH       | 1   |
| 53   | 1013024  | WASHER-FLAT: .63 ZP             | 16  |
| 54   | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP  | 16  |
| 55   | 300403   | WLDMT-CROSS TUBE                | 4   |





| <b>REAR SCRUB: BELTED CHAIN 56MM</b>               |                 |                                        |            |
|----------------------------------------------------|-----------------|----------------------------------------|------------|
| <b>ITEM</b>                                        | <b>PART NO.</b> | <b>DESCRIPTION</b>                     | <b>QTY</b> |
| 1                                                  | 68651           | SPROCKET-SPLIT 56MM 12T Ø1.75          | 2          |
|                                                    | 68667*          | SPROCKET-56MM 14T URETHANE (OUTSIDE)   | 2          |
| 2                                                  | 54824           | SPROCKET-IDLER 56MM                    | 2          |
| 3                                                  | 62932           | PLATE-SHIM .50 ZP                      | 10         |
| 4                                                  | 54042           | ROLLER-STEP 6"                         | 10         |
| 5                                                  | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP         | 2          |
| 6                                                  | 1013816         | BOLT-HEX: .63 X 5.00 NC GR5 ZP         | 10         |
| 7                                                  | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP             | 12         |
| 8                                                  | 53842           | BELT-56MM OUTSIDE SCRUB 6R/8R          | 1          |
| 9                                                  | 62141           | BELT-56MM INSIDE SCRUB 6R/8R           | 1          |
| 10                                                 | 68651           | SPROCKET-SPLIT 56MM 12T Ø1.75 (INSIDE) | 2          |
| 11                                                 | 50152           | KEY .375 X .375 X 2.000 (NOT SHOWN)    | 4          |
|                                                    | 58201*          | KEY .375 X .375 X 3.000 (NOT SHOWN)    |            |
| <b>REAR SCRUB: BELTED CHAIN 56MM FLANGE ROLLER</b> |                 |                                        |            |
| <b>ITEM</b>                                        | <b>PART NO.</b> | <b>DESCRIPTION</b>                     | <b>QTY</b> |
| 1                                                  | 68651           | SPROCKET-SPLIT 56MM 12T Ø1.75          | 2          |
| 2                                                  | 59057           | ROLLER-RUBBER FLANGE 6.5"              | 2          |
| 3                                                  | 1013024         | WASHER-FLAT: .63 ZP                    | 20         |
| 4                                                  | 59057           | ROLLER-RUBBER FLANGE 6.5"              | 8          |
| 5                                                  | 65825           | BOLT-HEX: .63 X 3.25 NC GR5 ZP         | 2          |
| 6                                                  | 65825           | BOLT-HEX: .63 X 3.25 NC GR5 ZP         | 8          |
| 7                                                  | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP             | 10         |
| 8                                                  | 53842           | BELT-56MM OUTSIDE SCRUB 6R/8R          | 1          |
| 9                                                  | 62141           | BELT-56MM INSIDE SCRUB 6R/8R           | 1          |
| 10                                                 | 68651           | SPROCKET-SPLIT 56MM 12T Ø1.75          | 2          |
| 11                                                 | 50152           | KEY .375 X .375 X 2.000 (NOT SHOWN)    | 4          |
| <b>REAR SCRUB: BELTED CHAIN 50MM</b>               |                 |                                        |            |
| 1                                                  | 68657           | SPROCKET-SPLIT 50MM 14T Ø1.750         | 2          |
| 2                                                  | 63813           | SPROCKET-IDLER 50MM 10T                | 2          |
| 3                                                  | 62932           | PLATE-SHIM .50 ZP                      | 10         |
| 4                                                  | 54042           | ROLLER-STEP 6"                         | 10         |
| 5                                                  | 1013068         | BOLT-HEX: .63 X 6.00 NC GR5 ZP         | 2          |
| 6                                                  | 1013816         | BOLT-HEX: .63 X 5.00 NC GR5 ZP         | 10         |
| 7                                                  | 1016595         | NUT-TOPLOCK: .63 NC GR5 ZP             | 12         |
| 8                                                  | 63815           | BELT-50MM OUTSIDE SCRUB 6R/8R          | 1          |
| 9                                                  | 63814           | BELT-50MM INSIDE SCRUB 6R/8R           | 1          |
| 10                                                 | 68657           | SPROCKET-SPLIT 50MM 14T Ø1.750         | 2          |
| 11                                                 | 58201           | KEY .375 X .375 X 3.000 (NOT SHOWN)    | 4          |

\* Urethane option only




## REAR SCRUB: G1 55MM BELTED CHAIN HP ASSEMBLY #302847

| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 302907   | WLDMT-IN TANK HEADSHAFT MOUNT RH      | 1   |
| 2    | 302906   | WLDMT-IN TANK HEADSHAFT MOUNT LH      | 1   |
| 3    | 302873   | SPROCKET-SPLIT 55MM 12T HP BELT DRIVE | 4   |
| 4    | 58201    | KEY .375 X .375 X 3.000               | 4   |
| 5    | 56754    | ROD-THREADED                          | 1   |
| 6    | 56773    | PIPE-PLASTIC                          | 1   |
| 7    | 302911   | PLATE-HEADSHAFT SLOT FILLER           | 2   |
| 8    | 302912   | PLATE-HEADSHAFT BOGIE REPLACEMENT     | 2   |
| 9    | 303336   | PLATE-SCRAPER                         | 8   |
| 10   | 303335   | PLATE-SCRAPER MOUNT RH                | 4   |
| 11   | 303338   | PLATE-SCRAPER MOUNT LH                | 4   |
| 12   | 72063    | BOLT-CRG: .63 X 1.50 NC GR5 ZP        | 16  |
| 13   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP            | 50  |
| 14   | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP        | 2   |
| 15   | 1011813  | WASHER-LOCK: .63 ZP                   | 2   |
| 16   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP        | 10  |
| 17   | 1014443  | WASHER-FLAT: .50 ZP                   | 24  |
| 18   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP            | 22  |
| 19   | 59488    | BOLT-CRG: .38 X 1.00 NC GR5 ZP        | 16  |
| 20   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP            | 24  |
| 21   | 1011828  | WASHER-FLAT: .38 ZP                   | 16  |
| 22   | 1011586  | WASHER-LOCK: .38 ZP                   | 16  |
| 23   | 1011576  | NUT-HEX: .38 NC GR2 ZP                | 16  |
| 24   | 1016362  | BOLT-CRG: .38 X 1.25 NC GR5 ZP        | 16  |
| 25   | 303675   | SHAFT-HEAD Ø1.750 HP DRIVE            | 2   |




**REAR SCRUB: G1 55MM BELTED CHAIN HP #302847**

| ITEM | PART NO. | DESCRIPTION                             | QTY |
|------|----------|-----------------------------------------|-----|
| 1    | 302873   | SPROCKET-SPLIT 55MM 12T HP BELT DRIVE   | 4   |
| 2    | 310821   | ROLLER-RUBBER LARGE FLANGE              | 6   |
| 3    | 303333   | PLATE-FLANGE ROLLER SPACER              | 12  |
| 4    | 1030702  | WASHER-FLAT: .75 ZP                     | 8   |
| 5    | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP              | 8   |
| 6    | 310822   | ROLLER-RUBBER LARGE                     | 2   |
| 7    | 58368    | BOLT-HEX: .75 X 5.00 NC GR5 ZP          | 8   |
| 8    | 302871   | BELT-55MM HIGH PROFILE INSIDE SCRUB G1  | 1   |
| 9    | 302872   | BELT-55MM HIGH PROFILE OUTSIDE SCRUB G1 | 1   |




| <b>REAR SCRUB DRIVE: SINGLE MOTOR</b> |                 |                                        |            |
|---------------------------------------|-----------------|----------------------------------------|------------|
| <b>ITEM</b>                           | <b>PART NO.</b> | <b>DESCRIPTION</b>                     | <b>QTY</b> |
| 1                                     | 58102           | WLDMT-MOTOR BRACKET                    | 1          |
| 2                                     | 62103           | WLDMT-GEARBOX MOUNT                    | 1          |
| 3                                     | 58987           | MOTOR-HYDRAULIC 20.6IN^3/REV           | 1          |
|                                       | 57880           | SEAL KIT FOR 58387                     |            |
| 4                                     | 1014443         | WASHER-FLAT: .50 ZP                    | 4          |
| 5                                     | 1011606         | BOLT-HEX: .50 X 1.25 NC GR5 ZP         | 5          |
| 6                                     | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP             | 17         |
| 7                                     | 1011608         | BOLT-HEX: .50 X 1.75 NC GR5 ZP         | 2          |
| 8                                     | 62125           | SPROCKET-8019X 1.25 BORE .313 KEY      | 1          |
| 9                                     | 50335           | HUB Q1 1.75                            | 2          |
| 10                                    | 63876           | TENSIONER ZP                           | 1          |
| 11                                    | 1011577         | NUT-HEX: .50 NC GR2 ZP                 | 2          |
| 12                                    | 56334           | SPROCKET-IDLER 8012                    | 1          |
| 13                                    | 58086           | SPACER-CHAIN IDLER ZP                  | 1          |
| 14                                    | 59051           | SPROCKET H80-Q30                       | 1          |
| 15                                    | 59052           | SPROCKET H80-Q32                       | 1          |
| 16                                    | 1012059         | BOLT- HEX: .75 X 3.00 NC GR5 ZP        | 1          |
| 17                                    | 68784           | CHAIN-ROLLER 80-1R-114                 | 1          |
| 18                                    | 50152           | KEY .38 X .38 X 2.00                   | 2          |
| 19                                    | 1011620         | NUT-HEX: .75 NC GR2 ZP                 | 1          |
| 20                                    | 59043           | FTG-ADAPTER: 10MB-12MJ                 | 2          |
| 21                                    | 301266          | VALVE-FLOW CONTROL- 12FB               | 1          |
|                                       | 301375          | SEAL KT-VALVE FLOW CONTROL #301266     |            |
| 22                                    | 1030766         | BOLT-HEX: .25 X 4.00 NC GR5 ZP         | 2          |
| 23                                    | 1020416         | WASHER-FLAT: .25 ZP                    | 14         |
| 24                                    | 1030946         | NUT-TOPLOCK: .25 NC GR5 ZP             | 2          |
| 25                                    | 65918           | FTG-ADAPTER: 12MB-12MJ                 | 3          |
| 26                                    | 59041           | FTG-ELBOW: 12MJ-12FJX-90               | 3          |
| 27                                    | 59888           | FTG-TEE: 12MJ-12FJX-12MJ               | 1          |
| 28                                    | 59184           | BRACKET-HOSE ZP                        | 1          |
| 29                                    | 65658           | U-BOLT: .50 X 3.00 X 2.06 X 3.00       | 1          |
| 30                                    | 63753           | CLAMP .75 ZP                           | 3          |
| 31                                    | 59182           | BRACKET-HOSE ZP                        | 2          |
| 32                                    | 54653           | U-BOLT: .50 X 3.25 X 4.00 X 3.25       | 2          |
| 33                                    | 1011725         | BOLT-HEX: .38 X 2.00 NC GR5 ZP         | 3          |
| 34                                    | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP             | 7          |
| 35                                    | 58396           | KEY .313 X .313 X 1.750                | 1          |
| 36                                    | 59895           | HOSE: .75 X 173 12FJX-12FJX (8R-FRAME) | 2          |
|                                       | 59036           | HOSE: .75 X 152 12FJX-12FJX (6R-FRAME) |            |
| 37                                    | 59801           | HOSE: .75 X 74 12FJX-12FJX             | 1          |
| 38                                    | 59035           | HOSE: .75 X 66 12FJX-12FJX             | 1          |

CONTINUE




**REAR SCRUB DRIVE: SINGLE MOTOR (CONTINUED)**

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 39   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP | 4   |
| 40   | 1012061  | WASHER-LOCK: .75 ZP            | 1   |
| 41   | 69020    | WLDMT-BRACKET FLOW CONTROL     | 1   |
| 42   | 59881    | BRACKET-BOLT PLATE             | 4   |
| 43   | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 4   |
| 44   | 59463    | SPACER ZP                      | 2   |




| <b>REAR SCRUB DRIVE: DUAL MOTOR</b> |                 |                                          |            |
|-------------------------------------|-----------------|------------------------------------------|------------|
| <b>ITEM</b>                         | <b>PART NO.</b> | <b>DESCRIPTION</b>                       | <b>QTY</b> |
| 1                                   | 68654           | PLATE-MOTOR MOUNT                        | 2          |
| 2                                   | 303352          | PLATE-SCRUB MOTOR MOUNT                  | 2          |
| 3                                   | 57686           | MOTOR-HYDRAULIC 32.3IN <sup>3</sup> /REV | 2          |
|                                     | 57880           | SEAL KIT FOR 57686                       |            |
| 4                                   | 68663           | COUPLING-DRIVE 1.25"-1.75"               | 2          |
| 5                                   | 50152           | KEY .38 X .38 X 2.00                     | 2          |
| 6                                   | 1011607         | BOLT-HEX: .50 X 1.50 NC GR5 ZP           | 4          |
| 7                                   | 1014443         | WASHER-FLAT: .50 ZP                      | 8          |
| 8                                   | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP               | 14         |
| 9                                   | 72811           | FTG-ELBOW: 12MJ-10MB-45                  | 4          |
| 10                                  | 59184           | BRACKET-HOSE ZP                          | 1          |
| 11                                  | 59182           | BRACKET-HOSE ZP                          | 2          |
| 12                                  | 54653           | U-BOLT: .50 X 3.25 X 4.00 X 3.25         | 2          |
| 13                                  | 68053           | KT-ACTUATOR CONTROL & CABLE              | 1          |
| 14                                  | 63753           | CLAMP-HOSE 3/4" ZP                       | 6          |
| 15                                  | 58176           | BOLT-HEX: .38 X 3.50 NC GR5 ZP           | 3          |
| 16                                  | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP               | 3          |
| 17                                  | 65658           | U-BOLT: .50 X 3.00 X 2.06 X 3.00         | 1          |
| 18                                  | 59068           | HOSE: .75 X 144 12FJX-12FJX              | 3          |
| 19                                  | 59069           | HOSE: .75 X 138 12FJX-12FJX              | 1          |
| 20                                  | 63473           | HOSE: .75 X 19 12FJX-12FJX               | 1          |
| 21                                  | 1011608         | BOLT-HEX: .50 X 1.75 NC GR5 ZP           | 4          |
| 22                                  | 59035           | HOSE: .75 X 66 12FJX-12FJX               | 1          |
| 23                                  | 59801           | HOSE: .75 X 74 12FJX-12FJX               | 1          |
| 24                                  | 303791          | SCREW-SET: KNUURL .38 X .38 NC GR8       | 2          |



## REAR SCRUB DRIVE: DUAL MOTOR - TRACTOR DRIVE


| ITEM | PART NO. | DESCRIPTION                              | QTY |
|------|----------|------------------------------------------|-----|
| 1    | 63846    | GEARBOX-PRARIE (1.81:1) 905 (BLACK)      | 1   |
| 2    | 1011813  | WASHER-LOCK: .63 ZP                      | 4   |
| 3    | 1032509  | BOLT-HEX: .63 X 1.25 NC GR5 ZP           | 4   |
| 4    | 69128    | FTG-ADAPTER: 8MP-8MP 4" LONG             | 1   |
| 5    | 55730    | FTG-ADAPTER: 8FP-8FP                     | 1   |
| 6    | 56819    | SHAFT-DRIVE 6R                           | 1   |
| 7    | 50152    | KEY .375 X .375 X 2.000                  | 4   |
| 8    | 50335    | HUB Q1 1-3/4"                            | 1   |
| 9    | 62034    | SPROCKET H80-P12                         | 1   |
| 10   | 53641    | HUB P1 1-3/4" (WITH KEY)                 | 1   |
| 11   | 68654    | PLATE-MOTOR MOUNT                        | 2   |
| 12   | 303352   | PLATE-SCRUB MOTOR MOUNT                  | 2   |
| 13   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP           | 4   |
| 14   | 1014443  | WASHER-FLAT: .50 ZP                      | 8   |
| 15   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP               | 14  |
| 16   | 57686    | MOTOR-HYDRAULIC 32.3IN <sup>3</sup> /REV | 2   |
| 17   | 1011608  | BOLT-HEX: .50 X 1.75 NC GR5 ZP           | 4   |
| 18   | 68663    | COUPLING-DRIVE 1.25"-1.75"               | 2   |
| 19   | 303791   | SCREW-SET: KNUURL .38 X .38 NC GR8       | 2   |
| 20   | 304191   | ASSY-TRACTOR HYD COUPLERS (PURPLE)       | 1   |
| 21   | 319333   | FTG-ADAPTER: 8MB-12FB                    | 2   |
| 22   | 1011576  | NUT-HEX: .38 NC GR2 ZP                   | 6   |
| 23   | 333054   | HOSE: .75 X 138 12MB-12FJX               | 2   |
| 24   | 302997   | VALVE-RELIEF 2500PSI                     | 1   |
| 25   | 303823   | PLATE-PRESSURE RELIEF VALVE MOUNT        | 1   |
| 26   | 1016853  | BOLT-HEX: .25 X 1.75 NC GR5 ZP           | 2   |
| 27   | 1020416  | WASHER-FLAT: .25 ZP                      | 2   |
| 28   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP               | 4   |
| 29   | 64060    | FTG-ELBOW: 12MB-12MJ-90                  | 1   |
| 30   | 301173   | FTG-ADAPTER: 12MJ-12FJX W/4FB            | 1   |
| 31   | 301175   | GAUGE-PRESSURE: 1/4" MB 3000PSI          | 1   |
| 32   | 65918    | FTG-ADAPTER: 12MB-12MJ                   | 4   |
| 33   | 66248    | FTG-TEE: 12MB-12MJ-12MJ                  | 1   |
| 34   | 304065   | HOSE: .75 X 047 12FJX-12FJX              | 1   |
| 35   | 59802    | HOSE: .75 X 052 12FJX-12FJX              | 1   |
| 36   | 59053    | FTG-TEE: 12MJ-12MJ-12FJX                 | 2   |
| 37   | 68179    | VALVE-CHECK: 12MJ-12MJ                   | 1   |
| 38   | 304066   | HOSE: .75 X 188 12FJX-12FJX              | 1   |
| 39   | 72811    | FTG-ELBOW: 12MJ-10MB-45                  | 4   |
| 40   | 304069   | HOSE: .75 X 142 12FJX-12FJX              | 1   |
| 41   | 59041    | FTG-ELBOW: 12MJ-12FJX-90                 | 4   |

CONTINUED




## REAR SCRUB DRIVE: DUAL MOTOR - TRACTOR DRIVE (CONTINUED)

| ITEM | PART NO. | DESCRIPTION                        | QTY |
|------|----------|------------------------------------|-----|
| 42   | 301266   | VALVE-FLOW CONTROL - 12FB          | 1   |
| 43   | 68092    | WLDMT-BRACKET FLOW CONTROL         | 1   |
| 44   | 59881    | BRACKET-BOLT PLATE                 | 4   |
| 45   | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP     | 7   |
| 46   | 1014608  | WASHER-FLAT: SAE .38 ZP            | 8   |
| 47   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP         | 7   |
| 48   | 59463    | SPACER ZP                          | 2   |
| 49   | 304224   | PLATE-2ND FLOW CONTROL PIN STOP ZP | 1   |
| 50   | 54314    | PIN-ROLL: .19 X .75 ZP             | 2   |
| 51   | 58875    | BOLT-HEX: .25 X 4.50 NC GR5 ZP     | 2   |
| 52   | 0100979  | WASHER-FLAT: SAE .25 ZP            | 8   |
| 53   | 59068    | HOSE: .75 X 144 12FJX-12FJX        | 1   |
| 54   | 304068   | HOSE: .75 X 136 12FJX-12FJX        | 1   |
| 55   | 59888    | FTG-TEE: 12MJ-12FJX-12MJ           | 1   |
| 56   | 304067   | HOSE: .75 X 146 12FJX-12FJX        | 1   |
| 57   | 59184    | BRACKET-HOSE ZP                    | 1   |
| 58   | 65658    | U-BOLT: .500 X 3.00 2.06 X 3.00 ZP | 1   |
| 59   | 59182    | BRACKET-HOSE ZP                    | 2   |
| 60   | 54653    | U-BOLT: .500 X 3.25 X 4.00 X 3.25  | 2   |
| 61   | 63753    | CLAMP-HOSE: .75 ZP                 | 12  |
| 62   | 330045   | STUD-.375-16 X 2.00 ZP             | 6   |
| 63   | 1011586  | WASHER-LOCK: .38 ZP                | 6   |



| <b>STANDARD REAR STRUTS 11.2 X 24</b> |                 |                                     |            |
|---------------------------------------|-----------------|-------------------------------------|------------|
| <b>ITEM</b>                           | <b>PART NO.</b> | <b>DESCRIPTION</b>                  | <b>QTY</b> |
| 1                                     | 300135          | VLDMT-MOUNT ADJ 11.2-24 UNIVERSAL   | 1          |
| 2                                     | 69204           | VLDMT-STRUT UNIVERSAL ADJ 11.2 X 24 | 1          |
| 3                                     | 64143           | BAR - BOLTING                       | 4          |
| 4                                     | 52954*          | SPINDLE-STANDARD                    | 1          |
| 5                                     | 59045           | SCRAPER                             | 2          |
| 6                                     | 54393*          | 7600-6 STUD-HUB BOLT                | 8          |
| 7                                     | 301490          | SELF TAPPING GREASE FITTING         | 1          |
| 8                                     | 1011748         | ZERK-GREASE: .25 UNF STRAIGHT       | 1          |
| 9                                     | 1011618         | BOLT-HEX: .50 X 5.00 NC GR5 ZP      | 2          |
| 10                                    | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP          | 10         |
| 11                                    | 64145           | BOLT-HEX: 1.13 X 8.00 NC GR8 ZP     | 8          |
| 12                                    | 64147           | WASHER-LOCK: 1.13 ZP                | 8          |
| 13                                    | 64146           | NUT-HEX: 1.13 NC GR2 ZP             | 8          |
| 14                                    | 53623*          | HUB-WHEEL 8 BOLT                    | 1          |
| 15                                    | 1030728*        | WASHER-SPINDLE: 1.06ID X 2.13OD     | 1          |
| 16                                    | 1030726*        | NUT-SPINDLE: 1.00 NF NP             | 1          |
| 17                                    | 1030797*        | PIN-COTTER: .19 X 1.75 NP           | 1          |
| 18                                    | 53619*          | SEAL                                | 1          |
| 19                                    | 53621*          | BEARING CONE-INNER                  | 1          |
| 20                                    | 53622*          | BEARING CUP-INNER                   | 1          |
| 21                                    | 52243*          | BEARING CUP-OUTER                   | 1          |
| 22                                    | 53620*          | BEARING CONE-OUTER                  | 1          |
| 23                                    | 53624*          | HUB CAP                             | 1          |
| 24                                    | 56986           | TIRE-MNTD: 11.2-24 10 PLY R1 RH     | 1          |
|                                       | 56903           | WHEEL W10 X 24 8 BOLT (1.88 POS)    |            |
|                                       | 56976           | TIRE 11.2-24 10 PLY R1              |            |
|                                       | 68973           | TUBE-REPAIR 11.2-24                 |            |
| 25                                    | 63992           | TIRE-MNTD: 11.2-24 10 PLY R1 LH     | 1          |
|                                       | 56903           | WHEEL W10 X 24 8 BOLT (1.88 POS)    |            |
|                                       | 56976           | TIRE 11.2-24 10 PLY R1              |            |
|                                       | 68973           | TUBE-REPAIR 11.2-24                 | AR         |
| 26                                    | 53625*          | NUT-WHEEL: .63-18NF                 | 8          |
| 27                                    | 1016718         | BOLT-HEX: .75 X 6.50 NC GR5 ZP      | 2          |
| 28                                    | 1017000         | NUT-TOPLOCK: .75 NC GR5 ZP          | 2          |
| 29                                    | 53167           | ASSY-HUB & SPINDLE 8-BOLT           | 2          |
| 30                                    | 303969          | DECAL-TIRE 11.2-24                  | 1          |
| 31                                    | 73368           | WASHER-FLAT: 1.75 ZP                | 2          |
| 32                                    | 73369           | ROLL PIN: .38 X 3.50 ZP             | 2          |
| 33                                    | 301238          | PIN-STRUT REAR ADJ                  | 1          |
| 34                                    | 1032524         | BOLT-HEX: .50 X 4.00 NC GR5 ZP      | 1          |


CONTINUED



| <b>STANDARD REAR STRUTS (CONTINUED)</b> |                 |                                              |            |
|-----------------------------------------|-----------------|----------------------------------------------|------------|
| <b>ITEM</b>                             | <b>PART NO.</b> | <b>DESCRIPTION</b>                           | <b>QTY</b> |
| 35                                      | 72950           | CYLINDER-HYDRAULIC 4 X 10                    | 1          |
|                                         | 301315          | SEAL KT-CYL 4 X 8, 4 X 10 3000PSI UNIVERSAL  |            |
|                                         | 73421           | CYLINDER-HYD 4 X 10-3000-0° ADC              |            |
|                                         | 73629           | SEAL KIT FOR 73421                           |            |
| 36                                      | 50714           | CLAMP .50 ZP                                 | 6          |
| 37                                      | 1011586         | WASHER-LOCK: .38 ZP                          | 6          |
| 38                                      | 1011600         | BOLT-HEX: .38 X 1.00 NC GR5 ZP               | 6          |
| 39                                      | 304190          | ASSY-TRACTOR HYD COUPLERS (SILVER) (LH SIDE) | 1          |
|                                         | 304185          | ASSY-TRACTOR HYD COUPLERS (RED) (RH SIDE)    | 1          |
| 40                                      | 58560           | FTG-ELBOW: 8MB-8MJ-90                        | 2          |
| 41                                      | 66596           | HOSE: .50 X 320 8FJX-8MB                     | 1          |
| 42                                      | 67670           | HOSE: .50 X 312 8MB-8FJX                     | 1          |
| 43                                      | 301237          | BUSHING-SPRING 2.00 X 1.75 X 1.50            | 2          |
| 44                                      | 69206**         | WLDMT-STRUT RH STD 11.2-24                   | 1          |
| 45                                      | 302551**        | WLDMT-UNIVERSAL SPINDLE MOUNT                | 1          |
| 46                                      | 1016598**       | BOLT-HEX: .75 X 2.50 NC GR5 ZP               | 6          |
| 47                                      | 1012061**       | WASHER-LOCK: .75 ZP                          | 6          |
| 48                                      | 1011620**       | NUT-HEX: .75 NC GR2 ZP                       | 6          |

\* ITEMS INCLUDED IN ITEM 29


\*\* ITEMS ARE INCLUDED ONLY IN STANDARD STRUT OPTION



## REAR STRUT STD ADJ 23.5/55-26

| ITEM | PART NO. | DESCRIPTION                                             | QTY |
|------|----------|---------------------------------------------------------|-----|
| 1    | 73445    | WLDMT-STRUT LH UPPER 23.5                               | 1   |
|      | 73469    | WLDMT-STRUT RH UPPER 23.5 (NOT SHOWN)                   | 1   |
| 2    | 301807   | ASSY-STRUT LH LOWER W/CUPS PAINTED                      | 1   |
|      | 301808   | ASSY-STRUT RH LOWER W/CUPS PAINTED (NS)                 | 1   |
| 3    | 73466    | BUSHING-SPRING 2.25 X 2.0 X 2.0 L (REF)                 | 2   |
| 4    | 73369    | PIN-ROLL: .38 X 3.50 ZP                                 | 1   |
| 5    | 35519-1* | ASSY-SPINDLE: 3.13 X 14.5 CRS                           | 1   |
| 6    | 35343    | ASSY-LH TIRE & WHEEL 23.5/55-26                         | 1   |
|      | 35344    | ASSY-RH TIRE & WHEEL 23.5/55-26 (NOT SHOWN)             | 1   |
|      | 35345    | TIRE 23.5/55-26                                         | 1   |
|      | 35346    | WHEEL 26X20 WDE 10 BOLT (SILVER)                        | 1   |
| 7    | 1011618  | BOLT-HEX: .50 X 5.00 NC GR5 ZP                          | 1   |
| 8    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                              | 1   |
| 9    | 1011748* | ZERK - GREASE                                           | 2   |
| 10   | 64143    | BAR - BOLTING                                           | 4   |
| 11   | 302426   | BOLT-HEX: 1.125 X 8.50 NC GR8 ZP                        | 8   |
| 12   | 64147    | WASHER-LOCK: 1.125 ZP                                   | 8   |
| 13   | 64146    | NUT-HEX: 1.125 NC GR2 ZP                                | 8   |
| 14   | 59045    | SCRAPER                                                 | 1   |
| 15   | 1016598  | BOLT- .75 X 2.50 NC GR5 ZP                              | 2   |
| 16   | 1017000  | NUT-TOPLOCK: .75 NC GR5 ZP                              | 2   |
| 17   | 301683   | SEAL-SINGLE TIRE STRUT                                  | 2   |
| 18   | 301677   | SEAL CAP 8R LOWER STRUT 23.5 ADC                        | 2   |
| 19   | 301672   | HUB CAP                                                 | 2   |
| 20   | 301803   | PLATE-SEAL CAP CLAMP                                    | 2   |
| 21   | 301804   | BOLT-CRG: .25 X 1.25 NC GR5 ZP                          | 4   |
| 22   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP                              | 4   |
| 23   | 301673   | BEARING CUP-INNER (TIMKEN 529)                          | 2   |
| 24   | 301678   | PIN-STRUT REAR ADJ 23.5 ADC W/BEARINGS HARDENED         | 1   |
| 25   | 301682   | PIN-COTTER: .313 X 3.5 ZP                               | 2   |
| 26   | 301685   | NUT-HEX: SLOT 2.00 UN GR2 NP                            | 2   |
| 27   | 301679   | WASHER-FLAT: 2.00 X 2.75 X .125                         | 2   |
| 28   | 1011607  | BOLT-HEX: .50 X 1.50 NC GR5 ZP                          | 1   |
| 29   | 1011581  | WASHER-LOCK: .50 ZP                                     | 1   |
| 30   | 35519-2* | ASSY-HUB 10 BOLT-11.25 BC-12000#                        | 1   |
| 31   | 301674   | BEARING CUP-OUTER (TIMKEN 520X)                         | 2   |
| 32   | 320143*  | SEAL- OIL                                               | 1   |
| 33   | 320144*  | BEARING-CONE OUTER                                      | 1   |
| 34   | 320145*  | BEARING-CONE INNER                                      | 1   |
| 35   | 320146*  | CAP-HUB                                                 | 1   |
| 36   | 320148*  | GASKET-CAP HUB                                          | 1   |
| 37   | 1011596* | BOLT-HEX: .31 X .50 NC GR5 ZP                           | 4   |
| 38   | 320147*  | NUT-WHEEL                                               | 10  |
| 39   | 35519    | ASSY-HUB&SPINDLE: 10-BOLT 12000#                        | 1   |
| 40   | 320140*  | BEARING CUP-INNER                                       | 2   |
| 41   | 320141*  | BEARING CUP-OUTER                                       | 2   |
| 42   | 303779   | ASSY-SINGLE STRUT 23.5 UPPER LH                         | 1   |
|      | 303780   | ASSY-SINGLE STRUT 23.5 UPPER RH                         | 1   |
| 43   | 303781   | ASSY-SINGLE STRUT 23.5 LOWER (LH - NON-ADC -- RH - ADC) | 1   |
|      | 303782   | ASSY-SINGLE STRUT 23.5 LOWER (RH - NON-ADC -- LH - ADC) | 1   |


\* ITEMS INCLUDED IN ITEM 39



## STEERABLE REAR STRUTS

| ITEM | PART NO. | DESCRIPTION                       | QTY |
|------|----------|-----------------------------------|-----|
| 1    | 58240    | WLDMT - STEERING ARM              | 2   |
| 2    | 58285    | WLDMT-STEERING HOUSING R.H.       | 1   |
| 3    | 58238    | WLDMT - KING PIN                  | 2   |
| 4    | 1011748  | ZERK - GREASE                     | 10  |
| 5    | 1033376  | BOLT-HEX: 1.0 x 8.50 NC GR8 ZP    | 2   |
| 6    | 1016969  | NUT-TOPLOCK: 1.00 NC GR5 ZP       | 4   |
| 7    | 58186    | WLDMT-TIE ROD RH                  | 1   |
| 8    | 64143    | BAR - BOLTING                     | 6   |
| 9    | 1032276  | BOLT-HEX: 1.0 x 3.50 NC GR8 ZP    | 2   |
| 10   | 57233    | WLDMT - MOUNT STANDARD            | 2   |
| 11   | 52954    | SPINDLE-STANDARD                  | 4   |
| 12   | 58374    | WLDMT-TIE ROD EXTENSION           | 1   |
| 13   | 58341    | WLDMT-TIE ROD                     | 1   |
| 14   | 58203    | WLDMT-TIE ROD LH                  | 1   |
| 15   | 58239    | WLDMT-STEERING HOUSING LH         | 1   |
| 16   | 59045    | SCRAPER                           | 4   |
| 17   | 1012059  | BOLT-HEX: .75 X 6.50 NC GR5 ZP    | 4   |
| 18   | 1017000  | NUT-TOPLOCK .75 NC GR5 ZP         | 4   |
| 19   | 64145    | BOLT-HEX: 1.125 X 8.00 NC GR8 ZP  | 12  |
| 20   | 64147    | WASHER-LOCK: 1.125 ZP             | 12  |
| 21   | 64146    | NUT-HEX: 1.125 NC GR2 ZP          | 12  |
| 22   | 1012059  | BOLT- .75 X 3.00 NC GR5 ZP        | 12  |
| 23   | 1012061  | WASHER-LOCK: .75 ZP               | 12  |
| 24   | 1011620  | NUT: .750 NC                      | 13  |
| 25   | 1011618  | BOLT-HEX: .50 X 5.00 NC GR5 ZP    | 4   |
| 26   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP        | 4   |
| 27   | 58123    | PLATE                             | 1   |
| 28   | 53619    | SEAL                              | 4   |
| 29   | 53621    | CONE-BEARING                      | 4   |
| 30   | 53622    | CUP-BEARING INNER                 | 4   |
| 31   | 53623    | HUB-WHEEL 8 BOLT                  | 4   |
| 32   | 52243    | BEARING CUP                       | 4   |
| 33   | 53620*   | BEARING-CONE                      | 4   |
| 34   | 53625*   | NUT-WHEEL: .63-18NF               | 32  |
| 35   | 1030726* | NUT-SPINDLE: 1.00 NF NP           | 4   |
| 36   | 1030728* | WASHER-SPINDLE: 1.06ID X 2.13OD   | 4   |
| 37   | 1030797* | PIN-COTTER: .19 X 1.75 NP         | 4   |
| 38   | 53624*   | HUB CAP                           | 4   |
| 39   | 56903    | WHEEL W10 X 24 8 BOLT (1.875 POS) | 4   |


CONTINUED



| <b>STEERABLE REAR STRUTS (CONTINUED)</b> |                 |                                                |            |
|------------------------------------------|-----------------|------------------------------------------------|------------|
| <b>ITEM</b>                              | <b>PART NO.</b> | <b>DESCRIPTION</b>                             | <b>QTY</b> |
| 40                                       | 56976           | TIRE 11.2-24 10 PLY R1                         | 4          |
|                                          | 68973           | TUBE-REPAIR 11.2-24 (NOT SHOWN)                | AR         |
| 41                                       | 1030704         | BOLT-HEX: .63 X 3.25 NC GR5 ZP                 | 1          |
| 42                                       | 1011578         | NUT-HEX: .63 NC GR2 ZP                         | 1          |
| 43                                       | 1030729         | NUT-HEX: 1.25 NC GR2 ZP LH                     | 1          |
| 44                                       | 1011621         | NUT-HEX: 1.25 NC GR2 ZP                        | 1          |
| 45                                       | 58890           | CYLINDER HYDRAULIC 3 X 8                       | 1          |
|                                          | 301314          | SEAL KIT FOR 58890 UNIVERSAL                   |            |
| 46                                       | 58560           | FTG-ELBOW: 8MB-8MJ-90                          | 2          |
| 47                                       | 53167           | ASSY-HUB & SPINDLE 8 BOLT                      | 2          |
| 48                                       | 300029          | HOSE: .50 X 276 8MB-8FJX                       | 1          |
| 49                                       | 304185          | ASSY-TRACTOR HYD COUPLERS (RED)                | 1          |
| 50                                       | 66604           | HOSE: .50 X 290 8FJX-8MB                       | 1          |
| 51                                       | 50714           | CLAMP 1/2" ZP                                  | 4          |
| 52                                       | 1011586         | WASHER-LOCK: .38 ZP                            | 4          |
| 53                                       | 1011600         | BOLT-HEX: .38 X 1.00 NC GR5 ZP                 | 4          |
| 54                                       | 1011625         | BOLT-HEX: .75 X 4.00 NC GR5 ZP                 | 2          |
| 55                                       | 52248           | DECAL CAUTION                                  | 1          |
| 56                                       | 59205           | BUSHING-BORED 4.5 X 4.025                      | 4          |
| 57                                       | 304163          | PLATE-STEERING CABLE CONVERT                   | 1          |
| 58                                       | 1011597         | BOLT-HEX: .31 X .75 NC GR5 ZP                  | 2          |
| 59                                       | 1029115         | WASHER-LOCK: .31 ZP                            | 2          |
| 60                                       | 1011582         | WASHER-FLAT: SAE .31 ZP                        | 2          |
| 61                                       | 302897          | ASSY-SINGLE TIRE STEERING INDICATOR            | 1          |
| 62                                       | 73434**         | PLATE-INDICATOR DIAL                           | 1          |
| 63                                       | 73435**         | PLATE-INDICATOR GAUGE                          | 1          |
| 64                                       | 73436**         | PLATE-INDICATOR CABLE MOUNT                    | 1          |
| 65                                       | 73441**         | PUSH-PULL CABLE 10-32 X 9' 4" STRK (NOT SHOWN) | 1          |
| 66                                       | 301931**        | PLATE-BOLTING BAR STEERING INDICATOR           | 3          |
| 67                                       | 302363**        | BOLT-HEX: .31 X 5.00 NC GR5 ZP                 | 6          |
| 68                                       | 1011828**       | WASHER-FLAT: .38 ZP                            | 2          |
| 69                                       | 1016999**       | NUT-TOPLOCK: .38 NC GR5 ZP                     | 1          |
| 70                                       | 37761**         | P-CLIP: .38 X 1.00 (NOT SHOWN)                 | 1          |
| 71                                       | 1030700**       | NUT-TOPLOCK: .31 NC GR5 ZP                     | 6          |
| 72                                       | 1011600**       | BOLT-HEX: .38 X 1.00 NC GR5 ZP                 | 1          |

\* Items are included in Item 47


\*\* Items are included in Item 61



## SINGLE STEERABLE REAR STRUT 710/40R22.5

| ITEM | PART NO.  | DESCRIPTION                            | QTY |
|------|-----------|----------------------------------------|-----|
| 1    | 302045    | WLDMT-WHEEL SWIVEL                     | 2   |
| 2    | 302036    | WLDMT-STEERING HOUSING RH              | 1   |
| 3    | 302035    | WLDMT-STEERING HOUSING LH              | 1   |
| 4    | 59205     | BUSHING-BORED 4.500 X 4.025            | 4   |
| 5    | 302266    | WLDMT-STEERING ARM RH                  | 1   |
| 6    | 302056    | WLDMT-STEERING ARM LH                  | 1   |
| 7    | 1030725   | BOLT-HEX: 1.00 X 8.00 NC GR8 ZP        | 2   |
| 8    | 1016969   | NUT-TOPLOCK: 1.00 NC GR8 ZP            | 2   |
| 9    | 1011748*  | ZERK-GREASE: .25 UNF STRAIGHT          | 8   |
| 10   | 302463    | WLDMT-BOLT WHEEL POD EXT               | 2   |
| 11   | 1012059   | BOLT-HEX: .75 X 3.00 NC GR5 ZP         | 16  |
| 12   | 1012061   | WASHER-LOCK: .75 ZP                    | 16  |
| 13   | 1011620   | NUT-HEX: .75 NC GR2 ZP                 | 16  |
| 14   | 35519     | ASSY-HUB & SPINDLE: 10-BOLT 12000#     | 2   |
| 15   | 35519-1*  | SPINDLE: 3.13 X 14.5                   | 2   |
| 16   | 35519-2*  | ASSY-HUB 10 BOLT-11.25 BC 12000#       | 2   |
| 17   | 320139*   | HUB-WHEEL 10 BOLT-11.25 (BLACK)        | 2   |
| 18   | 320143*   | SEAL-OIL                               | 2   |
| 19   | 320144*   | BEARING CONE-OUTER                     | 2   |
| 20   | 320145*   | BEARING CONE-INNER                     | 2   |
| 21   | 320146*   | CAP-HUB                                | 2   |
| 22   | 320148*   | GASKET-CAP HUB                         | 2   |
| 23   | 320147*   | NUT-WHEEL                              | 20  |
| 24   | 1011596*  | BOLT-HEX: .31 X .50 NC GR5 ZP          | 8   |
| 25   | 1011618   | BOLT-HEX: .50 X 5.00 NC GR5 ZP         | 2   |
| 26   | 1027461   | NUT-TOPLOCK: .50 NC GR5 ZP             | 2   |
| 27   | 64143     | BAR-BOLTING                            | 10  |
| 28   | 302426    | BOLT-HEX: 1.12 X 8.50 NC GR8 YZP       | 20  |
| 29   | 64147     | WASHER-LOCK: 1.13 GR2 ZP               | 20  |
| 30   | 64146     | NUT-HEX: 1.125 NC GR5 ZP               | 20  |
| 31   | 302265    | CYL-REPHASE IN SERIES, 4.0 X 6.0 SLAVE | 2   |
| 32   | 58560     | FTG-ELBOW: 8MB-8MJ 90                  | 6   |
| 33   | 58377     | HOSE: .50 X 172 8FJX-8FJX              | 2   |
| 34   | 37705     | HOSE: .50 X 128 8FJX-8MB               | 2   |
| 35   | 73496     | HOSE: .50 X 144 8FJX-8FJX              | 1   |
| 36   | 56226     | FTG-ADAPTER: 8MB-8MJ                   | 2   |
| 37   | 73426     | VALVE-DUAL COUNTER BALANCE             | 1   |
| 38   | 304185    | ASSY-TRACTOR HYD COUPLERS (RED)        | 1   |
| 39   | 304163    | PLATE-STEERING CABLE CONVERT           | 1   |
| 40   | 50714     | CLAMP 1/2" ZP                          | 12  |
| 41   | 1011600** | BOLT-HEX: 3/8 X 1.00 NC GR5 ZP         | 1   |

CONTINUED





## SINGLE STEERABLE REAR STRUT 710/40R22.5 (CONTINUED)

| ITEM | PART NO.  | DESCRIPTION                                    | QTY |
|------|-----------|------------------------------------------------|-----|
| 42   | 302931    | PLATE-COUNTER BALANCE VALVE MOUNT              | 1   |
| 43   | 304031    | U-BOLT: .375 X 8.13 X 4.00 X 8.13 ZP           | 2   |
| 44   | 1014608   | WASHER-FLAT: SAE .38 ZP                        |     |
| 45   | 1013424   | BOLT-HEX: .31 X 1.75 NC GR5 ZP                 | 2   |
| 46   | 1030700** | NUT-TOPLOCK: .31 NC GR5 ZP                     | 8   |
| 47   | 302569    | TIRE-MNTD: 710/40R22.5 RH                      | 1   |
|      | 302571    | WHEEL 22.5 X 24.5 OUTSET                       |     |
|      | 302572    | TIRE 710/40R22.5 SUPERFLOT                     |     |
| 48   | 302570    | TIRE-MNTD: 710/40R22.5 LH                      | 1   |
|      | 302571    | WHEEL 22.5 X 24.5 OUTSET                       |     |
|      | 302572    | TIRE 710/40R22.5 SUPERFLOT                     |     |
| 49   | 302897    | ASSY-SINGLE TIRE STEERING INDICATOR            | 1   |
| 50   | 73434**   | PLATE-INDICATOR DIAL                           | 1   |
| 51   | 73435**   | PLATE-INDICATOR GAUGE                          | 1   |
| 52   | 73436**   | PLATE-INDICATOR CABLE MOUNT                    | 1   |
| 53   | 73441**   | PUSH-PULL CABLE 10-32 X 9' 4" STRK (NOT SHOWN) | 1   |
| 54   | 301931**  | PLATE-BOLTING BAR STEERING INDICATOR           | 3   |
| 55   | 302363**  | BOLT-HEX: .31 X 5.00 NC GR5 ZP                 | 6   |
| 56   | 1011828** | WASHER-FLAT: .38 ZP                            | 2   |
| 57   | 1016999** | NUT-TOPLOCK: .38 NC GR5 ZP                     | 17  |
| 58   | 37761**   | P-CLIP .38 X 1.00 (NOT SHOWN)                  | 1   |
| 59   | 57668     | FTG-ELBOW: 8MJ-8FJX-90                         | 2   |


\*ITEMS INCLUDED IN ITEM 14

\*\*ITEMS INCLUDED IN ITEM 49

# ASSEMBLED VIEW




| <b>KIT JD TOUCHSET FOR SINGLE STEERABLES</b> |                 |                                          |            |
|----------------------------------------------|-----------------|------------------------------------------|------------|
| <b>ITEM</b>                                  | <b>PART NO.</b> | <b>DESCRIPTION</b>                       | <b>QTY</b> |
| 1                                            | 302778          | HARNESS-JOHN DEERE TOUCH SET             | 1          |
| 2                                            | 306821          | SENSOR BRACKET-DLS                       | 1          |
| 3                                            | 1011598         | BOLT-HEX: .31 X 1.00 NC GR5 ZP           | 2          |
| 4                                            | 1029115         | WASHER-LOCK: .31 ZP                      | 2          |
| 5                                            | 73492           | AH233087                                 | 1          |
| 6                                            | 1011303         | SCREW-MACHINE RND SLT #10-24 X 1.25      | 2          |
| 7                                            | 1026591         | NUT-K-LOCK: #10-24 NC GR2 ZP             | 2          |
| 8                                            | 306822          | GROMMET-DLS SHAFT                        | 1          |
| 9                                            | 306823          | LEVER-DLS                                | 1          |
| 10                                           | 306825          | SUPPORT-DLS SHAFT (NOT SHOWN)            | 1          |
| 11                                           | 306826          | O-RING (NOT SHOWN)                       | 1          |
| 12                                           | 306827          | SHAFT-DLS                                | 1          |
| 14                                           | 306828          | BALL JOINT ROD END, 1/4"-28 RH           | 1          |
| 15                                           | 1011579         | NUT-HEX: .25 NF GR2 ZP                   | 1          |
| 16                                           | 306829          | BALL JOINT ROD END, 1/4"-28 LH           | 1          |
| 17                                           | 306830          | TURNBUCKLE                               | 1          |
| 18                                           | 306831          | BOLT-SHLDR: 3/16" X 1.0" SHLDR L X #8-32 | 1          |
| 19                                           | 62617           | NUT-NYLOCK: #8-32 GR2 ZP                 | 1          |
| 20                                           | 306832          | BOLT-SHLDR: 1/4" X 1/2" SHLDR L X #10-24 | 2          |
| 21                                           | 65695           | WASHER-FLAT: .25 SS (IF NEEDED)          | 1          |
| 22                                           | 67079           | NUT-NYLOCK: #10-24 GR2 ZP                | 2          |




| <b>ROW FINDER AND HITCH HYDRAULICS</b> |                 |                                        |            |
|----------------------------------------|-----------------|----------------------------------------|------------|
| <b>ITEM</b>                            | <b>PART NO.</b> | <b>DESCRIPTION</b>                     | <b>QTY</b> |
| 1                                      | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP             | 6          |
| 2                                      | 50714           | CLAMP .50 ZP                           | 6          |
| 3                                      | 58891           | CYLINDER-HYDRAULIC 4 X 8" 3000         | 1          |
|                                        | 301315          | SEAL KIT FOR 58991 UNIVERSAL           |            |
| 4                                      | 1011602         | BOLT-HEX: .38 X 1.50 NC GR5 ZP         | 6          |
| 5                                      | 304189          | ASSY-TRACTOR HYD COUPLERS (GOLD)       | 1          |
| 6                                      | 57663           | FTG-ELBOW: 8MJ-8FJX-45                 | 1          |
| 7                                      | 65901           | FTG-ELBOW: 10MB-8MJ-90                 | 2          |
| 8                                      | 58560           | FTG-ELBOW: 8MB-8MJ-90                  | 6          |
| 9                                      | 56941           | FTG-ADAPTER: 8MB-8FJX                  | 2          |
| 10                                     | 57667           | FTG-TEE: 8MJ-8MJ-8MJ                   | 4          |
| 11                                     | 57668           | FTG-ELBOW: 8MJ-8FJX 90                 | 2          |
| 12                                     | 300039          | HOSE: .50 X 184 8MB-8FJX               | 2          |
| 13                                     | 66200           | HOSE: .50 X 180 8FJX-8MB               | 2          |
| 14                                     | 57677           | HOSE: .50 X 021 8FJX-8FJX (6R/8R)      | 2          |
|                                        | 1015221         | HOSE: .50 X 040 8FJX-8FJX (12R)        |            |
| 15                                     | 57672           | HOSE: .50 X 098 8FJX-8FJX              | 1          |
| 16                                     | 57673           | HOSE: .50 X 096 8FJX-8FJX              | 1          |
| 17                                     | 62082           | CYLINDER-HYDRAULIC 4 X 10" 3000        | 2          |
|                                        | 301315          | SEAL KIT FOR 62082 UNIVERSAL           |            |
| 18                                     | 37705           | HOSE: .50 X 128 8FJX-8MB               | 2          |
| 19                                     | 57676           | HOSE: .50 X 031 8FJX-8FJX (6R/8R)      | 2          |
|                                        | 35770           | HOSE: .50 X 052 8FJX-8FJX (12R)        |            |
| 20                                     | 300070          | CHECK VALVE 8MB-8FB FLOWF-->M (FC-08R) | 1          |
| 21                                     | 304186          | ASSY-TRACTOR HYD COUPLERS (BLACK)      | 1          |
| 22                                     | 304187          | ASSY-TRACTOR HYD COUPLERS (BLUE)       | 1          |

**\*\*IMPORTANT\*\* ITEM 20 (PN: 300070-CHECK VALVE) MUST BE INSTALLED AS SHOWN PER DIAGRAM, TO PREVENT PREMATURE ROWFINDER VAVE FAILURE.**




### 3 BANK VALVE W/TOGGLE

| ITEM | PART NO. | DESCRIPTION                              | QTY |
|------|----------|------------------------------------------|-----|
| 1    | 302770   | VALVE-FASSE 3 BANK W/ CTRL BOX           | 1   |
| 2    | 301277   | HARNESS-FASSE VALVE (3 BANK) (NOT SHOWN) | 1   |
| 3    | 301279   | COIL-LARGE                               | 2   |
| 4    | 301280   | COIL-SMALL                               | 6   |
| 5    | 62866    | CARTRIDGE-FASSE                          | 1   |
| 6    | 69632    | CARTRIDGE-FASSE DUAL POPPET              | 6   |
| 7    | 62868    | CARTRIDGE-FASSE                          | 1   |
| 8    | 301732   | PLUG-CAVITY                              | 1   |
| 9    | 1019828  | BOLT-HEX: .38 X 2.75 NC GR5 ZP           | 2   |
| 10   | 1011828  | WASHER-FLAT: .38 ZP                      | 8   |
| 11   | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP               | 2   |
| 12   | 57668    | FTG-ELBOW: 8MJ-8FJX 90                   | 10  |
| 13   | 62024    | FTG-ADAPTER: 6MB-8MJ                     | 6   |
| 14   | 58560    | FTG-ELBOW: 8MB-8MJ 90                    | 6   |
| 15   | 57677    | HOSE: .50 X 021 8FJX-8FJX                | 6   |
| 16   | 64087    | HOSE: .50 X 070 8FJX-8FJX                | 1   |
| 17   | 57012    | HOSE: .50 X 058 8FJX-8FJX                | 1   |
| 18   | 37705    | HOSE: .50 X 128 8FJX-8MB                 | 4   |
| 19   | 63015    | FTG-TEE: 8MJ-8FJX-8MJ                    | 2   |
| 20   | 57663    | FTG-ELBOW: 8MJ-8FJX-45                   | 3   |
| 21   | 57667    | FTG-TEE: 8MJ-8MJ-8MJ                     | 4   |
| 22   | 56226    | FTG-ADAPTER: 8MB-8MJ                     | 2   |
| 23   | 56941    | FTG-ADAPTER: 8MB-8FJX                    | 2   |
| 24   | 57676    | HOSE: .50 X 031 8FJX-8FJX                | 2   |
| 25   | 57673    | HOSE: .50 X 096 8FJX-8FJX                | 1   |
| 26   | 57672    | HOSE: .50 X 098 8FJX-8FJX                | 1   |
| 27   | 36290    | PIONEER TIP 8010-15P (#8 ORB)            | 4   |
| 28   | 301908   | HYD LABEL: .50 RED/GRAY SET              | 1   |
| 29   | 301911   | HYD LABEL: .50 BLACK/GRAY SET            | 1   |




| <b>VALVE GROUP: DUAL MOTOR SCRUB</b> |                 |                                    |            |
|--------------------------------------|-----------------|------------------------------------|------------|
| <b>ITEM</b>                          | <b>PART NO.</b> | <b>DESCRIPTION</b>                 | <b>QTY</b> |
| 1                                    | 68092           | WLDMT-BRACKET FLOW CONTROL         | 1          |
| 2                                    | 301266          | VALVE-FLOW CONTROL- 12FB           | 2          |
|                                      | 301375          | SEAL KT-VALVE FLOW CONTROL #301266 |            |
| 3                                    | 304223          | PLATE-1ST FLOW CONTROL PIN STOP ZP | 1          |
| 4                                    | 304224          | PLATE-2ND FLOW CONTROL PIN STOP ZP | 1          |
| 5                                    | 59463           | SPACER                             | 4          |
| 6                                    | 1030946         | NUT-TOPLOCK: .25 NC GR5 ZP         | 4          |
| 7                                    | 0100979         | WASHER-FLAT: SAE .25 ZP            | 16         |
| 8                                    | 54314           | PIN-ROLL .19 X .75 ZP              | 4          |
| 9                                    | 58875           | BOLT-HEX: .25 X 4.50 NC GR5 ZP     | 4          |
| 10                                   | 65918           | FTG-ADAPTER: 12MB-12MJ             | 6          |
| 11                                   | 59041           | FTG-ELBOW: 12MJ-12FJX 90           | 7          |
| 12                                   | 63471           | ASSY-TUBE LINE .75 X 5.25 0-0      | 1          |
| 13                                   | 58986           | FTG-TEE: 12MJ-12MJ-12MJ            | 1          |
| 14                                   | 59888           | FTG-TEE: 12MJ-12FJX-12MJ           | 1          |
| 15                                   | 59881           | BRACKET-BOLT PLATE                 | 4          |
| 16                                   | 58176           | BOLT-HEX: .38 X 3.50 NC GR5 ZP     | 4          |
| 17                                   | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP         | 4          |





## TANK HYDRAULICS

| ITEM | PART NO. | DESCRIPTION                              | QTY |
|------|----------|------------------------------------------|-----|
| 1    | 54825    | BRACKET-HOSE ZP                          | 2   |
| 2    | 304040   | PLATE-VALVE HANDLE SHIELD 2200/2300/2500 | 1   |
| 3    | 304038   | VALVE-SELECTOR (6-WAY) 30GPM             | 1   |
| 4    | 1013239  | BOLT-HEX: .38 X 3.00 NC GR5 ZP           | 2   |
| 5    | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP               | 5   |
| 6    | 56231    | FTG-TEE: 6MJ-6FJX-6MJ                    | 1   |
| 7    | 65918    | FTG-ADAPTER: 12MB-12MJ                   | 4   |
| 8    | 300072   | FITTING-RESTRICTOR (6MJ-6FJ R 1/16)      | 1   |
| 9    | 68163    | HOSE: .38 X 96 6FJX-6FJX                 | 1   |
| 10   | 304033   | FTG-PLUG: 12MB                           | 1   |
| 11   | 63753    | CLAMP-HOSE: .75 ZP                       | 12  |
| 12   | 59043    | FTG-ADAPTER: 10MB-12MJ                   | 2   |
| 13   | 59888    | FTG-TEE: 12MJ-12FJX-12MJ                 | 2   |
| 14   | 66249    | FTG-ADAPTER: 12MB-12FJX                  | 1   |
| 15   | 319088   | VALVE-CHECK: 12FB-12FB                   | 1   |
| 16   | 58889    | CYLINDER-HYD 2.5 X 16                    | 2   |
| 17   | 58557    | FTG-ELBOW: 8MB-6MJ 90                    | 2   |
| 18   | 58547    | FTG-PLUG: 8MB BREATHER                   | 2   |
| 19   | 1011586  | WASHER-LOCK: .38 ZP                      | 4   |
| 20   | 305042   | STUD-.375 X 4.00 UNC ZP                  | 4   |
| 21   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP           | 4   |
| 22   | 319333   | FTG-ADAPTER: 8MB-12FB                    | 2   |
| 23   | 50779    | HOSE-CLAMP                               | 2   |
| 24   | 332513   | HOSE: .75 X 240 12FJX-12MB               | 2   |
| 25   | 62215    | HOSE: .75 X 160 12FJX-12FJX              | 2   |
| 26   | 63897    | HOSE: .38 X 32 6FJX-6FJX                 | 1   |
| 27   | 34807    | FTG-ADAPTER: 12MB-6MJ                    | 1   |
| 28   | 57897    | FTG-ELBOW: 6MJ-6FJX-90                   | 1   |
| 29   | 1013004  | WASHER-FLAT: SAE .63 ZP                  | 16  |
| 30   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP               | 2   |
| 31   | 301298   | WLDMT-CYLINDER LUG                       | 2   |
| 32   | 1011623  | BOLT-HEX .63 X 2.00 NC GR5 ZP            | 8   |
| 33   | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP               | 8   |
| 34   | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP            | 2   |
| 35   | 1020416  | WASHER-FLAT: .25 ZP                      | 4   |
| 36   | 1011828  | WASHER-FLAT .38 ZP                       | 4   |
| 37   | 304188   | ASSY-TRACTOR HYD COUPLERS (GREEN)        | 1   |
| 38   | 66245    | HOSE: .75 X 024 12FJX-12FJX              | 1   |
| 39   | 59390    | BOLT-HEX: .38 X 2.25 NC GR5 ZP           | 2   |
| 40   | 64060    | FTG-ELBOW: 12MB-12MJ-90                  | 1   |
| 41   | 59184    | BRACKET-HOSE ZP                          | 1   |
| 42   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP           | 1   |
| 43   | 1014608  | WASHER-FLAT: SAE .38 ZP                  | 2   |
| 44   | 1013519  | NUT-JAM: .38 NC GR2 ZP                   | 7   |




## HYDRAULIC TANK

| ITEM | PART NO. | DESCRIPTION                           | QTY |
|------|----------|---------------------------------------|-----|
| 1    | 58079    | HYDRAULIC TANK-PAINTED                | 1   |
| 2    | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP        | 2   |
| 3    | 1014443  | WASHER-FLAT: .50 ZP                   | 8   |
| 4    | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP            | 4   |
| 5    | 58204    | BAR - BOLTING                         | 1   |
| 6    | 1032514  | BOLT-HEX: .50 X 7.50 NC GR5 ZP        | 2   |
| 7    | 58914    | GAUGE-LEVEL & TEMP                    | 1   |
| 8    | 58978    | FTG-ADAPTER: 20MP-20MP                | 1   |
| 9    | 58979    | VALVE-BALL: 20FP-20FP                 | 1   |
| 10   | 300211   | FTG-ADAPTER: 20MP-24MJ                | 1   |
| 11   | 300178   | HOSE: 1.50 X 058 24FJX-24FJX (200PSI) | 1   |
| 12   | 304252   | FTG-ELBOW: 24MB-24MJ-90               | 1   |
| 13   | 62212    | FTG-ELBOW: 16MB-12MJ-45               | 1   |
| 14   | 59071    | HOSE: .75 X 060 12FJX-12FJX           | 1   |
| 15   | 65918    | FTG-ADAPTER: 12MB-12MJ                | 2   |
| 16   | 302997   | VALVE-RELIEF 2500PSI                  | 1   |
| 17   | 303000   | FTG-ADAPTER: 12MB-8MP                 | 1   |
| 18   | 301173   | FTG-ADAPTER: 12MJ-12FJX W/4FB         | 1   |
| 19   | 301175   | GAUGE-PRESSURE: 1/4"MP 3000 PSI       | 1   |
| 20   | 58196    | FTG-ADAPTER: 12MP-12MP                | 2   |
| 21   | 59165    | VALVE-BALL 3/4FP - 3/4FP              | 1   |
| 22   | 58690    | FILTER-HEAD 4"                        | 1   |
| 23   | 59044    | FTG-ELBOW: 12MP-12MJ-90               | 1   |
| 24   | 303695   | FILTER-HYDRAULIC 4" (10 MICRON)       | 1   |
| 25   | 55718    | FTG-PLUG: 8MB                         | 1   |
| 26   | 58197    | CAP-FILLER                            | 1   |
| 27   | 62964    | DECAL-WARNING                         | 1   |
| 28   | 303269   | DECAL-HYDRAULIC OIL                   | 1   |
| 29   | 64429    | DECAL-WARNING BALL VALVE              | 1   |
| 30   | 64645    | CLAMP-STAUFF 5278PPH (2 HALVES)       | 1   |
| 31   | 64646    | PLATE-COVER DP5                       | 1   |
| 32   | 1032287  | BOLT-HEX: .25 X 2.75 NC GR5 ZP        | 2   |
| 33   | 304250   | CLAMP-1.5" HOSE (2 HALVES)            | 1   |
| 34   | 1013242  | WASHER-LOCK: .25 ZP                   | 4   |
| 35   | 64613    | PLATE-COVER DP6                       | 1   |
| 36   | 1032285  | BOLT-HEX: .25 X 2.50 NC GR5 ZP        | 2   |
| 37   | 59041    | FTG-ELBOW: 12MJ-12FJX-90              | 1   |
| 38   | 304253   | FTG-ELBOW: 24FJX-24MJ-45              | 1   |




## **CYLINDER STOP KIT #51497 (OPTIONAL)**

| <b>ITEM</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                 | <b>QTY</b> |
|-------------|-----------------|------------------------------------|------------|
| 1           | 54004           | STOP-CYLINDER 1.5" (SILVER)        | 1          |
| 2           | 52320           | CYLINDER STOP A-KT (.25 THRU 1.00) | 1          |



## LIGHT KIT HD


| ITEM | PART NO. | DESCRIPTION                                | QTY |
|------|----------|--------------------------------------------|-----|
| 1    | 64236    | BRACKET-LIGHT RH RED                       | 1   |
| 2    | 64235    | BRACKET-LIGHT LH RED                       | 1   |
| 3    | 64175    | BRACKET RH                                 | 1   |
| 4    | 64176    | BRACKET LH                                 | 1   |
| 5    | 305218   | LIGHT-RED LAMP SAE                         | 2   |
| 6    | 305217   | LIGHT-YELLOW LAMP SAE                      | 2   |
| 7    | 64290    | MOUNT-SMV SIGN                             | 1   |
| 8    | 65329    | SIGN-SMV ASAE                              | 1   |
| 9    | 300326   | PLATE-LIGHT MOUNT BOOM                     | 2   |
| 10   | 301293   | LIGHT-GROTE 2000 OVAL FLOOD                | 2   |
| 11   | 301294   | LIGHT-GROTE T26 NEAR FLOOD                 | 3   |
| 12   | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP              | 2   |
| 13   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP                 | 20  |
| 14   | 1011601  | BOLT-HEX: .38 X 1.25 NC GR5 ZP             | 4   |
| 15   | 1016999  | NUT-TOPLOCK .375 NC GR5 ZP                 | 4   |
| 16   | 1019550  | BOLT-HEX: .25 X 1.50 NC GR5 ZP             | 16  |
| 17   | 305216   | HARNESS-FLASHER MODULE                     | 1   |
| 18   | 301339   | PLATE-LIGHT MODULE MOUNT                   | 1   |
| 19   | 1016853  | BOLT-HEX: .25 X .75 NC GR5 ZP              | 2   |
| 20   | 301335   | HARNESS-HARVESTER MAIN                     | 1   |
| 21   | 301494   | HARNESS-HARVESTER 8R HAZARD                | 1   |
| 22   | 1011606  | BOLT-HEX: .50 X 1.25 NC GR5 ZP             | 2   |
| 23   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP                 | 2   |
| 24   | 1013122  | TIE-CABLE, NYLON 14.00" (NOT SHOWN)        | 40  |
| 25   | 62833    | CLAMP-ADHESIVE BACKED CABLE (NOT SHOWN)    | 8   |
| 26   | 1011600  | BOLT-HEX: .38 X 1.00 NC GR5 ZP (NOT SHOWN) | 1   |
| 27   | 301495   | HARNESS-HARVESTER WORK LIGHT               | 1   |
| 28   | 300327   | PLATE-LIGHT MOUNT                          | 2   |
| 29   | 306098   | U-BOLT: .375 X 3.00 X 4.00 X 3.00 ZP       | 4   |
| 30   | 64364    | U-BOLT: .375 X 5.13 X 6.00 X 5.13 ZP       | 1   |
| 31   | 64047    | ANGLE-GUARD                                | 1   |
| 32   | 300332   | PLATE-LIGHT MOUNT BOOM (FRONT)             | 1   |
| 33   | 0100979  | WASHER-FLAT: SAE .25 ZP                    | 32  |



## ADC ELECTRONICS

| ITEM | PART NO. | DESCRIPTION                          | QTY |
|------|----------|--------------------------------------|-----|
| 1    | 301046   | PLATE-MNT CONTROL BOX ADC            | 1   |
| 2    | 64244    | U-BOLT: .375 X 5.13 X 8.00 X 5.13 ZP | 2   |
| 3    | 1016999  | NUT-TOPLOCK: .38 NC GR5 ZP           | 4   |
| 4    | 303422   | ASSY-ADC ISOBUS CONTROLLER           | 1   |
| 5    | 307865   | BOLT-SHCS: .25 X 1.50 NC BLACK       | 4   |
| 6    | 301036   | PLATE-SHIELD ADC                     | 1   |
| 7    | 1014608  | WASHER-FLAT: SAE .38 ZP              | 8   |
| 8    | 1011586  | WASHER-LOCK: .38 ZP                  | 2   |
| 9    | 1011576  | NUT-HEX: .38 NC GR2 ZP               | 2   |
| 10   | 301024   | BRACKET-PTO SENSOR ADC               | 1   |
| 11   | 64388    | WLDMT-SPLIT COLLAR 1.75"             | 1   |
| 12   | 301014   | SENSOR-PTO ADC                       | 1   |
| 13   | 1011595  | BOLT-HEX: .25 X .75 NC GR5 ZP        | 1   |
| 14   | 1030946  | NUT-TOPLOCK: .25 NC GR5 ZP           | 1   |
| 15   | 1016858  | BOLT-HEX: .50 X 2.75 NC GR5 ZP       | 1   |
| 16   | 1014443  | WASHER-FLAT: .50 ZP                  | 2   |
| 17   | 1027461  | NUT-TOPLOCK: .50 NC GR5 ZP           | 1   |
| 18   | 1020416  | WASHER-FLAT: .25 ZP                  | 4   |
| 19   | 1013242  | WASHER-LOCK: .25 ZP                  | 4   |
| 20   | 1011587  | NUT-HEX: .25 NC GR2 ZP               | 4   |
| 21   | 301045*  | BAR-BOLTING                          | 2   |
| 22   | 1014608* | WASHER-FLAT: SAE .38 ZP              | 4   |
| 23   | 64289*   | BOLT-HEX: .38 X 5.50 NC GR5 ZP       | 2   |
| 24   | 1021757* | BOLT-HEX: .38 X 5.00 NC GR5 ZP       | 2   |

\*ITEMS ARE FOR 2300/2500 ONLY, USE IN PLACE OF ITEM 2



| <b>ACTIVE DEPTH CONTROL ELECTRICAL SCHEMATIC</b> |                 |                                 |            |
|--------------------------------------------------|-----------------|---------------------------------|------------|
| <b>ITEM</b>                                      | <b>PART NO.</b> | <b>DESCRIPTION</b>              | <b>QTY</b> |
| 1                                                | 303443          | HARNESS-ADC ISOBUS MAIN 2720    | 1          |
|                                                  | 303920*         | HARNESS-ISO EXTENSION 5FT       |            |
| 2                                                | 301020          | HARNSS-ADC POTENTIOMETER        | 2          |
| 3                                                | 73509           | HARNESS-CYL SENSOR CONNECTOR    | 2          |
| 4                                                | 303444          | HARNESS-ADC ISOBUS JOYSTICK EXT | 1          |
| 5                                                | 300249          | P-CLIP .38" X .313"             | 4          |
| 6                                                | 1016362         | BOLT-CRG: .38 X 1.25 NC GR5 ZP  | 4          |
| 7                                                | 1014608         | WASHER-FLAT: SAE .38 ZP         | 4          |
| 8                                                | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP      | 4          |
| 9                                                | 303448          | KT-JOYSTICK WITH MOUNT          | 1          |
| 10                                               | 310919          | PCLIP .38" X .375"              | 2          |




\* USED ONLY WITH 2720 XL HITCH




## JOYSTICK WITH MOUNT

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 301151   | ASSY-JOYSTICK & ENCLOSURE      | 1   |
| 2    | 303452   | ASSY-JOYSTICK MOUNT            | 1   |
| 3    | 303451*  | PLATE-JOYSTICK MOUNT           | 1   |
| 4    | 1019992* | SCREWP-H: #6 X 1.75 NC GR5 ZP  | 4   |
| 5    | 1040448* | #6 NUT                         | 12  |
| 6    | 1011600* | BOLT-HEX: .38 X 1.00 NC GR5 ZP | 2   |
| 7    | 1014608* | WASHER-FLAT: SAE .38 ZP        | 1   |
| 8    | 1016999* | NUT-TOPLOCK: .38 NC GR5 ZP     | 2   |
| 9    | 311514*  | PLATE-JOYSTICK LOGO            | 1   |
| 10   | 59882*   | RIVET-POP: .13 X .31 ZP        | 2   |

\*INCLUDED IN 303452



STEP 4  
INSTALL SCREWS  
AND TIGHTEN




| <b>ACTIVE DEPTH CONTROL WANDS</b> |                 |                                       |            |
|-----------------------------------|-----------------|---------------------------------------|------------|
| <b>ITEM</b>                       | <b>PART NO.</b> | <b>DESCRIPTION</b>                    | <b>QTY</b> |
| 1                                 | 63661           | WLDMT-MOUNTING BRACKET                | 1          |
| 2                                 | 52654           | BUSHING-FLANGE                        | 2          |
| 3                                 | 300214          | WLDMT-MOUNTING SUPPORT ADC NARROW     | 2          |
| 4                                 | 63664           | BOLT-HEX: .75 X 14.00 NC GR5 ZP       | 1          |
| 5                                 | 1013537         | NUT-CENTERLOCK: .75 NC ZP             | 1          |
| 6                                 | 53984           | U-BOLT 1/2 X 7 X 6 X 7                | 2          |
| 7                                 | 1011581         | WASHER-LOCK: .50 ZP                   | 8          |
| 8                                 | 1011577         | NUT-HEX: .50 NC ZP                    | 10         |
| 9                                 | 300216          | WLDMT-ADC ARM 8R                      | 1          |
|                                   | 73474           | WLDMT-ADC ARM 12R                     |            |
| 10                                | 62882           | WLDMT-TIGHTENER 11.125" ZP            | 1          |
| 11                                | 1011578         | NUT-HEX: .63 NC GR2 ZP                | 2          |
| 12                                | 1011609         | BOLT-HEX: .50 X 2.00 NC GR5 ZP        | 4          |
| 13                                | 1011584         | WASHER-FLAT: SAE .50 ZP               | 4          |
| 14                                | 300218          | WLDMT-ADC MAIN 8R/12R                 | 1          |
| 15                                | 73490           | PLATE-ADC BOLT EYELET                 | 1          |
| 16                                | 73491           | U-BOLT .375 X 3.00 X 3.063 X 3.000    | 4          |
| 17                                | 1011586         | WASHER-LOCK: .38 ZP                   | 11         |
| 18                                | 1011576         | NUT-HEX: .38 NC GR2 ZP                | 11         |
| 19                                | 56939           | BUSHING-BRONZE                        | 2          |
| 20                                | 301244          | SHAFT-ADC B 8R/12R                    | 1          |
| 21                                | 300228          | PLATE-WAND SENSOR SIDE                | 1          |
| 22                                | 73475           | WLDMT-WAND SPRING SIDE                | 1          |
| 23                                | 301258          | BOLT-HEX: .31 X 2.25 NC GR8 ZP        | 1          |
| 24                                | 1030700         | NUT-TOPLOCK: .31 NC GR5 ZP            | 1          |
| 25                                | 52306           | BOLT-EYE                              | 1          |
| 26                                | 53159           | SPRING                                | 1          |
| 27                                | 73487           | SHAFT-ADC A ZP                        | 1          |
| 28                                | 73489           | BAR-ADC PIN                           | 1          |
| 29                                | 300224          | WLDMT-ADC SENSOR HOUSING 8R/12R       | 1          |
| 30                                | 1016362         | BOLT-CRG: .38 X 1.25 NC GR5 ZP        | 3          |
| 31                                | 1011660         | BOLT-CRG: .50 X 1.50 NC GR5 ZP        | 2          |
| 32                                | 1027461         | NUT-TOPLOCK: .50 NC GR5 ZP            | 2          |
| 33                                | 1011748         | ZERK-GREASE: .25UNF STRAIGHT          | 2          |
| 34                                | 73492           | SENSOR-ROTARY POSITION (JD: AH233087) | 1          |
| 35                                | 1011304         | SCREW-MACHINE RND SLT #10-32 X 1.25   | 2          |
| 36                                | 301058          | SNAP-RING 1.250"                      | 1          |
| 37                                | 55206           | BUSHING-MACH: 1.25 NR 14GA            | 1 OR 2     |
| 38                                | 301267          | ROD-WAND LOCK                         | 1          |
| 39                                | 1029164         | PIN-HAIR: .19 X 3.00 ZP               | 1          |






| <b>ADC COMPONENTS</b> |                 |                                       |            |
|-----------------------|-----------------|---------------------------------------|------------|
| <b>ITEM</b>           | <b>PART NO.</b> | <b>DESCRIPTION</b>                    | <b>QTY</b> |
| 1                     | 303878          | VALVE-ADC 3 BANK (2025-CURRENT)       | 1          |
| 2                     | 304238          | PLATE-ADC VALVE MOUNT                 | 1          |
| 3                     | 1011597         | BOLT-HEX: .31 X .75 NC GR5 ZP         | 4          |
| 4                     | 1029115         | WASHER-LOCK: .31 ZP                   | 4          |
| 5                     | 64244           | U-BOLT: .375 X 5.13 X 8.063 X 5.13 ZP | 2          |
| 6                     | 1014608         | WASHER-FLAT: SAE .38 ZP               | 6          |
| 7                     | 1016999         | NUT-TOPLOCK: .38 NC GR5 ZP            | 6          |
| 8                     | 304239          | PLATE-ADC VALVE SHIELD (2025-CURRENT) | 1          |
| 9                     | 59488           | BOLT-CRG: .38 X 1.00 NC GR5 ZP        | 2          |
| 10                    | 73426           | VALVE-DUAL COUNTER BALANCE            | 1          |
| 11                    | 1011285         | BOLT-HEX: .31 X 2.00 NC GR5 ZP        | 2          |
| 12                    | 1011582         | WASHER-FLAT: SAE .31 ZP               | 4          |
| 13                    | 1030700         | NUT-TOPLOCK: .31 NC GR5 ZP            | 2          |
| 14                    | 56226           | FTG-ADAPTER: 8MB-8MJ                  | 3          |
| 15                    | 58560           | FTG-ELBOW: 8MB-8MJ 90                 | 1          |
| 16                    | 57668           | FTG-ELBOW: 8MJ-8FJX-90                | 2          |
| 17                    | 63015           | FTG-TEE: 8MJ-8FJX-8MJ                 | 2          |
| 18                    | 66603           | FTG-TEE: 8MJ-8MJ-8FJX                 | 2          |
| 19                    | 58195           | FTG-ADAPTER: 10MB-8MJ                 | 6          |
| 20                    | 57663           | FTG-ELBOW: 8MJ-8FJX-45                | 6          |
| 21                    | 302262          | VALVE-CHECK: 12MB-12FB 5000 PSI       | 1          |
| 22                    | 73494           | FTG-ELBOW: 12MB-8MJ-90                | 1          |
| 23                    | 58468           | FTG-ADAPTER: 12MB-8MJ                 | 1          |
| 24                    | 304240          | FTG-ADAPTER: 6MJ-5MB                  | 2          |
| 25                    | 56231           | FTG-TEE: 6MJ-6FJX-6MJ                 | 1          |
| 26                    | 67008           | FTG-ADAPTER: 6MB-6FJX                 | 1          |
| 27                    | 301018          | VALVE-CASE DRAIN RELIEF (ADC)         | 1          |
| 28                    | 57897           | FTG-ELBOW: 6MJ-6FJX-90                | 1          |
| 29                    | 301045*         | BAR-BOLTING                           | 2          |
| 30                    | 1021757*        | BOLT-HEX: .38 X 5.00 NC GR5 ZP        | 4          |
| 31                    | 1014608*        | WASHER-FLAT: SAE .38 ZP               | 4          |

\*ITEMS ARE FOR 2300/2500 ONLY, USE IN PLACE OF ITEM 5




## ADC HYDRAULICS

| ITEM | PART NO. | DESCRIPTION                               | QTY |
|------|----------|-------------------------------------------|-----|
| 1    | 303878   | VALVE-ADC 3 BANK (2025-CURRENT)           | 1   |
| 2    | 58195    | FTG-ADAPTER: 10MB-8MJ                     | 6   |
| 3    | 57663    | FTG-ELBOW: 8MJ-8FJX-45                    | 6   |
| 4    | 302262   | VALVE-CHECK: 12MB-12FB 5000PSI            | 1   |
| 5    | 73494    | FTG-ELBOW: 12MB-8MJ-90                    | 1   |
| 6    | 58468    | FTG-ADAPTER: 12MB-8MJ                     | 1   |
| 7    | 57668    | FTG-ELBOW: 8MJ-8FJX-90                    | 2   |
| 8    | 304240   | FTG-ADAPTER: 6MJ-5MB                      | 2   |
| 9    | 56231    | FTG-TEE: 6MJ-6FJX-6MJ                     | 1   |
| 10   | 67008    | FTG-ADAPTER: 6MB-6FJX                     | 1   |
| 11   | 301018   | VALVE-CASE DRAIN RELIEF (ADC)             | 1   |
| 12   | 57897    | FTG-ELBOW: 6MJ-6JFX-90                    | 1   |
| 13   | 73426    | VALVE-DUAL COUNTER BALANCE                | 1   |
| 14   | 56226    | FTG-ADAPTER: 8MB-8MJ                      | 3   |
| 15   | 58560    | FTG-ELBOW: 8MB-8MJ 90                     | 7   |
| 16   | 63015    | FTG-TEE: 8MJ-8FJX-8MJ                     | 2   |
| 17   | 66603    | FTG-TEE: 8MJ-8MJ-8FJX                     | 2   |
| 18   | 73421    | CYLINDER-HYD 4 X 10-3000-0° ADC (W/ PINS) | 2   |
| 19   | 1011748  | ZERK-GREASE: .25 UNF STRAIGHT             | 2   |
| 20   | 1016663  | WASHER-FLAT: SAE 1.00 ZP                  | 6   |
| 21   | 305402   | FTG-ELBOW: 8MB-8MJ-90L                    | 2   |
| 22   | 304190   | ASSY-TRACTOR HYD COUPLERS (SILVER)        | 1   |
| 23   | 304186   | ASSY-TRACTOR HYD COUPLERS (BLACK)         | 1   |
| 24   | 69119    | FTG-CASE DRAIN 3/8 FLAT FACE (NON-SPILL)  | 1   |
| 25   | 303836   | FTG-BULKHEAD: 6MB-6MJ                     | 1   |
| 26   | 303837   | PLATE-LOAD SENSE COUPLER LABEL ZP         | 1   |
| 27   | 303608   | FTG-ADAPTER: 6FB-6FB                      | 1   |
| 28   | 63033    | FTG-PLUG: 6MB                             | 1   |
| 29   | 304241   | HOSE: .50 X 138 8MB-8FJX                  | 2   |
| 30   | 304242   | HOSE: .38 X 138 8MB-6FJX                  | 1   |
| 31   | 304243   | HOSE: .38 X 138 6FJX-6FJX                 | 1   |
| 32   | 44174    | HOSE: .50 X 024 8FJX-8FJX                 | 2   |
| 33   | 302786   | HOSE: .38 X 236 8FJX-8FJX (12R)           | 2   |
|      | 301037   | HOSE: .38 X 192 8FJX-8FJX (8R/6R)         | 2   |
| 34   | 302787   | HOSE: .38 X 248 8FJX-8FJX (12R)           | 2   |
|      | 301038   | HOSE: .38 X 206 8FJX-8FJX (8R/6R)         | 2   |
| 35   | 304244   | HOSE: .38 X 006 6MB-NONE                  | 1   |
| 36   | 37705    | HOSE: .50 X 128 8FJX-8MB                  | 2   |
| 37   | 1015221  | HOSE: .50 X 040 8FJX-8FJX (12R)           | 2   |
|      | 57676    | HOSE: .50 X 031 8FJX-8FJX (8R/6R)         | 2   |
| 38   | 35770    | HOSE: .50 X 052 8FJX-8FJX (12R)           | 2   |
|      | 301105   | HOSE: .50 X 043 8FJX-8FJX (8R/6R)         | 2   |





## VALVE-ADC 3 BANK #303878

| ITEM | PART NO. | DESCRIPTION                                    | QTY |
|------|----------|------------------------------------------------|-----|
| 1    | 304230   | PVG32 VALVE-PILOT VALVE ASSEMBLY               | 3   |
| 2    | 304231   | PVG32 VALVE-LIMITER SIDE ASSEMBLY              | 3   |
| 3    | 304232   | PVG32 VALVE-SECTION 1 SPOOL                    | 1   |
| 4    | 304233   | PVG32 VALVE-SECTION 2&3 SPOOL                  | 2   |
| 5    | 304234   | PVG32 VALVE-PILOT ASSEMBLY SEAL KIT            | 3   |
| 6    | 304235   | PVG32 VALVE-LIMITER SIDE SEAL KIT              | 3   |
| 7    | 304236   | PVG32 VALVE-SECTION SPLIT SEAL KIT (1 SECTION) | 4   |
| 8    | 304237   | PVG32 VALVE-INLET SECTION SEAL KIT (NOT SHOWN) | 1   |
| 9    | 73627    | PILOT VALVE-CML60 & PVG32                      | 6   |
|      | 301017   | SEAL KT - PILOT VALVE ADC (PN: 73627)          |     |




| <b>REVERSE #4 CLEANING ROLL #62107 (OPTIONAL)</b> |                 |                                      |            |
|---------------------------------------------------|-----------------|--------------------------------------|------------|
| <b>ITEM</b>                                       | <b>PART NO.</b> | <b>DESCRIPTION</b>                   | <b>QTY</b> |
| 1                                                 | 53649           | SPROCKET H60-P20                     | 2          |
| 2                                                 | 53641           | HUB P1 1.75 (WTH KEY)                | 2          |
| 3                                                 | 303567          | CHAIN-ROLLER CP 60H-1R-045           | 1          |
| 4                                                 | 301821          | ASSY-REVERSE PULLEY 8R W/LOCK COLLAR | 1          |
| 5                                                 | 301718          | PLATE-REVERSE GRABROLL COVER         | 1          |
| 6                                                 | 301936          | BOLT-FLG: .50 X 2.50 NC GR8 YZP      | 4          |
| 7                                                 | 301937          | WASHER-STAR: .50 ZP (NOT SHOWN)      | 8          |



## HARVESTER STAND #63397 (OPTIONAL)


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 63382    | WLDMT-STAND SUPPORT            | 1   |
| 2    | 63377    | WLDMT-STAND MOUNT              | 1   |
| 3    | 63407    | PIN-BENT                       | 1   |
| 4    | 1018957  | BOLT-HEX: .63 X 8.00 NC GR5 ZP | 2   |
| 5    | 1016595  | NUT-TOPLOCK: .63 NC GR5 ZP     | 2   |



# PTO CV DRIVELINE #301558

## 1.75" - 20 SPLINE


| ITEM | PART NO. | DESCRIPTION                                 | QTY |
|------|----------|---------------------------------------------|-----|
| 1    | 62123    | KT-SAFETY SLIDE LOCK REPAIR 1.750"          | 1   |
| 2    | 305902   | YOKE ASSY-SAFETY SLIDE LOCK 1.750" CAT 6 CV | 1   |
| 3    | 301841   | KT-CROSS & BEARING CAT 6                    | 2   |
| 4    | 305904   | HOUSING-CV CENTER ASSY CAT 6                | 1   |
| 5    | 64398    | KT-NYLON REPAIR UNIVERSAL                   | 2   |
| 6    | 54161    | ZERK-DRIVE LUBE FTG (PRESSED IN)            | 4   |
| 7    | 301559   | GUARD SET-CV PTO HRV MAX 90" EXT.           | 1   |
| 8    | 54172    | KT-CROSS & BEARING 35E SERIES               | 1   |
| 9    | 57286    | ASSY-BALL SHEAR HRV                         | 1   |
| 10   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP                  | 1   |
| 11   | 1011285  | BOLT-HEX: .31 X 2.00 NC GR5 ZP              | 1   |



# PTO CV DRIVELINE #301575

## 1.375" - 21 SPLINE


| ITEM | PART NO. | DESCRIPTION                                 | QTY |
|------|----------|---------------------------------------------|-----|
| 1    | 62122    | KT-SAFETY SLIDE LOCK REPAIR 1.375"          | 1   |
| 2    | 301824   | YOKE ASSY-SAFETY SLIDE LOCK 1.375" CAT 6 CV | 1   |
| 3    | 301841   | KT-CROSS & BEARING CAT 6                    | 2   |
| 4    | 305904   | HOUSING-CV CENTER ASSY CAT 6                | 1   |
| 5    | 64398    | KT-NYLON REPAIR UNIVERSAL                   | 2   |
| 6    | 54161    | ZERK-DRIVE LUBE FTG (PRESSED IN)            | 4   |
| 7    | 301559   | GUARD SET-CV PTO HRV MAX 90" EXT.           | 1   |
| 8    | 54172    | KT-CROSS & BEARING 35E SERIES               | 1   |
| 9    | 57286    | ASSY-BALL SHEAR HRV                         | 1   |
| 10   | 1030700  | NUT-TOPLOCK: .31 NC GR5 ZP                  | 1   |
| 11   | 1011285  | BOLT-HEX: .31 X 2.00 NC GR5 ZP              | 1   |




# GEARBOX (1.81:1) #62396

## (PRIMARY: ONBOARD OPTION)


| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 62721    | QUILL SHAFT                    | 1   |
| 2    | 62722    | SEAL: 2.00 - 3.26              | 1   |
| 3    | 62724    | SNAP RING                      | 2   |
| 4    | 62723    | WASHER 2.00 X .13              | 2   |
| 5    | 62725    | BEARING CONE                   | 2   |
| 6    | 62726    | BEARING CUP                    | 2   |
| 7    | 62727    | BEARING CUP                    | 2   |
| 8    | 62728    | BEARING CONE                   | 2   |
| 9    | 62729    | PINION-16 TOOTH                | 2   |
| 10   | 62730    | SHIM: 1.75 X .007              | 3   |
| 11   | 62731    | WASHER 1.75 X .179             | 2   |
|      | 68599    | WASHER 1.75 X .135             |     |
| 12   | 62732    | SNAP RING                      | 2   |
| 13   | 62733    | CASE-900 SERIES                | 1   |
| 14   | 64408    | VENT PLUG: .50 NPT (SQ. HD.)   | 1   |
| 15   | 62735    | PLUG: .50 NPT                  | 1   |
| 16   | 62736    | SHIM-COVER                     | 2   |
| 17   | 62737    | QUILL HOUSING                  | 1   |
| 18   | 62738    | BOLT-HEX: .38 X 1.00 NC GR5 NP | 16  |
| 19   | 62739    | QUILL SHAFT                    | 1   |
| 20   | 62740    | FLANGE: 'SAE B' -2.00 BOLT     | 1   |
| 21   | 62741    | SFHCS: .38 X .75 NC GR5        | 4   |
| 22   | 62742    | COVER-OPEN .38 NPT             | 1   |
| 23   | 62743    | PLUG: .38 NPT                  | 1   |
| 24   | 62744    | OIL SEAL: 1.75 X .31           | 2   |
| 25   | 62745    | BEARING CUP                    | 2   |
| 26   | 62746    | BEARING CONE                   | 2   |
| 27   | 64410    | GEAR-29 TOOTH                  | 1   |
| 28   | 64409    | THRU SHAFT                     | 1   |



| <b>SELECTOR VALVE #58470</b> |          |                   |      |
|------------------------------|----------|-------------------|------|
| ITEM NO.                     | PART NO. | DESCRIPTION       | QTY. |
| 1                            | 68060    | PLATE ZP          | 2    |
| 3                            | 53724    | VALVE-SELECTOR    | 1    |
| 4                            | 58470-2  | HANDLE            | 1    |
| 5                            | 58470-4  | SPRING PIN        | 1    |
| 6                            | 58470-5  | PIN-COTTER HANDLE | 1    |
| 7                            | 58470-3  | CLIP-HANDLE       | 1    |




| ROW FINDER VALVE #301150 |          |                                  |     |
|--------------------------|----------|----------------------------------|-----|
| ITEM                     | PART NO. | DESCRIPTION                      | QTY |
|                          | 62757    | SEAL KIT                         |     |
| 1                        |          | U-CUP                            | 1   |
| 2                        |          | O-RING                           | 1   |
| 3                        |          | O-RING                           | 1   |
| 4                        |          | ALUMINUM WASHER                  | 1   |
|                          |          |                                  |     |
| 5                        | 64478    | PLUG-PIPE 3/8" NPT ALLEN HEAD NP | 1   |



#### OPEN CENTER TO CLOSED CENTER CONVERSION

THIS FEATURE ALLOWS AN OTHERWISE OPEN CENTER VALVE TO BE CONVERTED TO CLOSED CENTER OPERATION. AS SHOWN ABOVE, A 3/8 NPTF PIPE PLUG IS INSTALLED IN THE BOTTOM OF THE OUTLET PORT TO BLOCK OPEN CENTER PASSAGE. A PIPE THREAD SEALANT SHOULD BE USED. THIS FEATURE IS STANDARD ON ALL VALVES WITH 3/4 NPTF INLET AND OUTLET PORTS. THE PIPE PLUG IS INCLUDED WITH THESE MODELS. DISCARD THE PIPE PLUG IF THE VALVE IS USED ON AN OPEN CENTER APPLICATION.




## SPROCKET #54824

| ITEM | PART NO. | DESCRIPTION      | QTY |
|------|----------|------------------|-----|
| 1    | 56893    | SPROCKET 56MM 8T | 1   |
| 2    | 54108    | BEARING 2"       | 2   |
| 3    | 54151    | SNAP RING SR11   | 1   |
| 4    | 54154    | SNAP RING SR3    | 1   |
| 5    | 56892    | STUB SHAFT       | 1   |

## BELT TIGHTENER #56422


| ITEM | PART NO. | DESCRIPTION                 | QTY |
|------|----------|-----------------------------|-----|
| 6    | 56421    | WLDMT - SPINDLE             | 1   |
| 7    | 1013623  | BUSHING-MACH: .63 NP        | 2   |
| 8    | 1013625  | NUT-HEX: SLOT .63 NF GR5 ZP | 1   |
| 9    | 1013626  | PIN-COTTER: .16 X 1.25 ZP   | 1   |
| 10   | 1015157* | HUB-MACHINING               | 1   |
| 11   | 52245*   | BEARING CONE-INNER          | 1   |
| 12   | 1013620* | CONE-BEARING                | 1   |
| 13   | 1013622* | HUB CAP                     | 1   |
| 14   | 1029527* | SEAL                        | 1   |
| 15   | 54646*   | BOLT-LUG .50 X 1.00         | 4   |
| 16   | 1012360* | CUP-BEARING: LM 67010       | 1   |
| 17   | 1013268* | CUP-BEARING: LM 11910       | 1   |
| 18   | 56951    | ASSY-HUB                    | 1   |

\*Items are included in item 18



## SLIP CLUTCH/SPOCKET #69630

| ITEM | PART NO. | DESCRIPTION                    | QTY |
|------|----------|--------------------------------|-----|
| 1    | 69631    | SPROCKET                       | 1   |
| 2    | 58207    | BUSHING-BRONZE                 | 2   |
| 3    | 58215    | DISC-FIBER                     | 2   |
| 4    | 58209    | HUB-CLUTCH                     | 1   |
| 5    | 58211    | PLATE-SLIP CLUTCH              | 1   |
| 6    | 58213    | TUBE-SLIP CLUTCH (2.870")      | 8   |
| 7    | 58174    | SPRING-SLIP CLUTCH             | 8   |
| 8    | 58176    | BOLT-HEX: .38 X 3.50 NC GR5 ZP | 8   |
| 9    | 1011828  | WASHER-FLAT: .38 ZP            | 8   |




## **IDLER PULLEY #56406**

| <b>ITEM</b> | <b>PART NO.</b> | <b>DESCRIPTION</b> | <b>QTY</b> |
|-------------|-----------------|--------------------|------------|
| 1           | 56405           | WLDMT-PULLEY       | 1          |
| 2           | 56399           | BALL BEARING 1.75  | 2          |
| 3           | 56400           | RETAINING RING     | 2          |

## **SPROCKET IDLER #56851**



| <b>ITEM</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>     | <b>QTY</b> |
|-------------|-----------------|------------------------|------------|
| 4           | 56851           | IDLEMASTER 8.50 X 1.44 | 1          |
| 5           | 58806*          | BEARING-IDLER          | 1          |
| 6           | 58805*          | SNAP-RING              | 1          |

\* COMES WITH ITEM 4



## REVERSE PULLEY #301821

| ITEM | PART NO. | DESCRIPTION          | QTY |
|------|----------|----------------------|-----|
| 1    | 301847   | WLDMT-REVERSE PULLEY | 1   |
| 2    | 56399    | BALL-INSERT 1-3/4"   | 2   |
| 3    | 56400    | RETAINING RING       | 2   |




# ROLLERS


| ITEM                    | PART NO. | DESCRIPTION               | QTY |
|-------------------------|----------|---------------------------|-----|
| 1                       | 54151    | SNAP RING SR11            | 1   |
| 2                       | 54152    | WASHER                    | 2   |
| 3                       | 54108    | BEARING 2"                | 2   |
| 4                       | 56885    | STUB SHAFT LONG           | 1   |
| 5                       | 62702    | STUB SHAFT SHORT          | 1   |
| 6                       | 54042**  | ROLLER-STEP 6"            | 1   |
| * *COMES WITH ITEMS 1-5 |          |                           |     |
| 7                       | 54151    | SNAP RING SR11            | 1   |
| 8                       | 54152    | WASHER                    | 2   |
| 9                       | 54108    | BEARING 2"                | 2   |
| 10                      | 54153    | SPACER-NRS                | 1   |
| 11                      | 54154    | SNAP RING SR3             | 1   |
| 12                      | 56889    | STUB SHAFT                | 1   |
| 13                      | 53951*   | ROLLER-STEP FLANGE 7"     | 1   |
| 12                      | 54155    | STUB SHAFT                | 1   |
| 14                      | 53950*   | ROLLER-CONE 6"            | 1   |
| 12                      | 54155    | STUB SHAFT                | 1   |
| 15                      | 59057*   | ROLLER-RUBBER FLANGE 6.5" | 1   |

\* COMES WITH ITEMS 7-12


## SCRUB DRIVELINE ASSEMBLY



# BELTED CHAIN LAP JOINT CONNECTION



WARNING : ENSURE THAT SCREWS ARE SUFFICIENTLY TIGHT TO PRODUCE A BULGE AT THE EDGE OF THE BELT OF BETWEEN 1 AND 2mm (SEE DIAGRAM). FAILURE TO DO SO MAY CAUSE PREMATURE FAILURE AND VOID YOUR WARRANTY




|                     |              |        |        |  |
|---------------------|--------------|--------|--------|--|
| Elevator (Standard) |              |        |        |  |
| Machine             | Rod Diameter | ST     | FLT    |  |
| 6R/8R               | 0.5          | 73122  | 69336  |  |
| Elevator (Double)   |              |        |        |  |
| Machine             | Rod Diameter | ST     | FLT    |  |
| 6R/8R               | 0.5          | 301528 | 301526 |  |
| Apron               |              |        |        |  |
| Machine             | Rod Diameter | ST     | UP     |  |
| 6R22/8R22           | 0.5          | 73122  | 73123  |  |
| 6R22/8R22           | 0.625        | 69660  | 69661  |  |
| 6R30                | 0.625        | 64994  | 69953  |  |

# KIT CONSISTS OF:

- 1.25 FT - BELT, NO-PROFILE
- 8 EA - PLATE, RIVET
- 16 EA - SCREW
- 16 EA - NUT


## REPAIR KIT - BELTED CHAIN #69541



### REPAIR PROCEDURE




1. REMOVE RIVETS 3 PITCHES (MIN) EACH SIDE OF DAMAGED BELT.
2. TRIM OUT DAMAGED BELT.
3. CUT NO-PROFILE BELT TO GIVE MINIMUM OF 3 PITCHES OVERLAP BOTH SIDES OF DAMAGE.
4. LAY NO-PROFILE BELT ON BELT TO BE REPAIRED AND DRILL HOLES TO MATCH PITCH.
5. ASSEMBLE AS SHOWN.
6. TIGHTEN SCREWS TO FORM APPROXIMATELY 2mm BELT SWELL AT BOLTED JOINT.
7. CUT OFF SCREWS NEXT TO NUTS.
8. PEEN SCREWS TO SECURE NUTS.

# BELTED CHAIN RIVET CUTTER #62802




## RECOMMENDED ADJUSTMENT AND LUBRICATION

1. THE JAWS SHOULD BE ADJUSTED USING A .005 IN. SHIM BETWEEN THE CUTTING EDGES. ADJUST THE BOLT #7 UNTIL IT IS HARD TO PULL THE SHIM. THEN LOCK IT IN PLACE WITH THE LOCKNUT #8 TO KEEP THE ADJUSTMENT SECURE. THIS SHOULD BE DONE PERIODICALLY FOR BEST OPERATION.
2. LUBRICATION OF THE PIVOT POINTS IS NECESSARY TO PROLONG THE LIFE OF THE CUTTERS AND SHOULD BE DONE FREQUENTLY. TRY WD-40.
3. THE AREA WHERE THE BAR IS RIVETED TO THE BELT SHOULD BE LUBRICATED PRIOR TO CUTTING THE RIVETS. A LITTLE MOVEMENT OF THE HANDLES TO THE SIDE AS A PRYING ACTION WILL ALSO HELP TO FINISH BREAKING THE RIVET.




# DECALS

1 303272 QTY 2



6 303513 QTY 1




2 9971011 QTY 4




7 9971015 QTY 2




3 9971021 QTY 1



8 303263 QTY 2



4 9971013 QTY 3






9 303268 QTY 5



5 9971025 QTY 1



CONTINUED




## DECALS (CONTINUED)

10 303277 QTY 1




15 997867 QTY 2



11 9971015 QTY 1



16 303269 QTY 2



12 997861 QTY 1



17 304212 QTY 1

| Hose Color Chart - 2300/2500 |                                              |
|------------------------------|----------------------------------------------|
| Black                        | Hitch                                        |
| Blue                         | Row Finder Constant                          |
| Gold                         | Row Finder Override                          |
| Green                        | Elevator                                     |
| Silver                       | ADC* Rear Lift (LH) Centering Steering       |
| Red                          | Steering** Rear Lift (RH) Centering Steering |
| Purple                       | Scrub Drive                                  |

\*Case Drain Line Must Be Used When Using the ADC Valve  
 \*\*Load Sense Line Must Be Used When Using Power Beyond  
 \*\*\*Non Centering Steering Is Rephased With Full Turn In Either Direction





13 303265 QTY 2



14 997859 QTY 1



CONTINUED



## DECALS (CONTINUED)


18 69292 2500 QTY 1  
69291 2400  
69290 2300

2400

21A 69399 QTY 2 LARGE LOGO  
21B 63465 QTY 5 SMALL LOGO



19 69294 LH QTY 1  
69297 RH QTY 1 NOT SHOWN



22 65330 QTY 2



23 65331 QTY 4



24 65332 QTY 2



20 69295 LH QTY 1 69298 RH NOT SHOWN QTY 1



25 62873 QTY 1

**Cleaning Bed Speed and Spring Adjustment**


| Spring Compression Adjustment |          |       |  |  |
|-------------------------------|----------|-------|--|--|
| B                             | 13.50 In | 34 cm |  |  |
| C                             | 8.50 In  | 22 cm |  |  |

| Sheave A | Outside Diameter | Grabroll RPM | P/N (6R) | P/N (8R) |
|----------|------------------|--------------|----------|----------|
| 6.8"     | 7.15 In 182 mm   | 606          | 56647    | 57681    |
| 6.2      | 6.55 In 166 mm   | 552          | 56646    | 57680    |
| 5.6"     | 5.95 In 151 mm   | 500          | 53668    | 57679    |

\* Available from your authorized WIC dealer


62873

26 303264 QTY 1



## DECALS (CONTINUED)

27 303851 QTY 1




28 303804 QTY 1



29 303769 QTY 1



INTENTIONALLY LEFT BLANK



| HYDRAULIC COUPLER ASSEMBLY |          |                                    |     |
|----------------------------|----------|------------------------------------|-----|
| ITEM                       | PART NO. | DESCRIPTION                        | QTY |
| 1                          | 304185*  | ASSY-TRACTOR HYD COUPLERS (RED)    | 1   |
|                            | 304186*  | ASSY-TRACTOR HYD COUPLERS (BLACK)  |     |
|                            | 304187*  | ASSY-TRACTOR HYD COUPLERS (BLUE)   |     |
|                            | 304188*  | ASSY-TRACTOR HYD COUPLERS (GREEN)  |     |
|                            | 304189*  | ASSY-TRACTOR HYD COUPLERS (GOLD)   |     |
|                            | 304190*  | ASSY-TRACTOR HYD COUPLERS (SILVER) |     |
|                            | 304191*  | ASSY-TRACTOR HYD COUPLERS (PURPLE) |     |
| 2                          | 304170   | HYD LABEL: 8FB-8FB RED (+)         | 1   |
|                            | 304172   | HYD LABEL: 8FB-8FB BLACK (+)       |     |
|                            | 304174   | HYD LABEL: 8FB-8FB BLUE (+)        |     |
|                            | 304176   | HYD LABEL: 8FB-8FB GREEN (+)       |     |
|                            | 304178   | HYD LABEL: 8FB-8FB GOLD (+)        |     |
|                            | 304180   | HYD LABEL: 8FB-8FB SILVER (+)      |     |
|                            | 304182   | HYD LABEL: 8FB-8FB PURPLE (+)      |     |
| 3                          | 304171   | HYD LABEL: 8FB-8FB RED (-)         | 1   |
|                            | 304173   | HYD LABEL: 8FB-8FB BLACK (-)       |     |
|                            | 304175   | HYD LABEL: 8FB-8FB BLUE (-)        |     |
|                            | 304177   | HYD LABEL: 8FB-8FB GREEN (-)       |     |
|                            | 304179   | HYD LABEL: 8FB-8FB GOLD (-)        |     |
|                            | 304181   | HYD LABEL: 8FB-8FB SILVER (-)      |     |
|                            | 304183   | HYD LABEL: 8FB-8FB PURPLE (-)      |     |
| 4                          | 304184   | FTG-ADAPTER: 8MB-8MB SOLID         | 2   |
| 5                          | 36290    | PIONEER TIP 8010-15P (#8 ORB)      | 2   |

\*INCLUDES ITEMS 2 THRU 5